



"Selectric" Typewriter

Part No./Price List

Technical Information Index

Revised June, 1982
S241-5103-7

IBM "Selectric" Typewriter (7XX)
IBM "Selectric" II Typewriter (8XX)
IBM "Selectric" III Typewriter (670X)

The drawings and specifications contained herein shall not be reproduced in whole or in part without written permission.

IBM has prepared this maintenance manual for the use of IBM Customer Engineers in the installation, maintenance and repair of the specific machines indicated. IBM makes no representations that it is suitable for any other purpose.

Information contained in this manual is subject to change from time to time. Any such change will be reported in subsequent revisions or distributed through Customer Engineering Memorandums (CEMs) to all subscribers.

Requests for copies of IBM publications should be made to your IBM representative or to the IBM Branch Office servicing your locality.

Comments about the publications may be addressed to (IBM Corporation, 740 New Circle Road N.W., Publications Department 901, Lexington, Ky. 40511). IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation whatever. You may, of course, continue to use the information you supply.

"It is possible that this material may contain reference to, or information about, IBM products (machines and programs), programming, or services that are not announced in your country. Such references or information must not be construed to mean that IBM intends to announce such IBM products, programming, or services in your country."

"IBM," "Executive," "IBM EXECUTARY," and "Selectric" are registered trademarks of the IBM Corporation.

All IBM Customer Engineers are expected to take every safety precaution possible and observe the following safety practices when servicing IBM equipment.

Mechanical Safety:

1. Safety glasses must be worn.
2. All safety devices, such as guards, shields, signs, ground wires, etc., must be restored after maintenance. When a guard or shield is removed to observe or make an adjustment, that shield must be replaced when work in the area is completed.
3. Watches, rings, necklaces, ID bracelets, etc., must be removed when servicing the machine.
4. Care must be used when working near moving parts. Keep hair away from moving parts. Avoid wearing loose clothing that might be caught in the machine. Shirt sleeves must be kept buttoned or rolled above the elbows. Ties must be tucked in the shirt or have a tie clasp approximately three inches from the end. Tie chains are not recommended.

Electrical Safety:

1. The equipment referenced in this manual may use high voltages. Check voltage labels!
2. Safety glasses must be worn when checking energized circuits.
3. If a circuit is disconnected for servicing or parts replacement, it must be reconnected and tested before allowing the use of the machine.
4. Power should be removed from the machine for servicing whenever possible. Remember, when checking voltages, avoid contacting ground potential, such as metal floor strips, machine frame, etc.
5. Meter continuity checks should be used instead of voltage checks whenever possible.
6. Do not apply power to any part, component, or subassembly when it is not physically mounted in the machine, or its approved service position.

General Safety:

1. Each Customer Engineer is responsible to be certain no action on his/her part makes the product unsafe or exposes customer personnel to hazards.
2. Store the removed machine covers in a safe, out of the way place where no one can trip over them.
3. If you must leave the machine in a down condition, always install the covers and disconnect the power before leaving the customer's office.
4. Always place CE tool kit away from walk areas where no one can trip over it.
5. Maintain safe conditions in the area of the machine while performing and after completing maintenance.
6. Before starting the equipment, make sure fellow CEs and customer personnel are not in a hazardous position.
7. All the machine covers must be in place before the machine is returned to the customer.

Note: Refer to the Safety CEMs relating to this product(s) for further safety precautions.

PART NUMBER PRICE LIST (PN/PL) INSTRUCTIONS

This PN/PL is used with APM S241-5939-2. When a selling price is not shown in this listing, contact your local IBM Branch Office.

Parts information contained is for the following products:

Equipment Description	Machine Type
"Selectric" I (All Models)	6121
"Selectric" I/O	6122
"Selectric" II (All Models)	6126
"Selectric" III	
13" S.P., Fabric Ribbon	6701
13" S.P., Non-Corr. Ribbon	6702
15" S.P., Correcting	6703
13" D.P., Correcting	6704
15" D.P., Correcting	6705

SPECIAL PART NUMBER IDENTIFICATION

Part numbers with a code printed in the description column provide footnotes, restricted parts.

Code	Additional Information
1	Refers to a note at the end of the Mechanism list. Machine serial numbers are approximate.
"Q"	Restricted Part; Contact CE Management. Reference SRL P&S 035

Part numbers with a code printed to the right of the selling price provide additional information for ordering, identifying or locating part.

Code	Additional Information
A	Specify color
C	Typestyle, character, position, catalog number
E	Typestyle, keyboard arrangement, number of characters, machine model
G	Specify forms width
H	Pin-to-pin dimension and hardness
#	*Recommended Parts Inventory Parts. Reference CE, Recommended Parts Inventory (F/N Z241-5613)
R	*All Red Tag parts usage must be recorded regardless of the machine type and status.
U	*Used Part Returnable For Credit. Reference General Administrative CEM No. 10 or appropriate SRL by Product.
WT	*World Trade
FE	*Field Engineering Part. If not in OP stock, check local FE stock before ordering Code A
B4	*Japanese Series III
T	Supplies or accessory items
S	Specify length in feet

*These codes may be used in combination with other codes. Example: #R — RPI/Red tag; WR — World Trade/Red tag.

NOTE: World Trade (WT) part reference numbers and part numbers NOT included in this listing may be obtained by ordering World Trade Part Number/Price Lists through local CE Management (Reference ordering instructions contained in SRL AV/P 001).

Parts Packet Parts—Part numbers contained in Parts Packets are identified by a two-digit number printed on the right of the selling price that corresponds with the last two digits of the Parts Packet Part Number. Complete Parts Packet Part Numbers are listed before the first mechanism code in this publication.

Example: 0332747 Retainer .04 13
is in Packet No. 13 (1152413)

Example: 1070029 Pin Clevis .15 06
is in Packet No. 6 (1280706)

CODES 32 AND 33 INFORMATION

Current Codes 32 and 33 information is printed in the Technical Information Index of this Part Number/Price List.

CEM INFORMATION

This edition contains part numbers and prices previously printed in CEMs through CEM No. 484.

When new parts information is released in a CEM and the parts are not shown in the illustration portion of the Parts Catalog, the CEM number and the reference number will be printed at the beginning of the proper mechanism.

MISCELLANEOUS EQUIPMENT SPECIFICATION (MES) AND SPECIAL ENGINEERING REQUEST (SER) PARTS INFORMATION

Features, devices, specification changes or replacement parts not shown in the Parts Catalog must be ordered through CE Management and Branch Office Sales.

TECHNICAL INFORMATION INDEX (TII) INSTRUCTIONS

The Technical Information Index (TII) in the back of this manual replaces the current "Technical Information Index," the "CEM Contents Page" and the "Combined Safety and Service Information Index." The TII will direct you to the most current service information. If the information is in the "Combined Service Information Booklet," the TII will indicate the page and item number. If the information is in a current CEM, the CEM column will indicate the CEM number.

When information printed in the original CEM is needed, contact the local CE Management.

Abbreviations used in the Technical Information Index:

APM — Adjustment Parts Manual
CSI — Combined Service Information
CEM — Customer Engineering Memorandum
SHP — Shop Manual (F/N Z241-6670)
TYP — Type Catalog (F/N S241-5687)

For step-by-step instructions, refer to the Combined Service Information Booklet (CSI).

CURRENT PUBLICATIONS

CURRENT "SELECTRIC" TYPEWRITER PUBLICATIONS

ADJUSTMENT PARTS MANUAL	S241-5939-2	APRIL, 1980
COMBINED SERVICE INFORMATION	S241-5114-2	MAY, 1980
DIAGNOSTIC APPLICATIONS	S241-5746-1	OCTOBER, 1975
SERVICE MANUAL	S241-5615-3	MARCH, 1980
SERVICE MANUAL SUPPLEMENT ("SELECTRIC" III)	S241-6176-0	APRIL, 1980

NOTE: CODES 32 and 33 information is located in the
Technical Information Index.

SELECTRIC

00 PARTS PACKET

PART NO.	PACKET NO.	CONTENTS
1280701	1	SCREWS 3.50
1280702	2	SCREWS 2.15
1280703	3	CLIPS 4.80
1280704	4	SPRINGS 2.80
1280705	5	SPRINGS 2.90
1280706	6	CLEVIS 3.45
1280707	7	NUTS 4.85
1280708	8	WASHERS 4.70
1280709	9	STUDS 1.65
1280710	10	MISC 2.40
1269011	11	224 7.10
1275112	12	270 7.10
1152413	13	COPIER 3.30
1152414	14	COPIER 2.35
1152415	15	COPIER 2.50
1152416	16	COPIER 14.00
1202817	17	MT/ST 16.50
1459218	18	MT/SC 25.25
1452819	19	MC/ST 4.00
1275620	20	I/O 6.70
1303531	31	ET 5.90
1673952	52	COPIER 9.95
		II COLL
1354967	67	SYSTEM6 11.25

01-BACKSPACE(NON-ROT)
NRB/S(NON-ROTARY B/S)

36	1164579	SCREW	.01 14
37	0257187	NUT	.06 13
38	0056722	WASHER	.02 08
39	1138108	BRACKET	1.20
100		B/S KEYBUTTONS	
100	1171981	CHARCOAL GRAY	1.85
100	1138769	NAVY	1.85
100	1124844	BLUE	1.85
100	1124450	ACCENT GRAY	1.85
101	1133686	KEYLEVER	1.20
102	1090404	SPRING	.01
103	1164366	BRACKET, SEE MECH 17	.35
103	1134977	BRACKET,BELOW 7X1-4174197	.95
		7X3-4800213	
		7X5-4454733	

103	1124014	BRACKET, 7X1	2.30	315	1123827	SPRING	.01 04	8	1138107	ANVIL, XX3	25.50	
		BELOW S/N 4002158 ALSO		316	1124094	SPACER	.30	8	1128047	ANVIL, XX5	19.25	
		ORDER B/M 1271555		317	0025282	*2* RETAINER	.05 12	8	1206144	SUPPORT NON-COR	3.00	
104	1164576	SCREW	.02 02	320	1164651	LATCH	1.55	8	1141640	*4*SUPPORT XX5	27.25	
105	1164467	BAIL, SEE MECH 17	.25	323	1164612	SCREW	.03	8	1279488	*4*SUPPORT XX3	6.20	
				326	1164613	CLAMP	.08	9	1124157	SCREW	.09	
106	1141838	SPRING	.02	328	1124451	BRACKET 7X1	7.50	11	0332747	RETAINER	.02 13	
107	0528552	CLIP	.04 03			BELOW 7X1-4012015		15	1204943	CARRIER BUFFER	1.15	
109	1071449	SPRING	.01	328	1132283	*5*BRACKET	1.00	16	1164580	SCREW,BUFF MTG	.01 02	
209	1138464	CLIP-IF LATCH BINDS	.02	328	1128118	BRACKET XX3-XX5	.80	30				
300	1141630	SPRING	.02	329	1138799	*1*LEVER 10P	.20			PRINT SHAFTS		
301				329	1138800	*1*LEVER 12P	.40	30	1164736	*7*SHAFT 7X1	6.55	
		RACK, BACKSPACE		329	1124613	*3*LEVER 10P	1.20	30	1164737	*7* SHAFT 13"	6.50	
301	1124618	*4* 10P-7X1	4.10	329	1132204	*3*LEVER 12P	1.60			SEL II + III		
301	1124568	*4* 12P-7X1	4.10			12 PITCH LEVER HAS A NOTCH		30	1164738	*7* SHAFT 15"	5.80	
301	1138052	*4* 10P-XX3	2.90							SEL II + III		
301	1138051	*4* 12P-XX3	2.90			*1* BETWEEN 7X1-4012015 AND		31	1164740	*7*BEARING RH &	.10	
301	1147320	*4* 10P-XX5	4.10			4012015 AND				LEFT HAND CURRENT LEVEL		
301	1147319	*4* 12P-XX5	4.10			4155753. BELOW 7X3-4783460		31	1124167	*6*BEARING RH	4.65	
301	1135954	*4* 9P-7X1	10.25			& 7X5-4441041				STEEL		
302	1124616	SPACER	.04			*2* USE ABOVE		32	1138845	*6*BEARING LH	1.25	
303	1147335	STUD,GRAY,NEW	.15			L-1 4091940,4716190 &		32	1124166	*5*BEARING LH	.55	
		USED WITH NEW B/S RACK REF				4388350				BRONZE		
		301 ABOVE 7X1-9415199				L-2 4095506,4720856 &		33	1135591	PLATE, RH	.40	
		7X3-9025256,7X5-5725435				4391647		33	1254359	PLATE,RH(670X)	.35	
303	1124614	STUD,SILVER,OLD	.20 09			L-3 4101930,4724769 &		34	1135590	*20*PLATE, LH L2	.30	
		USED WITH OLD B/S RACK				4395996		34	1254360	PLATE,LH(670X)	.25	
		BELOW 7X1-9415199,						35	1141749	RETAINER LH	.20	
		7X3-9025256,7X5-5725435				*3* BELOW 7X1-4012015		35	1124168	*5* RETAINER,LH	.10	
304	1164610	BRACKET, 7X1	1.40					36	1124168	RETAINER, RH	.10	
		NOTE FOR MACHINES BETWEEN				*4* ALSO ORDER STUDS REF		36	1124168	*5* RETAINER,LH	.10	
		7X1-4173820-9400303,				303 P/N 11477335 BELOW		37	1206425	SCREW	.01	
		ORDER MECH 706 REF 16				7X1-9415199		38	1206164	PIN, DOWELL	.01	
304	1164608	BRACKET XX3-XX5	1.30			7X3-9025256		39	1141458	*6*WASHER	.06	
305	0037913	*1*NUT	.06 07			7X5-5725435		39	1090511	*11*WASHER	.01	
306	1124615	*1*STUD	.20 09					40	1164739	*18* GEAR	.70	
307	1124612	*1*STUD	.20 09			*5* BETWEEN S/N		41	1175107	SCREW	.03 01	
308	0037913	NUT	.06 07			7X1-4012015 & 4173820		42	1175866	SCREW	.25	
309	1128370	*2*LATCH ASM	3.15			BELOW S/N		43	1175869	STUD	.20	
		IF LATCH ASM IS				7X3-4800218		43	1127759	STUD,BELOW 7X1-	.20	
		REPLACE ON LEV 1 OR LEV 2				7X5-4454733				4270603,7X3-4951945, &		
		BACKPLATE P/N 1128368 AND								7X5-4589363		
		P/N 25282 MUST BE USED						44	1175868	WASHER	.01	
309	1124489	LATCH ASM,BELOW	1.85					44	1134843	WASHER,BELOW-	.01 08	
		7X1-4091940,7X3-4716190 &								7X1-4270609,7X3-4951945 &		
		7X5-4388350								7X5-4589360		
310	1164559	*2* SCREW,LEV 3	.01			1 1124158	SCREW	.10	45	1134842	NUT	.01
310	1141072	*2* SCREW,LEV 2	.05 01			2 1124161	ECCENTRIC	.35	46	1175865	GEAR	.40 #
310	1132098	*2* SCREW,LEV 1	.06 02			3 1206147	SCREW	.15	46	1159350	GEAR,BELOW 7X1-	.70
311	0037913	NUT	.06 07			4 1124163	BRACKET	.03			4270600,7X3-4951945 & 7X5-	
312	1073418	*2*RETAINER L-2	.01 03			5 1124162	BRACKET	.10			4589360	
313	1118361	*2*RETAINER L-1	.01			6 1128054	ECCENTRIC	.10	47	0038261	SCREW	.02
314	1141536	PAWL, BACKSPACE	.25			7 0038051	NUT	.06 07	48	1124646	RETAINER	1.95
						8 1124164	ANVIL,7X1	9.10	49	1141508	RETAINER	.05

02-CARRIER-ROCKER

SELECTRIC

50 1124647 WIPER	.02 #	130	-	154 1164865 *15* STUD PRE	1.65	180 1175702	51.50
51 1175220 *7*-CLIP	.10		CARRIER & ROCKER ASM.			180 1175703	59.25
95 1174497 SPRING	.15	130 1141164 *8* FAB RIBBON	123.00	154 1124176 *9*,*15* STUD	1.15	180 1175704	67.00
96 1174494 SHOE,CARRIER	.20		DUAL IMPRESSION			180 1175705	74.75
IF REPLACING OLD		130 1164861 *8*17* FILM	174.00	155 1175106 *9*SCREW	.05 02	180 1175706	82.50
LEVEL SHOE WITH NON-ADJ			RIBBON DUAL IMPRESSION			180 1175707	90.00
SHOE,ALSO REPLACE ESC RACK		130 1292077 *17* GEARLESS	106.00	156 0006503 NUT	.06	180 1175708	97.75
1205168 SHOE, CARRIER	.25		TILT, PRIOR TO D/IMP. ALSO			180 1175709	105.50
ROTARY B/S MACHINES		130 1204450 *22* SE II RB/S	140.00	161 1124573 ECCENTRIC	.15	180 1175710	113.25
97 1174496 STUD,CURRENT	.25		ORDER 14-249 WITH CARBON			180 1175711	121.00
97 1141772 STUD BELOW S/N	.65		RIBBON OR 13-80 WITH FAB-			180 1175712	128.50
7X1-4106289,7X3-		130 1206662 *22* SE II RB/S	183.00 R	163 1138843 SCREW	.04		
4728829&7X5-4398686			SELECTIVE RIBBON				
100 1141200 CARRIER ONLY	12.25	130 1206663 *17* SE II NON-	117.00	164 1073418 RETAINER	.01 03	THROUGH 1175726 USE THIS	
ALSO ORDER REF 514 & 513		RB/S SELECTIVE RIBBON		165 1132279 FOLLOWER	.05	PRICE	
ORDER REF 126 BELOW		130 1204450 *22* SE II RB/S	140.00	166 1127723 STUD	2.15	201 1269137 B/M 7X1 GEARS	4.30
7X1-4036419		FABRIC RIBBON		167 1127722 NUT	.05 14	201 1269138 B/M 13" SEL II	6.05
7X5-4354172		130 1204018 *17* SE II NON-	120.00	168 1073418 RETAINER	.01 03	& III	
100 1206595 CARRIER ONLY	13.25	RB/S FABRIC RIBBON		169 1124830 FOLLOWER	.85	201 1269139 B/M 15" SEL II	10.75
R/S USED		130 1206212 *19*21* SE II	129.00 R	171 1132118 DOWEL	3.45	+ III	
ON CORR + SEL RIBBON		NON-RB/S CORRECTING		172 1164580 SCREW	.03	202 1141627 CAM DUAL IMP	.60
100 1206536 CARRIER ONLY	10.50	130 1206211 *19*21*22* SE II	209.00 R	173 0438554 SCREW	.01 02	PRINT/NON-CORR	
NOM ROTARY B/S SE II		RB/S CORRECTING		174 2114985 NUT	.06 07	202 1206046 CAM,PRINT/CORR	1.10
USED ON CORR & SEL RIBBON		130 1269720 SE & SE II	169.00 R	175 0037913 NUT	.06 07	203 0316781 SCREW	.06
101 1128126 BUFFER XX3-XX5	.10	CARRIER, EXTERNAL RIBBON				204 1164290 WASH	.15
102 1128184 ECCENTRIC	1.30	130 1254673 *22* SE III	174.00 R			205 1141619 FOLLOWER,PRINT	3.05
103 0038262 SCREW	.08 02	CORRECTING				CAM-SEE REF.154	
104 0038214 NUT,7X3 & 7X5	.06	130 1336449 *22* SE III	152.00 R			206 1175102 SCREW,USED WITH	.03
105 1124287 SCREW,7X3 & 7X5	.05	FABRIC RIBBON				LOCKNUT	
107 1141158 SHOE	2.90	130 1304567 *22* SE III	157.00			206 1336407 SCREW,SELF LOCK	.30
109 1141209 NUT	.10	SELECTIVE RIBBON				207 2114985 NUT,STOP	.06 07
110 1141985 SPRING	.35	130 1336469 SE III EXTERNAL	94.50			208 0052522 SCREW	.08
113 1164218 WASHER	.01	RIBBON CONTROL				209 1141629 STOP,ROCKER	.40
114 0338183 LOCKWASHER	.01	130 1359643 CARRIER & ROCK-	229.00 R			210 1141626 YOKE,FOLR. D.I.	.25
115 0038051 NUT	.06 07	ER ASM. RIBBON CASSETTE				211 1141624 BRACKET,TAB	.80
115 1174157 NUT,USE WITH	.07	149 1269437 B/M, CAM	11.00			ANCHOR-ALSO ORDER REF 220	
REF 97-CURRENT		PRINT SLEEVE & KEY PRE DI				NOTE-SEE MECH 24 FOR RB/S	
117 1141988 STUD	2.30	150				& MECH 26 FOR CORR	
118 1164219 WASHER	.15	PRINT SLEEVES & KEYS MUST				212 1164580 SCREW	.01 02
119 1141991 PLATE	.55	BE REPLACED TOGETHER ON				213 1123827 SPRING	.01 04
120		MACHINES PRIOR TO APPROX				214 1141636 CLIP	.09
FOR CALL RE-		S/N 7X1-0619200				215 1141771 SCREW	.04
PORTING ONLY-NOT FIELD		8X3-1544100				216 1141763 CABLE, 7X1&XX3	1.65 #
INSTALLABLE.		8X5-2863500				AND 13" SE III	
125 1272015 B/M SPRING,SHOE	5.20	150 1206925 PRINT SLV	6.95			BLUE & GREEN ID STRIPE	
FIELD CONVERSION-BELOW		151 1206813 *3*KEY	.70	180 1167030 SELECTRIC &	23.00	216 1141765 CABLE, XX5 AND	1.80 #
7X1-4105827,7X3-4728138&		152 1124174 CAM	4.10	SELECTRIC II		15" SE III-SOLID BLUE	
7X5-4398123		153 1175101 SCREW	.04 01	180 1352002 SELECTRIC III	23.00	ID STRIPE	
126 1272175 *8*B/M TO IN-	1.00	153 0257971 SCREW,BELOW 7X1	.10 02	180 1147504 TYPE ELEMENTS	23.00	217 1141637 GUIDE CABLE	.06 #
STALL SPRING LOADED CAR-		4085700,7X3-4708450 &		THROUGH 1147520 ELEMENTS		220 1141622 STUD,ANCHOR	.06
RIER SHOE ON MACHINE		7X5-4382850		USE THIS PRICE		BRACKET-ALSO ORDER REF 211	
BELOW: 7X1-4106289,7X3-		154 1164878 *15*STUD CURR L	.15			221 1164580 SCREW	.01 02
4728829 & 7X5-4398686		154 1175054 *15*STUD EARLY	1.30	180 THE FOLLOWING		222 1206588 VELOCITY LEVER	2.20
IF REP OLD LEVEL SHOE		DI ALSO ORDER REF 204		ELEMENTS ARE		ONLY. IF BRACKET IS NEEDED	
WITH NON-ADJ SHOE				LISTED FOR PRICING ONLY		ORDER REF 229(SEE CEM 396)	
ALSO REP ESC RACK				180 1175701	44.00	223 1141759 ECCENTRIC,VEL.	.65
						CONTROL-DUAL IMPRESSION	

SELECTRIC

224 1164690 SCREW	.01	334 1266687 TILT RING ASM	45.50	420 1124196 PULLEY, ROTATE	5.40 #	509 1141323 SCREW	2.25
229 1141758 VEL LVR MTG BKT	.60	B/M, GEAR		421 1164952 SCREW	.05	510 1124179 LEVER, DETENT AC	.15
299 1133574 RING, TILT, ONLY	55.50	335 1287435 TILT RING ASM	31.25 #	422 1124745 KEY SEL I & II	.15	511 1124838 SUPPORT, DET. LVR	.20
ORDER REF 410 & 409-FILE		SPRING BIASED SE + SE II		422 8169100 KEY SEL III	.41	512 1141199 ROCKER ASM, B/M	40.00
YOKE TO REMOVE INTERFER-		336 1280498 TILT PULLEY B/M	3.80	423 1141238 CLIP	.04	INCLUDES YOKE & STRIKER-	
ENCE ON TYPEWRITERS BELOW		GEARLESS TILT		424 1132244 SPRING, ROTATE	2.40 #	SEE NOTE AFTER REF 508	
7X1-4032020		400 SOCKET, UPP BALL		425 1164548 PLATE, ROTATE	.08	513 1127775 WASHER, THRUST-	.07
7X5-4351745		D.I. OBS. ORDER R335		SPRING		BELOW	
300 RING, TILT D.I-OBS		400 1133529 SOCKET, UPPER	9.50	425 1124217 PLATE, ROTATE	.10	7X1-4036419	
ORDER REF. 335		BALL-USED WITH SMALL BORE		SPRING-BELOW		7X5-4354172	
300 1128442 RING, TILT-ONLY-	8.70	TILT RING REF 299 & 300		7X1-4125290		513 1141189 WASHER, NYLON	.03
SMALL-USED WITH P/N-		BELOW		7X3-4750517		514 1078497 WASHER, POCKER	.03
1133529 SEE REF 400		7X1-4111107		7X5-4412861		BEARING-USED WITH REF 513-	
300 1205572 TILT RING SPG	16.25	7X3-4733871		426 1124218 RETAINER	.05	NYLON	
BIASED		7X5-4403402		428 1164044 GUIDE	1.25	516 1164775 SCREW	.04 02
(670X/9XX) UNAVAILABLE		400 1205569 BALL SOCKET USE	4.45	428 1128449 GUIDE, FOR ALL	3.90	517 0236571 RETAINER	.05 03
ORDER REF 333		WITH SPG BIAS TILT		GEARLESS TILT BEFORE D.I.		518 1175101 SCREW	.04 01
301 1124190 PIN TILT RING (Lg Dia.)	.80 #	401 1123822 SHIM, T.RING A	.08 08	429 0186712 SCREW	.20 01	520 1128434 *16* YOKE ONLY	6.85
302 1123828 SCREW, BRISTOL	.06	401 1123823 SHIM, T.RING B	.05 08	430 1147698 SPG, BIAS	.08	521 1164580 SCREW	
302 1206931 SCREW, TILT RING	.03	401 1123824 SHIM, T.RING C	.07 08	430 8168016 SPRING UPPER	.02	SEE REF 528 & 540	
PIVOT-HEX HEAD, USED		401 1123825 SHIM, T.RING D	.08 08	BALL SOCKET SEL III		522 1175352 *2* NUT	.07
W/FLAT TOP YOKE.		401 1128281 SHIM, T.RING E	.20 08	432 1092125 C-CLIP	.01 03	524 1128458 LEVER	.20
303 1127767 SHIM, T.TUBE A	.30	402 1124188 SPACER	.50	440 1449896 SCREW, INSERT	.25	525 1256453 *2* STUD	.20
303 1127768 SHIM, T.TUBE B	.40	403 1205589 SCREW	.08	441 1498997 LOCATOR, TYPE-	.60	ORDER REF 524 & 526	
303 1127769 SHIM, T.TUBE C	.10	404 1205567 SPRING ROT DET	.01	HEAD		BELOW 7X1-4106491	
303 1141175 SHIM, T.TUBE D	.10	405 1164285 *1* LEVER, DETENT	1.90	442 1449170 UPPER BALL	4.80	7X3-4727114	
304 1124204 TUBE, TILT	9.10	406 1124831 GUIDE, DETENT	.03	SOCKET		7X5-4397156	
305 1124712 PULLEY, TILT	12.00	GEAR TILT		450 1440012 TAPE GUIDE	1.10	526 1127722 NUT	.05 14
306 1132148 KEY, TILT PULLEY	.10	406 1206789 GUIDE, DETENT L2	1.25	500 1134803 ROLLER, DETENT	.40	527 1164790 ROCKER-ONLY-	2.90
307 1175106 SCREW	.05 02	407 0045611 WASHER	.10 19	CAM FOLLOWER-WHEN INSTALL-		DUAL IMP. SEE REF 540	
308 1133660 SPRING	.02	408 1206790 SCREW, SHOULDER	.08	ING ROLLER BELOW 7X1-		527 1128438 ROCKER-ONLY-	3.30
309 1124224 ANCHOR	.02	409 1141371 WASHER	.02	4014700, ORDER REF 510 ALSO		GEARLESS-SEE REF 528	
310 0038261 SCREW	.02	410 1141182 NUT	.25 07	501 1206616 BRACKET DETENT	2.05	528 1280234 ROCKER, ASM.-	18.75
311 1164151 *1* LEVER, DETENT	1.55	411 1134785 GUIDE	2.40	ALL NON-ROT B/S (NRB/S)		GEARLESS INCL YOKE &	
312 1133658 SPRING	.03	412 0045611 WASHER	.10 19	501 1206626 BRACKET-RB/S	2.00	STRIKER	
313 1124234 STUD	.30	413 1124835 SCREW, DETENT	.10	502 0037913 NUT	.06 07	529 1141630 SPRING	.02
314 1124832 STUD, T.DETENT	.10	GUIDE-USED WITH OLD STYLE		503 0472729 SCREW	.08 17	530 1256657 *13* SHAFT, PIVOT	3.65
315 1090268 NUT	.01	TILT RING ONLY		504 1164952 SCREW	.05	535 1272176 B/M DET. SUPPORT	.95
316 1442330 SCREW	.25 21	414 1124220 BALL JOINT	4.25 #	505 1164240 CAM, FABRIC RIBB	.95	540 1272473 ROCKER ASM, D.I.	8.00
317 1123785 NUT	.04	415 1164550 SOCKET, LOW BALL	2.15 #	FEED & DETENT-USED WITH		INCLUDING YOKE	
320 1175197 STUD	.60	415 1124197 SOCKET, ASM LOW	6.20	L-2 RIBB HECH 13-80		540 1254671 ROCKER ASM-670X	68.50
321 1164099 WASHER, FELT	.01	BALL PRIOR TO GEARLESS TLT		505 1164095 CAM, FILM RIBB	.65	541 1174011 GUARD, TAPE	.15
322 1174427 PULLEY, TILT-	2.20	415 1254802 SOCKET, LOWER	2.70 #	FEED & DETENT		543 7341388 CLIP, SAFETY	.01
GEARLESS TILT		BALL (670X)		505 1164092 *3* CAM, FAB RIBB	1.65	544 1164775 SCREW	.04 02
323 1091388 WASHER	.01	416 -		FEED & DETENT DUAL IMP		-	
324 1128451 STUD, TILT LINK	.15 18	LOWER BALL SOCKET SHIMS		USED WITH L-1 RIBBON		*1* BOTH REF 311 & 405	
325 0251989 RETAINER	.02 03	416 1141176 SHIM A	.55	MECH 13-64		MUST BE REPLACED TOGETHER	
326 1128459 SPRING	.05	416 1164335 SHIM B	.02	505 1164095 CAM, SELECT RIB	.65	BETWEEN	
327 1141625 BRKT, DUAL IMP	.15 #	416 1127771 SHIM C	.25	506 1123589 SCREW	.15 01	7X1 4106153-4108500	
FOR PRE D.I. BREAK OFF		416 1127772 SHIM D	.75	507 0263680 WASHER	.03	7X3 4727114-4856600	
SPRING MOUNT		416 1127773 SHIM E	.60	508 1141235 YOKE-ONLY-SEE	21.00	7X5 4398405-4401100	
329 1256488 SCREW	.01	416 1127774 SHIM F	.20	REF 512 ALSO ORDER REF 304		-	
333 1303501 TILT RING ASM	36.00 #	416 1164563 SHIM G	.50	BELOW		*2* BOTH REF 432 & 525	
(670X)		417 1124219 GUIDE, TAPE	5.75	7X1-4053655		MUST BE REPLACED TOGETHER	
		418 0038250 SCREW	.08	7X5-4365296		BETWEEN	

SELECTRIC

7X1 4106491-4216949	*17*OERER SHOE SPRING	104 0081693 SCREW	.01	408 1128008 SPRING	.05
7X3 4727114-4856600	REF 95	105 1164467 BAIL	.25	409 1175102 SCREW L-2	.03
7X5 4397156-4507190	-	106 1100937 SPRING	.01 18	409 0038263 *3*SCREW L-1	.03
*3*BELOW 7X1-4034780	*18* BELOW 7X1 4171280	107 0528552 GRIP CLIP	.04 03	410 1164107 *1* LEVER ASM	.65
7X5-4352650	7X3 4791387	109 1071449 SPRING	.01	411 1128122 LEVER ASM	1.70
ORDER REF 149	7X5 4455000	112 1147649 SPRING 721 ONLY	.05	412 1141072 SCREW	.05 01
7X3 MACHINES WERE NOT MFG	ALSO REPLACE REF 30,31&51.	200 1205550 BELLCRANK,UNLAT	.10	413 0037913 NUT	.06 07
DURING THIS TIME FRAME	-	201 1110529 CLEVIS	.10 06	415 1134884 SPRING-HOOKS TO	.02
-	*19* FOR MACH WITH ALL	202 1205551 LINK,CLU UNLAT	.30	C/R LATCH & INTERPOSER	
4 BETWEEN	STEEL TRANSPORT, USE P/N	203 1205560 ARM, ASM 8X3	1.35	420 1133608 ARM,7X1 BELOW	4.90
7X1 4115000-4174197	1206076 VEL BRKT BREAK	203 1205561 ARM, ASM 8X5	1.05	4110542	
7X3 4736000-4800218	FRONT TORQUE BAR SUPP LUG	204 1205555 KEEPER, LATCH	.95	420 1138034 ARM,7X3 BELOW	3.05
7X5 4405000-4454733	-	205 1090435 SPRING	.15 12	4749542	
-	*20* WHEN CHANGING THE	206 1205575 LATCH,CLU	.65	420 1128099 ARM, 7X5 BELOW	6.55
5 BELOW 7X1-4106350	PLATE ON L-1 MACHINES WITH	207 1205552 LATCH,TORQ BAR	1.10	6413594	
7X3-4714830	LEAF SPRING BIASED MARGIN	308 OBSOLETE		421 1090394 WASHER	.01
7X5-4390106	RACK,THE MARGIN RACK MUST	360 1128379 CORD,7X1 22	.50 #	425 1141526 ARM, BETWEEN	4.50
-	BE REPLACED WITH LATE	INCH		7X3-4749542-4861170	
6 BELOW 7X1-4171280	LEVEL ASM(09-150)	360 1128380 CORD,X3-X5	.50 #	425 1141527 ARM, BETWEEN	5.60
7X3-4791387	-	28IN. CORD, RB/S		7X5-4413594-4511060	
7X5-4455000	*21* BELOW 8X3 1598062	SEE MECH 24 REF 43		427 1158111 ECCENTRIC,7X3-5	.08
-	8X5 2967661	361 1175199 STUD SEE MECH	.10	428 1175101 SCREW ECCENTRIC	.04 01
7 IF REPLACING PRINT	ORD 26-130 FTB CARR SUPP.	06 REF 39		REF 427,428 BELOW 7X3-	
SHAFT BELOW *6* RANGE ALSO	26-86 LINK & 26-52 SPRING	362 1124628 PULLEY,NRB/S	.08	4708400 7X5-4382500	
REPLACE REF 31,40 & 51	FTB & CONV TO FTB	362 1205564 PULLEY,RB/S	.30	500 1132003 BRACKET ASM	1.80
CURRENT LEVEL. REF 30,31,	-	363 1174499 DRUM 8-32 L2	1.30	501 1127733 SCREW	.01 01
40 & 51 MAY BE REPLACED	*22* INCLUDES ESCAPEMENT	ALSO ORDER SCREW, REF.364		502 1128338 SHOE,C/R ONLY	.25 #
TOGETHER BELOW *6* RANGE.	BRACKET LEVEL 2-SHORT PAWL	364 1128352 SCREW 6-32 LI	.40	502 1124478 SHOE,BELOW	1.20
-	MOUNTING STUD	BELOW 7X1 5791697		7X1-4090000	
8 100 INCH	-	7X3 5259215		7X3-4713800	
MAINSRING	100 CARRIER RETURN KEYBUTTONS	7X5 5609388		7X5-4386800	
PN 1164342 REQUIRED WITH	100 1171991 CHARCOAL GRAY	364 1174498 SCREW 8-32 L-2	.06	502 1206854 SHOE (WHITE)	.05
THESE ASSEMBLIES	100 1124870 ACCENT GRAY	365 1256075 PULLEY ASM,LH	.90	LVL 1, ONE PIECE C/R ARM	
9 BELOW 7X1-4144542	100 1124874 BLUE	REAR-PLASTIC		502 1336412 SHOE (BLUE)	.09
11 BELOW 7X1-4109278	100 1138782 NAVY	366 1256076 PULLEY ASM,LH	.70	LVL 2, ONE PIECE C/R ARM	
7X3-4733129	100 1204613 ACCENT GR SE II	FRONT-PLASTIC		503 0043373 SPRING	.01 31
7X5-4403044	100 1204614 CHAR GRAY SE II	367 1090336 WASHER-PRIOR DI	.03	504 1128325 SPRING ARM	.25
-	100 1205221 NAVY,SE II	368 1124557 CLIP,CORD ANCHR	.15 03	BELOW 7X1-4090000,7X3-	
13 WHEN REPLACING ROLLED	100 1254700 KEYBTH SEL III	400 1124472 ARM 7X1	1.85	4713800, 7X5-4386800	
ALUMINUM WITH STEEL SHAFT	92 & 94 CHARACTER	401 1141072 SCREW 7X1 L-2	.05 01	505 1159743 *7* SPRING	.06
ALSO ORDER SCREW REF 516	100 1254231 KEYBTH SEL III	401 1132098 SCREW 7X1 L-1,	.06 02	506 1141173 *7* STUD	.08
-	96 CHARACTER	USE BELOW 7X1-4110542		507 1141290 *7* CLIP	.10
15 FOR ILLUSTRATION AND	101 1133681 KEYLEVER	402 0037913 NUT	.06 07	508 1175677 *7* ARM	.35
DESCRIPTION OF STUDS SEE	101 1254163 KEYLVR (670X)	403 0123491 SPRING	.30	511 1164940 SCREW	.01
DESCRIPTION FRAME NEXT	102 0150735 SPRING	405 1164105 ARM ASM 7X3-5	.85	512 1164799 INSERT	.02
TO MECH 02 IN AFM	103 1134977 BRACKET,BAIL	405 1128103 *3*ARM ASM7X3-5	1.10	550 1128167 BRACKET 7X3-5	1.15
-	103 1124014 BRACKET,BAIL	405 1287869 LATCH-7X1 FOR	2.00	551 1164576 SCREW 7X3,7X5	.02 02
16 WHEN REPLACING	BELOW 7X1-4010750	MACH WITH DOUBLE		552 1123627 STUD,BELOW 7X3-	1.20
OLD YOKE WHICH USES	103 1271555 B/M-BAIL BRKT.	INDEX ONLY		4714830,7X5-4390106 WITH	
SPACER REF 416,REMOVE	USE BELOW 4002158	405 1287870 LATCH-XX3-XX5	1.70	FORMER LEVEL MARGIN RACK	
SPACER	-	FOR MACH WITH DOUBLE		553 0264641 RETAINER	.01 03
-	-	INDEX ONLY		554 0037913 NUT	.06 07
		406 1141072 SCREW	.05 01	555 1174106 BELLCRANK	.05
		407 0037913 NUT	.06 07	(PINLESS) L-3	

03-CARRIER RETURN

SELECTRIC

555	L-2 B ELLCRANK NOT AVAILABLE, ORDER MARGIN RACK B/H(09-150) AND C/R UNLATCHING LINK (03-557); 7X1 1164805 7X3&7X5 1164813		600	1164924 ASSEMBLY LATCH	1.50	*3* BELOW	12	1090394 *1*WASHER	.01
			601	1164559 SCREW	.01	7X3-6736480	13	0055726 *1*SCREW	.08
			602	0037913 NUT	.06 07	7X5-4405088	14	0257187 NUT	.06 13
			603	1164920 LEVER	.45	-	15	1124322 *1*CATCH	.25
			604	1175102 SCREW, CURRENT	.03	*4* BELOW 7X1-4012015	16	0055726 *1*SCREW	.08
			604	1174185 SCREW, BELOW 7X3 5294670, 7X5-5646400	.04	-	17	1124323 *1*CATCH	.05
555	1123628 BELLCRANK BELOW 7X1-4119280, 7X3-4740820 7X5-4407718	2.05	605	1164923 SHAFT	.40	*5* ABOVE	18	1132171 *1*SCREW	.45
			605	1147197 *5*PIN	.50	7X3-5294670	20	0341216 *1*SCREW, REAR	.01
555	1204563 BELLCRANK, SE II	.09	606	1164921 LEVER	3.25	7X5-5646400	20	1134054 *1*SCREW, FRONT	.10 02
556	1070020 CLEVIS	.10 06	607	1147480 SCREW	.01	-	21	1203839 WARNING LABEL	.05
557	1164805 LINK 7X1	.50	608	1134829 NUT	.01	*6* LEVEL 1 PRINT INTERLOCK PARTS ARE NOT AVAILABLE. REPLACE ALL THREE LEVEL 1 PARTS WITH LEVEL 2 PARTS.	21	1304935 WARNING LABEL	.05
557	1164171 LINK 7X3&7X5	.45	609	1175211 WASHER	.01	-			
557	1124600 LINK PRIOR DI	.70	610	1164935 SHAFT, 7X3	2.55	-	23	1132030 *1*SPACER	.45
557	1205980 LINK RB/S	.50	610	1164927 SHAFT, 7X5	.60	-	24	0038051 *1*NUIT	.06 07
558	1123631 KEEPER	2.05	611	1164926 LATCH, BETWEEN 7X3-4061170-5294670 7X5-4511060-5646400	.35	*7* REPLACE REF 505, 506, 507& 508 BELOW:	25	1134801 INSERT	.09
559	1123629 STUD	.25	611	1147153 LATCH, CURRENT RB/S & 7X3, 7X5 4110542	.65	7X1-4126547 7X3-4749542 7X5-4413549	26	1134830 CLIP	.10
560	1074242 SPRING KEEPER	.10 12	612	1141525 ARM, 7X1 ABOVE 4110542	4.10	-	27	0056722 WASHER	.02 08
561	0038235 SCREW, 7X1	.01 02	612	1164930 ARM 15" SEL ABOVE 4511060 & ALL SEL II & III	.75	*8* ALSO ORDER MECH 24 REF 9 AND 20 AND MECH 20 REF14 BELOW 6X3-1640000 AND 8X5-3054000	28	1124332 *2*BRACKET ASM	.65
561	1128113 SCREW 7X3&7X5	.04	612	1164937 ARM 13" SEL ABOVE 4061170 & ALL SEL II & III	.75	-	29	0038051 *2*NUIT	.06 07
562	1127737 LOCK	.10					30	1124335 *2*BRACKET	.65
563	1124610 STUD	.90					31	1164666 GUIDE, ASM.	1.20
564	1128169 *2*SPACER	.50					32	1206986 *9*HINGE, TOP LH	.85
564	1124609 *4*SPACER	2.00					32	1206987 *9*HINGE, TOP RH	.85
565	1164696 LATCH, BETWEEN 7X1-4154937-CURRENT	.75					32	1141321 *2*HINGE 7X1	6.55
565	1124608 LATCH, BELOW 7X1-4012015	1.00					32	1128339 *2*HINGE 7X3	2.25
566	0038214 NUT	.06	613	1073418 RETAINER	.01 03	504-COVERS-MTG. 7XX	32	1141322 *2*HINGE 7X5	7.80
567	1138110 LINK	.10	614	1164559 SCREW	.01		32	1164101 *10*HINGE TOP LH L-2	1.10
568	1124766 *4*STUD	4.80	616	1159132 SPRING	.15 31	2 1138466 *2* CLIP-USED WITH L-1 ONE PIECE HINGE	33	1124324 BRACKET, ON MACHINES BELOW 7X1 4003080 ALSO REPLACE REF NO. 26	.15
569	1124767 *4*BUSHING	1.40	617	1205565 *8*SHAFT, XX3	.35	3 1231178 LOGO, REAR ONLY FOR DOUBLE INSULATED ABOVE 7X1 9436738 7X3 9112401 7X5 9307444 FOR NON-DOUBLE INSUL USE REF-53	34	1279487 TOP COVER HINGE BM NEW STYLE PLASTIC BRKT	3.55
570	0257186 *4*NUIT	.03	618	1147181 LATCH ASM	1.40	4 1206815 *9* PLASTIC BKT 4 1166191 *10*BRACKET L-2 4 1124336 BRACKET LEV-1 5 1174105 SCREW, SELF-TAP 5 1164580 SCREW, POLY COVR 5 1256680 SCREW POLY COVR USE WHEN SCREW HOLE IN COVER IS OVERSIZE	35	1141635 CLIP, DI	.15
571	1141461 *2*STUD	.70	619	1175211 SPACER, D. PITCH	.01	6 1290933 SCREW, POLY COVR 6 1304710 SCREW SELF-TAP USED WITH PLASTIC BRKT	35	1141052 CLIP, PRE-DI	.95
572	1141473 *2*NUIT	.70	620	1164933 LEVER, 7X3	.35	7 0478394 SCREW	36	1141642 SHIELD, LH 7X1 DI	1.05
573	1164693 STUD, 7X1	.10	620	1164934 LEVER, 7X5	.55	8 0055726 SCREW	36	1141649 SHIELD, LH 7X3-7X5 DI	.65
574	1164694 SLEEVE, 7X1	.09	625	1147407 *6*LINK	.45	9 1133634 *1*WASHER	36	1138380 SHIELD, LH PRIOR TO DI	.95
575	1164190 KEEPER	.65	626	1147401 *6*CLIP	.05	11 1124330 *1*LATCH	36	1132126 SHIELD, LH SCREW MOUNTED	7.45
576	0257982 RETAINER	.01 13	627	1147402 *6*GUIDE	.04		37	1141897 CLIP, DI	.05
577	1164188 STUD	.35	630	1138384 RETAINER	.02		37	1138383 CLIP, PRE-DI	.60
579	1271992 B/M CR-TAB INT.	5.20	631	1091220 WASHER	.01		38	1164580 SCREW	.01 02
580	1128168 LATCH, BETWEEN 7X1-4012015-4110542 AND BELOW 7X3-4749542 7X5-4413594	.30	632	1147155 *5*CLIP	.02		39	-	
				1 ALSO ORDER REF 409 L-2 BELOW 7X3-4736480 7X5-4405088				ALSO ORDER REF 21 WHEN REPLACING REF 39	
581	1141523 LATCH, BETWEEN 7X1-4110542-4154937 7X3-4749542-4784729 7X5-4413594-4445130	5.10		*2* BETWEEN 7X1 4126547-4154937 7X3 4749542-4784220 7X5 4413594-4445130			39	1141643 SHIELD, RH 7X1 DUAL IMPRESSION	.65
582	1164696 LATCH, BETWEEN 7X1-4154937-CURRENT 7X3-4784229-4861170 7X5-4445130-4511060	.75							
583	1134664 RESTORING SPRG.								

SELECTRIC

39 1141644 SHIELD, RH 7X3 DUAL IMPRESSION	.70	54 1141575 7X3 12P	1.70	84 1174105 SCREW, SELF TAP	.05	227 1147179 CLAMP L-2	.35
39 1141645 SHIELD, RH 7X5 DUAL IMPRESSION	1.00	54 1141576 7X5 10P	1.75	84 1206717 SCREW, POLY COVR	.03	230 1147180 BRACKET-IF RE- PLACING ON MACHINES BELOW	1.05
39 1138381 SHIELD, RH 7X1 PRE DI	.75	54 1141577 7X5 12P	2.35	85 1128340 *11" PIN	.06	7X1-5812382	
39 1138012 SHIELD, RH 7X3 PRE DI	1.60	54 1280658 7X1 9P	2.45	86 1128341 RETAINER	.10	7X3-5292627	
39 1138382 SHIELD, RH 7X5 PRE DI	1.05	MARGIN SCALES USED WITH REF 11		87 1128342 RETAINER	.20	7X5-5645707	
39 1132127 SHIELD, RH 7X1 SCREW MOUNTED	9.25	54 1124327 7X1 10P	2.65	88 1128465 FOOT, DESK MOUNT	6.05	ALSO ORDER SHOCK MOUNT B/M 1268688	
39 1128026 SHIELD, RH 7X5 SCREW MOUNTED	18.25	54 1124347 7X1 12P	5.60	90 - PAPER TABLES		233 1164266 BRACKET	1.10
40 0055726 SCREW	.08	54 1138016 7X3 10P	5.40	90 1290775 7X1	4.75	236 1164576 SCREW	.02 02
41 1145537 CLIP-DUST SHLD MOUNTS UNDER RH OP SHAFT SUPPORT SCREW.	.55	54 1138018 7X3 12P	9.05	90 1292142 7X3	7.45	239 1133549 SCREW	.03
7X5 ONLY FOR 7X1 AND 7X3 ORDER SHIF BEARING PLATE.		54 1128180 7X5 10P	9.05	90 1292141 7X5	5.60	242 1147178 SHOCK MOUNT	.25
42 1164577 SCREW, BEARING 7X5	.01 14	54 1128182 7X5 12P	9.05	91 1271993 B/M PAPER TABLE INSTALLATION INCLUDES REF 92, 93, 94, ALSO ORDER REF 90	1.70	245 1175530 STUD	.20
42 0322551 SCREW, BEARING 7X5-USED WITH INSIDE- MOUNTED CLIP	.08	55 - TRIM L-2 BRUSHED ALUMINUM		92 1141924 BRACKET, RH	.75	245 1206477 STUD, POLY COVER	.20
43 1141837 CLIP, DI 7X3 & 7X5	.08	55 1141579 7X1	1.50	92 1206480 BRACKET, RH POLY COVER	.30	248 1164264 SPACER	.01
43 1141050 CLIP 7X3 & 7X5 PRE DI	2.20	55 1141581 7X5	1.75	92 1141925 BRACKET, LH	.70	251 1164274 *3*BRACKET, 7X1	.70
44 1090970 WASHER	.01	55 1124326 7X1	3.50	92 1206479 BRACKET, LH POLY COVER	.35	251 1164273 *3*BRKT 7X3-7X5	1.10
44 0257187 NUT	.06 13	55 1128174 7X5	4.20	93 1117759 SCREW	.01 14	251 1287038 *6*BRACKET, 7X1	2.85
46 0117281 LOCKNUT	.08	55 1138024 7X3	3.55	93 1142214 SCREW, POLY COVR	.03	254 1164269 BRACKET, 7X1	.75
47 1287004 COVER ADAPTOR	.55	56 - DUST COVER-RAVEN BLACK		94 1128231 SPRING	.02	254 1164268 BRACKET, 7X3-7X5	.95
48 - USE A 5/16IN DRILL BIT WITH 1/4IN SHANK		56 1164895 *8* 7X1 BLACK	3.40	95 1272177 B/M- SOUND, INSULATION	3.20	254 1287039 *6*BRACKET RH 7X3-7X5	2.00
48 1287007 BOLT 5/8 IN	.20	56 1164905 *8* 7X3 BLACK	2.90	96 1141918 BRACKET, MTG RH FRONT 7X3 DI	.55	254 1164284 *3*PLATE	.20
48 1287008 BOLT 3/4 IN	.15	56 1164885 *8* 7X3 BLACK	3.55	96 1141917 BRACKET, MTG RH FRONT 7X5 DI	.50	257 1287041 *6*PLATE	.20
48 1287009 BOLT 1 IN	.25	58 1174008 FOOT, SERVICE	.25	100 1287053 B/M COVER ADAPTOR 7X1	16.75	260 1164267 PLATE	.70
48 1287010 BOLT 1 1/4 IN	.25	59 1164976 SCREW, BASE FOOT	.05	100 1287054 B/M COVER ADAPTOR X3, X5	16.75	266 1164758 *3*LEVER	.60
48 1287011 BOLT 1 1/2 IN	.25	60 1154429 FOOT, BASE	.40	101 OBSOLETE		275 1164263 SHOCK MOUNT	.90
48 1287012 BOLT 1 3/4 IN	.15	61 1091743 NUT	.03	105 0038235 SCREW, BOTTOM COVER GROUND	.01 02	275 1287001 *5*SHOCK MOUNT	4.10
48 1287013 BOLT 2 IN	.30	63 1132200 PIN	.02	106 1174181 SCREW, BACK MTG BRACKET	.01	275 1287037 *6*SHOCKMOUNT	4.45
48 1287912 BOLT 2 1/2 IN	.55	64 1117764 NUT	.04	203 1164747 BRACKET, 7X1-7X5	.25	281 1256660 LATCH	.30
48 1287913 BOLT 2 3/4 IN	.55	65 1072477 WASHER	.02 08	203 1164280 BRACKET, 7X3	.20	281 1164261 UPSTOP, COV LTCH	.40
48 1287914 BOLT 3 IN	2.70	66 1124319 BRACKET, RH REAR	.10	206 1164748 BRACKET, 7X1-7X5	.30	284 1164598 ADAPTOR	.40
49 1138386 CLIP, HIST CARD	.35	67 1138367 SHOCK MOUNT	6.60	206 1164279 BRACKET, 7X3	.50	285 1268688 B/M, SHOCK MTS.	.85
53 1133556 NAME PLATE	.15	68 1124317 BRACKET	.35	209 1164275 SCREW	.03	301 - TOP COVER-METAL ALSO ORDER 4 SCREWS REF 5 AND 84 7X1-10P	
54 - MARGIN SCALES-ALUM. USED WITH REF 83 & 84		69 1141138 PLATE	.50	209 1290933 SCREW, POLY COVR	.05	301 1275292 PEARL WHITE	32.00
54 1141572 7X1 10P	1.05	71 1124315 BRACKET	.40	209 1164579 *6*SCREW	.01 14	301 1287513 WILLOW GREEN	32.00
54 1141573 7X1 12P	1.10	72 1124321 CLIP	1.05	210 1091508 *6*WASHER	.04	301 1275301 RAVEN BLACK	32.00
54 1141574 7X3 10P	1.95	73 1164576 SCREW	.02 02	212 1164278 LEVER, LATCH	.40	301 1287514 CLASSIC BLUE	32.00
		74 1141139 PLATE	.60	215 1164277 LEVER, LATCH	.40	301 1275307 SANDSTONE BEIGE	32.00
		75 1138025 BRACKET, 7X3	1.90	218 1164276 STUD	.25	301 1275310 TOPAZ BRONZE	32.00
		75 1128179 BRACKET, 7X5	2.65	221 1073418 RETAINER	.01 03	301 1275316 GARNET ROSE	32.00
		76 1124318 BRACKET, LH REAR	.15	227 GUIDE, L-1 NOT REF. 285			
		77 1090041 NUT	.02				
		78 1124316 BRACKET, 7X1	.15				
		79 1134857 MOUNT	7.40				
		80 1206871 VENT, BLACK ONLY	.55				
		83 1141520 LATCH	.10				

SELECTRIC

301 1275537 SANDSTONE BEIGE	32.00	301 1275539 OPAL GRAY	32.00	302 -	302 1275380 ONYX BLUE	71.00	R
301 1275538 TOPAZ BRONZE	32.00	301 1275541 ONYX BLUE	32.00	-	-	-	
301 1275540 GARNET ROSE	32.00	-	-	CENTER SECTION-METAL	POLESTER COLORS	-	
-	-	7X3-10P	-	ORDER REAR LOGO	7X1	-	
7X3-10P	-	301 1275325 SAPPHIRE BLUE	28.00	-	302 1287803 PEARL WHITE	74.00	R
301 1275322 PEARL WHITE	28.00	301 1275334 GRAYSTONE	28.00	7X1	302 1287804 SAPPHIRE BLUE	74.00	R
301 1287517 WILLOW GREEN	28.00	301 1275343 OPAL GRAY	28.00	302 1275293 **4* PEARL WHITE	74.00	R	
301 1275328 EMERALD GREEN	28.00	301 1275349 ONYX BLUE	28.00	302 1287525 **4*WILLOW GREEN	74.00	R	
301 1275331 RAVEN BLACK	28.00	-	-	302 1275299 **4*EMERALD GN	74.00	R	
301 1287518 CLASSIC BLUE	28.00	7X3-12P	-	302 1275302 **4*RAVEN BLACK	74.00	R	
301 1275337 SANDSTONE BEIGE	28.00	301 1275543 SAPPHIRE BLUE	28.00	302 1287526 **4*CLASSIC BLUE	74.00	R	
301 1275340 TOPAZ BRONZE	28.00	301 1275546 GRAYSTONE	28.00	302 1275308 **4*SANDSTONE	74.00	R	
301 1275346 GARNET ROSE	28.00	301 1275549 OPAL GRAY	28.00	BEIGE	-	-	
-	-	301 1275551 ONYX BLUE	28.00	302 1275311 **4*TOPAZ BRONZE	74.00	R	
7X3-12P	-	-	-	302 1275317 **4*GARNET ROSE	74.00	R	
301 1275542 PEARL WHITE	28.00	7X5-10P	-	-	-	-	
301 1287519 WILLOW GREEN	28.00	301 1275355 SAPPHIRE BLUE	36.00	7X3	302 1275323 **4*PEARL WHITE	81.25	R
301 1275544 EMERALD GREEN	28.00	301 1275364 GRAYSTONE	36.00	302 1287527 **4*WILLOW GREEN	81.25	R	
301 1275545 RAVEN BLACK	28.00	301 1275373 OPAL GRAY	36.00	302 1275329 **4*EMERALD GN	81.25	R	
301 1287520 CLASSIC BLUE	28.00	301 1275379 ONYX BLUE	36.00	302 1275332 **4*RAVEN BLACK	81.25	R	
301 1275547 SANDSTONE BEIGE	28.00	-	-	302 1287528 **4*CLASSIC BLUE	81.25	R	
301 1275548 TOPAZ BRONZE	28.00	7X5-12P	-	302 1275338 **4*SANDSTONE	81.25	R	
301 1275550 GARNET ROSE	28.00	301 1275553 SAPPHIRE BLUE	36.00	BEIGE	-	-	
-	-	301 1275556 GRAYSTONE	36.00	302 1275341 **4*TOPAZ BRONZE	81.25	R	
7X5-10P	-	301 1275559 OPAL GRAY	36.00	302 1275347 **4*GARNET ROSE	81.25	R	
301 1275352 PEARL WHITE	36.00	301 1275561 ONYX GRAY	36.00	-	-	-	
301 1287521 WILLOW GREEN	36.00	-	-	7X5	302 1275353 **4*PEARL WHITE	71.00	R
301 1275358 EMERALD GREEN	36.00	POLYESTER COVERS	-	302 1287529 **4*WILLOW GREEN	71.00	R	
301 1275361 RAVEN BLACK	36.00	7X1-10P	-	302 1275359 **4*EMERALD GN	71.00	R	
301 1287522 CLASSIC BLUE	36.00	301 1287779 PEARL WHITE	32.00	302 1275362 **4*RAVEN BLACK	71.00	R	
301 1275367 SANDSTONE BEIGE	36.00	301 1287780 SAPPHIRE BLUE	32.00	302 1287530 **4*CLASSIC BLUE	71.00	R	
301 1275370 TOPAZ BRONZE	36.00	301 1287781 EMERALD GREEN	32.00	302 1275368 **4*SANDSTONE	71.00	R	
301 1275376 GARNET ROSE	36.00	301 1287783 GRAYSTONE	32.00	BEIGE	-	-	
-	-	301 1287784 SANDSTONE BEIGE	32.00	302 1275371 **4*TOPAZ BRONZE	71.00	R	
7X5-12P	-	301 1287785 TOPAZ BRONZE	32.00	302 1275377 **4*GARNET ROSE	71.00	R	
301 1275552 PEARL WHITE	36.00	301 1287786 OPAL GRAY	32.00	-	-	-	
301 1287523 WILLOW GREEN	36.00	301 1287787 GARNET ROSE	32.00	DISCONTINUED COLORS	-	-	
301 1275554 EMERALD GREEN	36.00	301 1287788 ONYX BLUE	32.00	7X1	302 1275296 SAPPHIRE BLUE	74.00	R
301 1275555 RAVEN BLACK	36.00	301 1287789 WILLOW GREEN	32.00	302 1275305 GRAYSTONE	74.00	R	
301 1287524 CLASSIC BLUE	36.00	301 1287790 CLASSIC BLUE	32.00	302 1275314 OPAL GRAY	74.00	R	
301 1275557 SANDSTONE BEIGE	36.00	-	-	302 1275320 ONYX BLUE	74.00	R	
301 1275558 TOPAZ BRONZE	36.00	301 1287791 PEARL WHITE	32.00	-	-	-	
301 1275560 GARNET ROSE	36.00	301 1287792 SAPPHIRE BLUE	32.00	7X3	302 1275326 SAPPHIRE BLUE	81.25	R
-	-	301 1287793 EMERALD GREEN	32.00	302 1275335 GRAYSTONE	81.25	R	
DISCONTINUED COLORS	-	301 1287794 RAVEN BLACK	32.00	302 1275344 OPAL GRAY	81.25	R	
-	-	301 1287795 GRAYSTONE	32.00	302 1275350 ONYX BLUE	81.25	R	
7X1-10P	-	301 1287796 SANDSTONE BEIGE	32.00	-	-	-	
301 1275295 SAPPHIRE BLUE	32.00	301 1287797 TOPAZ BRONZE	32.00	7X5	302 1275356 SAPPHIRE BLUE	71.00	R
301 1275304 GRAYSTONE	32.00	301 1287798 OPAL GRAY	32.00	302 1275365 GRAYSTONE	71.00	R	
301 1275313 OPAL GRAY	32.00	301 1287799 GARNET ROSE	32.00	302 1275374 OPAL GRAY	71.00	R	
301 1275319 ONYX BLUE	32.00	301 1287800 ONYX BLUE	32.00	-	-	-	
-	-	301 1287801 WILLOW GREEN	32.00	7X1	302 1275297 SAPPHIRE BLUE	79.50	R
7X1-12P	-	301 1287802 CLASSIC BLUE	32.00	302 1275306 GRAYSTONE	79.50	R	
301 1275533 SAPPHIRE BLUE	32.00	-	-	302 1275363 RAVEN BLACK	79.50	R	
301 1275536 GRAYSTONE	32.00	301 1287791 PEARL WHITE	32.00	302 1275364 EMERALD GREEN	79.50	R	
-	-	301 1287792 SAPPHIRE BLUE	32.00	302 1275365 CLASSIC BLUE	79.50	R	
DISCONTINUED COLORS	-	301 1287793 EMERALD GREEN	32.00	302 1275369 SANDSTONE BEIGE	79.50	R	
-	-	301 1287794 RAVEN BLACK	32.00	302 1275372 TOPAZ BRONZE	79.50	R	
7X1-10P	-	301 1287795 GRAYSTONE	32.00	302 1275378 GARNET ROSE	79.50	R	
301 1275295 SAPPHIRE BLUE	32.00	301 1287796 SANDSTONE BEIGE	32.00	-	-	-	
301 1275304 GRAYSTONE	32.00	301 1287797 TOPAZ BRONZE	32.00	DISCONTINUED COLORS	-	-	
301 1275313 OPAL GRAY	32.00	301 1287798 OPAL GRAY	32.00	-	-	-	
301 1275319 ONYX BLUE	32.00	301 1287799 GARNET ROSE	32.00	7X5	302 1275356 SAPPHIRE BLUE	71.00	R
-	-	301 1287800 ONYX BLUE	32.00	302 1275365 GRAYSTONE	71.00	R	
7X1-12P	-	301 1287801 WILLOW GREEN	32.00	302 1275374 OPAL GRAY	71.00	R	
301 1275533 SAPPHIRE BLUE	32.00	301 1287802 CLASSIC BLUE	32.00	-	-	-	
301 1275536 GRAYSTONE	32.00	-	-	7X1	302 1275297 SAPPHIRE BLUE	79.50	R
-	-	301 1287791 PEARL WHITE	32.00	302 1275306 GRAYSTONE	79.50	R	
DISCONTINUED COLORS	-	301 1287792 SAPPHIRE BLUE	32.00	302 1275363 RAVEN BLACK	79.50	R	
-	-	301 1287793 EMERALD GREEN	32.00	302 1275364 EMERALD GREEN	79.50	R	
7X1-10P	-	301 1287794 RAVEN BLACK	32.00	302 1275365 CLASSIC BLUE	79.50	R	
301 1275295 SAPPHIRE BLUE	32.00	301 1287795 GRAYSTONE	32.00	302 1275369 SANDSTONE BEIGE	79.50	R	
301 1275304 GRAYSTONE	32.00	301 1287796 SANDSTONE BEIGE	32.00	302 1275372 TOPAZ BRONZE	79.50	R	
301 1275313 OPAL GRAY	32.00	301 1287797 TOPAZ BRONZE	32.00	302 1275378 GARNET ROSE	79.50	R	
301 1275319 ONYX BLUE	32.00	301 1287798 OPAL GRAY	32.00	-	-	-	
-	-	301 1287799 GARNET ROSE	32.00	DISCONTINUED COLORS	-	-	
7X1-12P	-	301 1287800 ONYX BLUE	32.00	-	-	-	
301 1275533 SAPPHIRE BLUE	32.00	301 1287801 WILLOW GREEN	32.00	7X5	302 1275356 SAPPHIRE BLUE	71.00	R
301 1275536 GRAYSTONE	32.00	301 1287802 CLASSIC BLUE	32.00	302 1275365 GRAYSTONE	71.00	R	
-	-	-	-	302 1275374 OPAL GRAY	71.00	R	

SELECTRIC

303 1275315 OPAL GRAY 59.60
303 1275321 ONYX BLUE 59.50

7X3
303 1275327 SAPPHIRE BLUE 47.75
303 1275336 GRAYSTONE 47.75
303 1275345 OPAL GRAY 47.75
303 1275351 ONYX BLUE 47.75

7X5
303 1275357 SAPPHIRE BLUE 79.50
303 1275366 GRAYSTONE 79.50
303 1275375 OPAL GRAY 79.50
303 1275381 ONYX BLUE 79.50 R

POLYESTER COVERS
7X1
303 1287815 PEARL WHITE 59.50
303 1287816 WILLOW GREEN 59.50
303 1287817 EMERALD GREEN 59.50
303 1287818 RAVEN BLACK 59.50
303 1287819 GRAYSTONE 59.50
303 1287820 SANDSTONE BEIGE 59.50
303 1287821 TOPAZ BRONZE 59.50
303 1287822 OPAL GRAY 59.50
303 1287823 GARNET ROSE 59.50
303 1287824 ONYX BLUE 59.50
303 1287825 WILLOW GREEN 59.50
303 1287826 CLASSIC BLUE 59.50
304

-
SNAP OFF COVER B/M *4*
METAL, POLYESTER PAINT
ORDER REAR LOGO

-
7X1-10P & 12P
REFER TO POLYESTER B/M

7X3-10P
304 1275462 PEARL WHITE 157.00 R
304 1287541 WILLOW GREEN 157.00 R
304 1275466 EMERALD GREEN 157.00 R
304 1275468 RAVEN BLACK 157.00 R
304 1287542 CLASSIC BLUE 157.00 R
304 1275472 SANDSTONE BEIGE 157.00 R
304 1275474 TOPAZ BRONZE 157.00 R
304 1275478 GARNET ROSE 157.00 R

7X3-12P
304 1275463 PEARL WHITE 157.00 R
304 1287543 WILLOW GREEN 157.00 R
304 1275467 EMERALD GREEN 157.00 R
304 1275469 RAVEN BLACK 157.00 R
304 1287544 CLASSIC BLUE 157.00 R
304 1275473 SANDSTONE BEIGE 157.00 R

304 1275475 TOPAZ BRONZE 157.00 R
304 1275479 GARNET ROSE 157.00 R

7X5-10P
304 1287548 PEARL WHITE 226.00 R
304 1287545 WILLOW GREEN 226.00 R
304 1275486 EMERALD GREEN 226.00 R
304 1275488 RAVEN BLACK 226.00 R
304 1287546 CLASSIC BLUE 226.00 R
304 1275492 SANDSTONE BEIGE 226.00 R
304 1275494 TOPAZ BRONZE 226.00 R
304 1275498 GARNET ROSE 226.00 R

7X5-12P
304 1275483 PEARL WHITE 226.00 R
304 1287547 WILLOW GREEN 226.00 R
304 1275487 EMERALD GREEN 226.00 R
304 1275489 RAVEN BLACK 226.00 R
304 1287548 CLASSIC BLUE 226.00 R
304 1275493 SANDSTONE BEIGE 226.00 R
304 1275495 TOPAZ BRONZE 226.00 R
304 1275499 GARNET ROSE 226.00 R

DISCONTINUED COLORS

7X1-10P
304 1275444 SAPPHIRE BLUE 155.00
304 1275450 GRAYSTONE 155.00
304 1275456 OPAL GRAY 155.00
304 1275460 ONYX BLUE 155.00

7X1-12P
304 1275445 SAPPHIRE BLUE 155.00
304 1275451 GRAYSTONE 155.00
304 1275457 OPAL GRAY 155.00
304 1275461 ONYX BLUE 155.00

7X3-10P
304 1275464 SAPPHIRE BLUE 157.00 R
304 1275470 GRAYSTONE 157.00 R
304 1275476 OPAL GRAY 157.00 R
304 1275480 ONYX BLUE 157.00 R

7X3-12P
304 1275465 SAPPHIRE BLUE 157.00
304 1275471 GRAYSTONE 157.00
304 1275477 OPAL GRAY 157.00
304 1275481 ONYX BLUE 157.00 R

7X5-10P
304 1275484 SAPPHIRE BLUE 226.00 R
304 1275490 GRAYSTONE 226.00 R
304 1275496 OPAL GRAY 226.00 R
304 1275500 ONYX BLUE 226.00 R

7X5-12P
304 1275485 SAPPHIRE BLUE 226.00 R
304 1275491 GRAYSTONE 226.00 R
304 1275497 OPAL GRAY 226.00 R
304 1275501 ONYX BLUE 226.00 R

POLYESTER COVER *7*
7X1-10P
304 1287827 PEARL WHITE 155.00
304 1287828 SAPPHIRE BLUE 155.00
304 1287829 EMERALD GREEN 155.00
304 1287830 RAVEN BLACK 155.00
304 1287831 GRAYSTONE 155.00
304 1287832 SANDSTONE BEIGE 155.00
304 1287833 TOPAZ BRONZE 155.00
304 1287834 OPAL GRAY 155.00
304 1287835 GARNET ROSE 155.00
304 1287836 ONYX BLUE 155.00
304 1287837 WILLOW GREEN 155.00
304 1287838 CLASSIC BLUE 155.00

7X1-12P
304 1287839 PEARL WHITE 155.00
304 1287840 SAPPHIRE BLUE 155.00
304 1287841 EMERALD GREEN 155.00
304 1287842 RAVEN BLACK 155.00
304 1287843 GRAYSTONE 155.00
304 1287844 SANDSTONE BEIGE 155.00
304 1287845 TOPAZ BRONZE 155.00
304 1287846 OPAL GRAY 155.00
304 1287847 GARNET ROSE 155.00
304 1287848 ONYX BLUE 155.00
304 1287849 WILLOW GREEN 155.00
304 1287850 CLASSIC BLUE 155.00
311

REFERENCE ONLY. NOT NECESSARY FOR FIELD REPLACEMENT LABEL NOT AVAILABLE FOR REPLACEMENT

1 USED WITH L-1 COVERS
BELOW 7X1 4107900
7X3 4716600
7X5 4403028

2 BELOW
7X1-4161710
7X3-4788645
7X5-4444350

3 REF 251,257 & 266 MUST ALL BE REPLACED TOGETHER BELOW

7X1-4229500
7X3-4879800
7X5-4530500

4 ALL COVERS ARE SNAP OFF. FOR EARLY LEVEL MACHINES ORDER REF 100

5 LARGE GE SHOCKMOUNT TO BE USED TO REPLACE VERY LOOSE FITTING SHOCK MOUNTS

6 THE SE PARTS ARE ONLY FOR USE WHERE SNAP-OFF COVERS HAVE BEEN INSTALLED ON PRE SNAP-OFF MACHINES

7 THE SE COVERS USE LATE LEVEL MARGIN SLIDER ASM AND CARR POINT BRKT MECH 709 REF 001 & 125

8 SUPPLY ITEM BLACK ONLY ONLY

9 WHEN REPLACING METAL BKT, ALSO ORDER MECH 04 REF 34

10 USE ON TIE ROD MACHINES WITH TWO PIECE TOP COVER HINGES

11 PIN CAN ALSO BE USED ON 8XX TOP COVER IF REQUIRED

05-COVERS-MTG. 8XX

1 1204607 LOGO .10
2 1205299 LATCH, TOP COV .15
3 0731626 SCREW .03
4 1206815 *1* PLASTIC BKT .60
5 1166191 *3* BRACKET L-2 .35
5 1138974 SCREW, HOLDS .02
HINGE TO TOP COVER
5 1304710 *1* SCREW, LONG .05
HOLDS CLAMP TO CTR COVER
USED PLASTIC BRKT
6 1206912 *1* HING ARM RH .90
6 1164102 *3* HINGE TOP 1.10
RH L-2
7 1128231 SPRING .02
8 1204518 BRACKET, PA TAB .45
9 0338169 WASHER .15
10 1142214 SCREW .03
11 1147178 PAD, SHOCK MT .25

SELECTRIC

12 1175530 STUD	.20	45 1204528 GUIDE	.35	104	-	8X5 10 PITCH	
13 1091743 NUT	.03	46 1204525 BRACKET, LF RR	.60		TOP COVERS	104 1287122 PEARL WHITE	33.25
14 1175529 SCREW	.06	47 1204520 BRACKET, PA TAB	.50		INCLUDES MARGIN SCALE	104 1287124 EMERALD GREEN	33.25
15 1204391 GUIDE, COVER	.10	48			-	104 1287125 RAVEN BLACK	33.25
16 1206509 LEVER, LATCH	.20	-			8X3 DUAL PITCH	104 1287127 SANDSTONE BEIGE	33.25
17 1073418 CLIP	.01 03	MARGIN SCALES		104 1287082 PEARL WHITE	31.00	104 1287128 TOPAZ BRONZE	33.25
18 1164279 BRACKET, RH	.50	48 1204976 8X3 DUAL PITCH	1.25	104 1287549 WILLOW GREEN	31.00	104 1287130 GARNET ROSE	33.25
REFER TO REF 43 FOR LH		48 1204977 8X5 DUAL PITCH	1.40	104 1287084 EMERALD GREEN	31.00	104 1287557 WILLOW GREEN	33.25
BRACKET		48 1204676 8X3 10 PITCH	.60	104 1287085 RAVEN BLACK	31.00	104 1287558 CLASSIC BLUE	33.25
19 1164276 SCREW	.25	48 1204678 8X5 10 PITCH	.65	104 1287085 RAVEN BLACK	31.00	-	
20 1175529 SCREW	.06	48 1204682 8X3 12 PITCH	1.55	104 1287550 CLASSIC BLUE	31.00	DISCONTINUED COLORS	
21 1256660 UPSTOP, COV LTCH	.30	48 1204684 8X5 12 PITCH	1.60	104 1287087 SANDSTONE BEIGE	31.00	-	
21 1164261 UPSTOP, COV LTCH	.09	48 1290683 8X3 9 PITCH	2.20	104 1287088 TOPAZ BRONZE	31.00	8X3 DUAL PITCH	
22 1204516 VENT GRILL BLK	1.25	-		104 1287090 GARNET ROSE	31.00	104 1287083 SAPPHIRE BLUE	31.00
22 1254354 VENT GRILL	1.15	49 1206913 *1* HING ARM LH	.90	-		104 1287086 GRAYSTONE	31.00
SEL III		49 1164101 *3* HINGE TOP	1.10	8X3 10 PITCH		104 1287089 OPAL GRAY	31.00
23 1279486 COVER HINGE BM	3.60	LH L-2		104 1287092 PEARL WHITE	31.00	104 1287091 ONYX BLUE	31.00
NEW STYLE PLASTIC BRKT		50 1164577 SCREW	.01 14	104 1287551 WILLOW GREEN	31.00	-	
ALSO ORDER REF 127 WHEN		51 1141837 CLIP, SHIELD LH	.08	104 1287094 EMERALD GREEN	31.00	8X3 10 PITCH	
REPLACING ON OLD STYLE		52 1164580 SCREW	.01 02	104 1287095 RAVEN BLACK	31.00	104 1287093 SAPPHIRE BLUE	31.00
COVERS SEE NOTE REF 127		53 1141897 CLIP, SHIELDS	.05	104 1287552 CLASSIC BLUE	31.00	104 1287096 GRAYSTONE	31.00
24 1204523 BRACKET, RT RR	.85	54 1141649 SHIELD, LH	.65	104 1287097 SANDSTONE	31.00	104 1287099 OPAL GRAY	31.00
25 1164576 SCREW	.02 02	55 1141644 SHIELD RH 13"	.70	104 1287098 TOPAZ BRONZE	31.00	104 1287101 ONYX BLUE	31.00
26 1204527 GUIDE	.30	SEL II + III		104 1287100 GARNET ROSE	31.00	-	
27 1141372 SCREW	.01	55 1141645 SHIELD RH 15"	1.00	-		8X3 12 PITCH	
28 1164976 SCREW	.05	ALSO ORDER REF 21 ,		104 1287102 PEARL WHITE	31.00	104 1287106 SAPPHIRE BLUE	31.00
29 1154429 FOOT	.40	MECH 04 WHEN REF 55		104 1287553 WILLOW GREEN	31.00	104 1287109 GRAYSTONE	31.00
30 1133549 SCREW	.03	IS REPLACED		104 1287104 EMERALD GREEN	31.00	104 1287109 OPAL GRAY	31.00
31 1204385 BRACKET, RT FR	1.00	56 1204578 TABLE, PAP 8X3	4.35	104 1287105 RAVEN BLACK	31.00	104 1287111 ONYX BLUE	31.00
32 1204392 GUIDE	.20	56 1148015 TABLE, PAP 8X5	3.80	104 1287554 CLASSIC BLUE	31.00	-	
33 1164265 SCREW	.03	56 1304101 PA TABLE 13.5"	4.60	104 1287107 SANDSTONE BEIGE	31.00	8X5 DUAL PITCH	
34 0117281 NUT	.08	ELECTRIC III		104 1287108 TOPAZ BRONZE	31.00	104 1287113 SAPPHIRE BLUE	33.25
36 1287004 ADAPTOR, COV	.55	56 1254833 PA TABLE 15.5"	4.70	104 1287109 GARNET ROSE	31.00	104 1287116 GRAYSTONE	33.25
36 1287014 SPACER	.08	ELECTRIC III		104 1287110		104 1287119 OPAL GRAY	33.25
-		57 1134801 BUTTON	.09	-		104 1287121 ONYX BLUE	33.25
37		58 1204390 GUIDE	1.00	8X5 DUAL PITCH		8X5 10 PITCH	
USE A 5/16IN DRILL BIT		59 1204978 TRIM, 8X3	1.05	104 1287112 PEARL WHITE	33.25	104 1287123 SAPPHIRE BLUE	33.25
WITH 1/4 IN SHANK		59 1204979 TRIM, 8X5	.90	104 1287555 WILLOW GREEN	33.25	104 1287126 GRAYSTONE	33.25
37 1287007 BOLT, 5/8IN	.20	60 1204574 INSULATION, 8X3	.10	104 1287114 EMERALD GREEN	33.25	104 1287129 OPAL GRAY	33.25
37 1287008 BOLT, 3/4IN	.15	60 1148116 INSULATION, 8X5	.10	104 1287115 RAVEN BLACK	33.25	104 1287131 ONYX BLUE	33.25
37 1287009 BOLT, 1 IN	.25	61 1205981 FOOT, DESK MFG.	6.60	104 1287556 CLASSIC BLUE	33.25	-	
37 1287010 BOLT, 1 1/4 IN	.25	82 6519448 SHOCK MOUNT,	.02	104 1287117 SANDSTONE BEIGE	33.25	8X5 12 PITCH	
37 1287011 BOLT, 1 1/2 IN	.25	TOP COVER		104 1287118 TOPAZ BRONZE	33.25	104 1287133 SAPPHIRE BLUE	33.25
37 1287012 BOLT, 1 3/4 IN	.15	83		104 1287120 GARNET ROSE	33.25	104 1287136 GRAYSTONE	33.25
37 1287013 BOLT, 2 IN	.30	REFERENCE ONLY. NOT		8X5 12 PITCH		104 1287139 OPAL GRAY	33.25
37 1287912 BOLT-2 1/2 IN	.55	NECESSARY FOR FIELD		104 1287132 PEARL WHITE	33.25	104 1287141 ONYX BLUE	33.25
37 1287913 BOLT 2 3/4 IN	.55	REPLACEMENT		104 1287559 WILLOW GREEN	33.25	105	
37 1287914 BOLT 3 IN	2.70	101 1287057 B/M, INSUL 8X3	4.05	104 1287134 EMERALD GREEN	33.25	-	
38 1204396 BRACKET, LF FR	1.25	102 1287058 B/M, INSUL 8X5	5.35	104 1287135 RAVEN BLACK	33.25	CENTER COVERS	
39 1204393 LEVER, LATCH	.35	102		104 1287560 CLASSIC BLUE	33.25	INCLUDES MARGIN TRIM	
40 1072477 WASHER	.02 08	DUST COVERS RAVEN BLACK		104 1287137 SANDSTONE BEIGE	33.25	ORDER REF 126	
41 1204397 GUIDE	.25	102 1205106 *2* 13" SEL II	3.70	104 1287138 TOPAZ BRONZE	33.25	-	
42 1164263 FOOT LH-RH FR	.90	+ III		104 1287140 GARNET ROSE	33.25	8X3 DUAL PITCH	
43 1204386 BRACKET, LH	.30	102 1204635 *2* 15" SEL II	3.80	-		105 1287142 PEARL WHITE	76.50 R
44 1206509 LEVER, LATCH	.20	+ III		-			

SELECTRIC

105 1287561	WILLOW GREEN	76.50	R	105 1287169	OPAL GRAY	103.00	R	106 1336196	PEBBLE GRAY	56.50		107 1287581	WILLOW GREEN	200.00	R
105 1287144	EMERALD GREEN	76.50	R	105 1287171	ONYX BLUE	103.00	R	106 1336197	TOPAZ BRONZE	56.50		107 1287244	EMERALD GREEN	200.00	R
105 1287145	RAVEN BLACK	76.50	R	-	-	-	-	106 1336198	LAUREL GREEN	56.50		107 1287245	RAVEN BLACK	200.00	R
105 1287562	CLASSIC BLUE	76.50	R	8X5 SINGLE PITCH	-	-	-	106 1336199	AUTUMN RED	56.50		107 1287582	CLASSIC BLUE	200.00	R
105 1287147	SANDSTONE BEIGE	76.50	R	105 1287173	SAPPHIRE BLUE	103.00	R	106 1336200	RAVEN BLACK	56.50		107 1287247	SANDSTONE BEIGE	200.00	R
105 1287148	TOPAZ BRONZE	76.50	R	105 1287176	GRAYSTONE	103.00	R	106 1336201	SABLE BROWN	56.50		107 1287248	TOPAZ BRONZE	200.00	R
105 1287150	GARNET ROSE	76.50	R	105 1287179	OPAL GRAY	103.00	R	106 1336202	MARLIN BLUE	56.50		107 1287250	GARNET ROSE	200.00	R
8X3 SINGLE PITCH	-	-	-	105 1287181	ONYX BLUE	103.00	R	106 1336203	COCA BROWN	56.50		-	-	-	-
105 1287152	PEARL WHITE	76.50	R	106	-	-	-	107	-	-	-	8X5 12 PITCH	-	-	-
105 1287563	WILLOW GREEN	76.50	R	BOTTOM COVER	-	-	-	COMPLETE COVER B/M	-	-	-	107 1287252	PEARL WHITE	200.00	R
105 1287154	EMERALD GREEN	76.50	R	-	-	-	-	INCLUDES MARGIN SCALE	-	-	-	107 1287583	WILLOW GREEN	200.00	R
105 1287155	RAVEN BLACK	76.50	R	8X3	-	-	-	ALSO ORDER REF 126	-	-	-	107 1287254	EMERALD GREEN	200.00	R
105 1287564	CLASSIC BLUE	76.50	R	106 1287182	PEARL WHITE	67.75	R	-	-	-	-	107 1287255	RAVEN BLACK	200.00	R
105 1287157	SANDSTONE BEIGE	76.50	R	106 1287569	WILLOW GREEN	67.75	R	8X3 DUAL PITCH	-	-	-	107 1287584	CLASSIC BLUE	200.00	R
105 1287158	TOPAZ BRONZE	76.50	R	106 1287184	EMERALD GREEN	67.75	R	107 1287202	PEARL WHITE	182.00	R	107 1287257	SANDSTONE BEIGE	200.00	R
105 1287160	GARNET ROSE	76.50	R	106 1287185	RAVEN BLACK	67.75	R	107 1287203	WILLOW GREEN	182.00	R	107 1287258	TOPAZ BRONZE	200.00	R
8X5 DUAL PITCH	-	-	-	106 1287187	SANDSTONE BEIGE	67.75	R	107 1287204	EMERALD GREEN	182.00	R	107 1287260	GARNET ROSE	200.00	R
105 1287162	PEARL WHITE	103.00	R	106 1287188	TOPAZ BRONZE	67.75	R	107 1287205	RAVEN BLACK	182.00	R	-	-	-	-
105 1287565	WILLOW GREEN	103.00	R	106 1287190	GARNET ROSE	67.75	R	107 1287574	CLASSIC BLUE	182.00	R	DISCONTINUED COLORS	-	-	-
105 1287164	EMERALD GREEN	103.00	R	-	-	-	-	107 1287207	SANDSTONE BEIGE	182.00	R	8X3 DUAL PITCH	-	-	-
105 1287165	RAVEN BLACK	103.00	R	8X5	-	-	-	107 1287208	TOPAZ BRONZE	182.00	R	107 1287203	SAPPHIRE BLUE	182.00	R
105 1287566	CLASSIC BLUE	103.00	R	106 1287192	PEARL WHITE	70.50	R	107 1287210	GARNET ROSE	182.00	R	107 1287206	GRAYSTONE	182.00	R
105 1287567	SANDSTONE BEIGE	103.00	R	106 1287571	WILLOW GREEN	70.50	R	-	-	-	-	107 1287209	OPAL GRAY	182.00	R
105 1287168	TOPAZ BRONZE	103.00	R	106 1287194	EMERALD GREEN	70.50	R	8X3 10 PITCH	-	-	-	107 1287211	ONYX BLUE	182.00	R
105 1287170	GARNET ROSE	103.00	R	106 1287195	RAVEN BLACK	70.50	R	107 1287212	PEARL WHITE	182.00	R	-	-	-	-
8X5 SINGLE PITCH	-	-	-	106 1287197	SANDSTONE BEIGE	70.50	R	107 1287575	WILLOW GREEN	182.00	R	8X3 10 PITCH	-	-	-
105 1287172	PEARL WHITE	103.00	R	106 1287198	TOPAZ BRONZE	70.50	R	107 1287214	EMERALD GREEN	182.00	R	107 1287213	SAPPHIRE BLUE	182.00	R
105 1287567	WILLOW GREEN	103.00	R	106 1287200	GARNET ROSE	70.50	R	107 1287215	RAVEN BLACK	182.00	R	107 1287216	GRAYSTONE	182.00	R
105 1287174	EMERALD GREEN	103.00	R	106 1287572	CLASSIC BLUE	70.50	R	107 1287576	CLASSIC BLUE	182.00	R	107 1287219	OPAL GRAY	182.00	R
105 1287175	RAVEN BLACK	103.00	R	-	-	-	-	107 1287217	SANDSTONE BEIGE	182.00	R	107 1287221	ONYX BLUE	182.00	R
105 1287568	CLASSIC BLUE	103.00	R	DISCONTINUED COLORS	-	-	-	107 1287218	TOPAZ BRONZE	182.00	R	-	-	-	-
105 1287177	SANDSTONE BEIGE	103.00	R	8X3	-	-	-	107 1287220	GARNET ROSE	182.00	R	8X3 12 PITCH	-	-	-
105 1287178	TOPAZ BRONZE	103.00	R	106 1287183	SAPPHIRE BLUE	67.75	R	8X3 12 PITCH	-	-	-	107 1287223	SAPPHIRE BLUE	182.00	R
105 1287180	GARNET ROSE	103.00	R	106 1287186	GRAYSTONE	67.75	R	107 1287222	PEARL WHITE	182.00	R	107 1287226	GRAYSTONE	182.00	R
-	-	-	-	106 1287189	OPAL GRAY	67.75	R	107 1287577	WILLOW GREEN	182.00	R	107 1287229	OPAL GRAY	182.00	R
DISCONTINUED COLORS	-	-	-	106 1287191	ONYX BLUE	67.75	R	107 1287224	EMERALD GREEN	182.00	R	107 1287231	ONYX BLUE	182.00	R
-	-	-	-	8X5	-	-	-	107 1287225	RAVEN BLACK	182.00	R	-	-	-	-
8X3 DUAL PITCH	-	-	-	106 1287193	SAPPHIRE BLUE	70.50	R	107 1287578	CLASSIC BLUE	182.00	R	8X5 DUAL PITCH	-	-	-
105 1287143	SAPPHIRE BLUE	76.50	R	106 1287196	GRAYSTONE	70.50	R	107 1287227	SANDSTONE BEIGE	182.00	R	107 1287233	SAPPHIRE BLUE	200.00	R
105 1287146	GRAYSTONE	76.50	R	106 1287199	OPAL GRAY	70.50	R	107 1287228	TOPAZ BRONZE	182.00	R	107 1287236	GRAYSTONE	200.00	R
105 1287149	OPAL GRAY	76.50	R	106 1287201	ONYX BLUE	70.50	R	107 1287230	GARNET ROSE	182.00	R	107 1287239	OPAL GRAY	200.00	R
105 1287151	ONYX BLUE	76.50	R	6700, 01, 02 & 04	-	-	-	-	-	-	-	107 1287241	ONYX BLUE	200.00	R
-	-	-	-	BOTTOM COVERS	-	-	-	8X5 DUAL PITCH	-	-	-	-	-	-	-
8X3 SINGLE PITCH	-	-	-	106 1336188	PEBBLE GRAY	58.00	R	107 1287232	PEARL WHITE	200.00	R	8X5 10 PITCH	-	-	-
105 1287153	SAPPHIRE BLUE	76.50	R	106 1336189	TOPAZ BRONZE	58.00	R	107 1287579	WILLOW GREEN	200.00	R	107 1287243	SAPPHIRE BLUE	200.00	R
105 1287156	GRAYSTONE	76.50	R	106 1336190	LAUREL GREEN	58.00	R	107 1287234	EMERALD GREEN	200.00	R	107 1287246	GRAYSTONE	200.00	R
105 1287159	OPAL GRAY	76.50	R	106 1336191	AUTUMN RED	58.00	R	107 1287235	RAVEN BLACK	200.00	R	107 1287249	OPAL GRAY	200.00	R
105 1287161	ONYX BLUE	76.50	R	106 1336192	RAVEN BLACK	58.00	R	107 1287580	CLASSIC BLUE	200.00	R	107 1287251	ONYX BLUE	200.00	R
-	-	-	-	106 1336193	SABLE BROWN	58.00	R	107 1287237	SANDSTONE BEIGE	200.00	R	-	-	-	-
8X5 DUAL PITCH	-	-	-	106 1336194	MARLIN BLUE	58.00	R	107 1287238	TOPAZ BRONZE	200.00	R	8X5 12 PITCH	-	-	-
105 1287163	SAPPHIRE BLUE	103.00	R	106 1336195	COCA BROWN	58.00	R	107 1287240	GARNET ROSE	200.00	R	107 1287253	SAPPHIRE BLUE	200.00	R
105 1287166	GRAYSTONE	103.00	R	-	-	-	-	8X5 10 PITCH	-	-	-	107 1287256	GRAYSTONE	200.00	R
-	-	-	-	-	-	-	-	107 1287242	PEARL WHITE	200.00	R	107 1287259	OPAL GRAY	200.00	R
-	-	-	-	-	-	-	-	-	-	-	-	107 1287261	ONYX BLUE	200.00	R

SELECTRIC

126	1205522 LOGO,REAR ONLY FOR DOUBLE INSULATED SE II	.20	151	TOP COVERS INCLUDES MARGIN SCALE		151	6705 DUAL PITCH CORRECTING		170	1336117 TOPAZ BRONZE	87.50	R	
126	1204607 LOGO,REAR 3WIRE	.10		6700 12 PITCH CORRECTING		151	1336052 PEBBLE GRAY	60.25	170	1336118 LAUREL GREEN	87.50	R	
127	1172184 SPACER-USE WITH OLD LEVEL COVERS REF CSI COVERS AND MOUNTING ITEM I	.08	151	1336021 TOPAZ BRONZE	29.75	151	1336053 TOPAZ BRONZE	60.25	170	1336119 AUTUMN RED	87.50	R	
128	REF ONLY. NOT NECESSARY FOR FIELD REPLA- CEMENT			6701-6702 10 PITCH		151	1336054 LAUREL GREEN	60.25	170	1336120 RAVEN BLACK	87.50	R	
140	1138974 SCREW	.02	151	1336012 PEBBLE GRAY	29.75	151	1336055 AUTUMN RED	60.25	170	1336121 SABLE BROWN	87.50	R	
141	1254900 PA TABLE BRKT (LH) USE ON MACHINES WITH SOUND REDUCTION- HAS TWO MOUNTING SCREWS	.90	151	1336013 TOPAZ BRONZE	29.75	151	1336056 RAVEN BLACK	60.25	170	1336122 MARLIN BLUE	87.50	R	
141	1254899 PA TABLE BRKT (RH) USE ON MACHINES WITH SOUND REDUCTION- HAS TWO MOUNTING SCREWS	.90	151	1336014 LAUREL GREEN	29.75	151	1336057 SABLE BROWN	60.25	170	1336123 COCOA BROWN	87.50	R	
141	1304719 PA TABLE BRKT- USE ON MACHINES WITHOUT SOUND REDUCTION, HAS ONE MOUNTING SCREW- WORKS ON EITHER RIGHT OR LEFT SIDE	.60	151	1336015 AUTUMN RED	29.75	151	1336058 MARLIN BLUE	60.25		6705 DUAL PITCH CORRECTING			
142	1254820 INDICATOR, PAGE END, LEGAL	3.30	151	1336016 RAVEN BLACK	29.75	152	1336059 COCOA BROWN	60.25	170	1336124 PEBBLE GRAY	110.00	R	
143	1254830 SLIDER	3.45	151	1336017 SABLE BROWN	29.75	152	1304530 LOGO, CORRECTING	.25	170	1336125 TOPAZ BRONZE	110.00	R	
144	1254831 INDICATOR, PAGE	4.25	151	1336018 MARLIN BLUE	29.75	152	1304531 LOGO, NON-CORR	.20	170	1336126 LAUREL GREEN	110.00	R	
145	1304141 MAR ASM 15.5"DP	16.25	151	1336019 COCOA BROWN	29.75	155	1175106 SCREW	.05	170	1336127 AUTUMN RED	110.00	R	
145	1304189 MAR ASM 13.5"DP	12.25		6701-6702 12 PITCH		156	1304710 SCREW	.05	170	1336128 RAVEN BLACK	110.00	R	
145	1359118 MAR SCALE 9 PITCH, 13.5"	4.60	151	1336020 PEBBLE GRAY	29.75	159	1204574 INSULATION 13"	.10	170	1336129 SABLE BROWN	110.00	R	
145	1254868 MAR SCALE 10 PITCH, 13.5"	4.55	151	1336021 TOPAZ BRONZE	29.75	159	1148116 INSULATION 15"	.10	170	1336130 MARLIN BLUE	110.00	R	
145	1254869 MAR SCALE 12 PITCH, 13.5"	4.50	151	1336022 LAUREL GREEN	29.75	160	REFERENCE ONLY.		170	1336131 COCOA BROWN	110.00	R	
145	1336749 MAR SCALE 9 PITCH, 15.5"	22.25	151	1336023 AUTUMN RED	29.75		NOT NECESSARY FOR FIELD REPLACEMENT.			6705 DUAL PITCH CORRECTING			
145	1254875 MAR SCALE 10 PITCH, 15.5"	4.65	151	1336024 RAVEN BLACK	29.75	162	1304534 LOGO, REAR ONLY FOR DOUBLE INSULATED CORRECTING SEL III	.25	170	1336132 PEBBLE GRAY	87.50	R	
145	1254876 MAR SCALE 12 PITCH, 15.5"	4.55	151	1336025 SABLE BROWN	29.75	162	1304535 LOGO, REAR ONLY FOR DOUBLE INSULATED NON-CORR SEL III	.20	170	1336133 TOPAZ BRONZE	87.50	R	
146	1304062 HINGE, R.H.	.75	151	1336026 MARLIN BLUE	29.75	162	1304531 LOGO, REAR 3WIRE NON-CORRECTING	.20	170	1336134 LAUREL GREEN	87.50	R	
147	1304061 HINGE, L.H.	.75	151	1336027 COCOA BROWN	29.75	162	1304530 LOGO, REAR 3WIRE CORRECTING	.25	170	1336135 AUTUMN RED	87.50	R	
148	1304065 CLAMP, HINGE	.65		6703 10 PITCH		170	CENTER COVERS INCLUDES MARGIN TRIM ORDER REF 162		171	1336136 RAVEN BLACK	87.50	R	
149	1304064 SPRING, R.H. USED ON ALL DUAL PITCH AND ON SINGLE PITCH WITH SOUND REDUCTION PACKAGE	.15	151	1336036 PEBBLE GRAY	30.00					170	1336137 SABLE BROWN	87.50	R
150	1304063 SPRING, L.H. USED ON ALL DUAL PITCH AND ON SINGLE PITCH WITH SOUND REDUCTION PACKAGE	.15	151	1336037 TOPAZ BRONZE	30.00		6700 12 PITCH CORRECTING		171	1336138 MARLIN BLUE	87.50	R	
			151	1336038 LAUREL GREEN	30.00		6701 & 6702 SINGLE PITCH		171	1336139 COCOA BROWN	87.50	R	
			151	1336039 AUTUMN RED	30.00	170	1336108 PEBBLE GRAY	76.50	171	1336927 PEBBLE GRAY	106.00	R	
			151	1336040 RAVEN BLACK	30.00		1336109 TOPAZ BRONZE	76.50	171	1336928 TOPAZ BRONZE	106.00	R	
			151	1336041 SABLE BROWN	30.00		1336110 LAUREL GREEN	76.50	171	1336929 LAUREL GREEN	106.00	R	
			151	1336042 MARLIN BLUE	30.00		1336111 AUTUMN RED	76.50	171	1336930 AUTUMN RED	106.00	R	
			151	1336043 COCOA BROWN	30.00		1336112 RAVEN BLACK	76.50	171	1336931 RAVEN BLACK	106.00	R	
				6704 DUAL PITCH CORRECTING			1336113 SABLE BROWN	76.50	171	1336932 SABLE BROWN	106.00	R	
			151	1336028 PEBBLE GRAY	38.50		1336114 RAVEN BLACK	76.50	171	1336933 MARLIN BLUE	106.00	R	
			151	1336029 TOPAZ BRONZE	38.50		1336115 LAUREL GREEN	76.50	171	1336934 COCOA BROWN	106.00	R	
			151	1336030 LAUREL GREEN	38.50		1336116 AUTUMN RED	76.50	171	1336935 PEBBLE GRAY	106.00	R	
			151	1336031 AUTUMN RED	38.50		1336117 SABLE BROWN	76.50	171	1336936 TOPAZ BRONZE	106.00	R	
			151	1336032 RAVEN BLACK	38.50		1336118 RAVEN BLACK	76.50	171	1336937 LAUREL GREEN	106.00	R	
			151	1336033 SABLE BROWN	38.50		1336119 SABLE BROWN	76.50	171	1336938 AUTUMN RED	106.00	R	
			151	1336034 MARLIN BLUE	38.50		1336120 MARLIN BLUE	76.50	171	1336939 RAVEN BLACK	106.00	R	
			151	1336035 COCOA BROWN	38.50		1336121 COCOA BROWN	76.50	171	1336940 SABLE BROWN	106.00	R	
				6703 SINGLE PITCH CORR					171	1336941 MARLIN BLUE	106.00	R	
						170	1336116 PEBBLE GRAY	87.50	171	1336942 COCOA BROWN	106.00	R	

SELECTRIC

6703 10 PITCH CORRECTING				BAKING ENAMEL 1,QUART CANS				503 1274019 WARM GRAY				2.35		20 0037913 NUT				.06 07			
171	1336943	PEBBLE GRAY	106.00	R	500	1275677	PEARL WHITE	9.65	PAINT SPRAY CANS ARE NOT AVAILABLE				22	1141928	SCREW	.01					
171	1336944	TOPAZ BRONZE	106.00	R	500	1275678	DEEP CHARCOAL	7.35					23	1141532	ESCAP. BRACKET	2.40					
171	1336945	LAUREL GREEN	106.00	R	500	1275679	RAVEN BLACK	9.65	*1* WHEN REPLACING ON MACH BELOW S/N				NRB/S								
171	1336946	AUTUMN RED	106.00	R	500	1275680	EMERALD GREEN	9.65	8X3-1276632				23	1204020	*6* BRACKET,ESC	1.75					
171	1336947	RAVEN BLACK	106.00	R	500	1275681	OPAL GRAY	7.35	8X5-2380509				24	1128201	PAWL,ESCP	1.05 #					
171	1336948	SABLE BROWN	106.00	R	500	1275682	TOPAZ BRONZE	9.65	ORDER MECH 05				25	1123827	SPRING	.01 04					
171	1336949	MARLIN BLUE	106.00	R	500	1275683	GRAYSTONE	9.40	REF 23				26	1147403	STUD,PAWL MTG	.25					
171	1336950	COCOA BROWN	106.00	R	500	1275684	SAPPHIRE BLUE	9.05	-				WITHOUT CENTER T.BAR								
6703 12 PITCH CORRECTING				AIR DRY TOUCH-UP,1/4 PINT				500 1275685 SANDSTONE BEIGE				9.85		BACKUP SUPPORT							
171	1336951	PEBBLE GRAY	106.00	R	500	1275686	ONYX BLUE	9.40	*2* SUPPLY ITEM, BLACK ONLY				26	1205768	STUD, PAWL L-2	.45					
171	1336952	TOPAZ BRONZE	106.00	R	500	1275687	GARNET ROSE	9.65	ONLY				WITH CENTER SUPPORT								
171	1336953	LAUREL GREEN	106.00	R	500	1287294	WILLOW GREEN	9.40	-				27								
171	1336954	AUTUMN RED	106.00	R	500	1287436	CLASSIC BLUE	9.65	*3* USE ON TIE ROD				ESCAPEMENT RACKS								
171	1336955	RAVEN BLACK	106.00	R	500	1249426	CHARCOAL BLACK	10.75	MACHINES WITH TWO PIECE TOP COVER HINGES				27	1124083	10P 7X1	10.50					
171	1336956	SABLE BROWN	106.00	R	-								27	1124109	12P 7X1	12.00					
171	1336957	MARLIN BLUE	106.00	R	500	1275688	PEARL WHITE	3.15	06-ESCAPEMENT NRB/S (NON-ROTARY B/S)				27	1164124	10P 7X3 & 8X3	5.85					
171	1336958	COCOA BROWN	106.00	R	500	1275689	DEEP CHARCOAL	3.15	3 1127727 CLEVIS (SILVER)				27	1164125	12P 7X3 & 8X3	6.00					
6704 DUAL PITCH CORRECTING				500 1275690 RAVEN BLACK				3.15		4 1110529 CLEVIS BLACK				10	06	27	1138058	*1*RACK 10P 7X3	12.50		
171	1336959	PEBBLE GRAY	149.00	R	500	1275691	EMERALD GREEN	3.15	5 1174245 FOLLOWER,CAM				20	27	1138063	*1*RACK 12P 7X3	4.55				
171	1336960	TOPAZ BRONZE	149.00	R	500	1275692	OPAL GRAY	3.15	6 1175107 SCREW				.03	01	27	1128032	10P 7X5 & 8X5	11.25			
171	1336961	LAUREL GREEN	149.00	R	500	1275693	TOPAZ BRONZE	3.15	7 1164724 CAM,ESCP				20	27	1128037	12P 7X5 & 8X5	6.10				
171	1336962	AUTUMN RED	149.00	R	500	1275694	GRAYSTONE	3.15	7 1124538 CAM,ESCP-BELOW				3.95	28	1124084	SCREW,RACK	.06				
171	1336963	RAVEN BLACK	149.00	R	500	1275695	SAPPHIRE BLUE	3.15	7X1-4064000				29								
171	1336964	SABLE BROWN	149.00	R	500	1275696	SANDSTONE BEIGE	3.15	7X5-4370500												
171	1336965	MARLIN BLUE	149.00	R	500	1275697	ONYX BLUE	3.15	8 1090404 SPRING				.01	29	1147387	7X1 CURRENT	4.65				
171	1336966	COCOA BROWN	149.00	R	500	1275698	GARNET ROSE	3.15	9 1092125 RETAINER				.01	03	29	1132282	7X1-BETWEEN	19.75			
6705 DUAL PITCH CORRECTING				500 1287295 WILLOW GREEN				3.15		10 1123831 LINK,ESCP				.10		4012015-4057225					
171	1336967	PEBBLE GRAY	148.00	R	500	1287291	CLASSIC BLUE	3.30	11 1147447 NUT				.01	29	1132276	7X1 BELOW	22.50				
171	1336968	TOPAZ BRONZE	148.00	R	501	1249427	CHARCOAL BLACK	2.85	12 1290567 SCREW,RAIL				.01	4012015							
171	1336969	LAUREL GREEN	148.00	R	BAKING ENAMEL 1 QUART CANS								.01	29	1147386	13" CURRENT	5.65				
171	1336970	AUTUMN RED	148.00	R	501	1336460	SABLE BROWN	39.25	13 1206494 SCREW-BACKUP LH				.07	29	1147385	15" CURRENT	5.75				
171	1336971	RAVEN BLACK	148.00	R	501	1336461	COCOA BROWN	42.75	14 1164559 *5*SCREW				.01	29	1128107	7X5 BELOW	24.25				
171	1336972	SABLE BROWN	148.00	R	501	1336462	AUTUMN RED	42.75	15 0123491 SPRING, 7X1				.30	4367458							
171	1336973	MARLIN BLUE	148.00	R	501	1336463	LAUREL GREEN	42.75	15 1134884 SPRING, 7X3-7X5				.02	30	1134948	SPRING	.01				
171	1336974	COCOA BROWN	148.00	R	501	1336464	MARLIN BLUE	33.75	15 1141062 *4*SPRING 7X1				.01	30	0123491	*4*SPRING 7X1	.30				
172	1287057	B/M INSULATION	4.05		501	1336465	PEBBLE GRAY	40.25	15 1147443 *5*SPRING				.01	32	1127733	*2*SCREW,STOP	.01				
172	1287058	B/M INSULATION	5.35		AIR DRY TOUCH-UP,1/4 PINT								1.75	33	1174444	RETAINER,CLIP	.04				
499	RINK-L-RITE PAINTS				501	1336454	SABLE BROWN	7.50	16 1133511 TRIGGER,ASH X1				3.05	33	0219633	RETAINER,BELOW	.03 03				
ONE QUART-NOT AVAILABLE					501	1336455	COCOA BROWN	8.45	16 1138035 TRIGGER,ASH X3				1.30	7X1-4057225							
BAKING ENAMEL 1 QUART CANS					501	1336456	AUTUMN RED	8.45	16 1128101 TRIGGER,ASH X5				5.00	34	1127733	SCREW,SHOULDER	.01 01				
FOR COVER REFINISHING ONLY					501	1336457	LAUREL GREEN	8.45	16 1124469 *4*TRIGGER ASM				7X1	35	0257187	NUT	.06 13				
NOT FOR TOUCH-UP PAINT.					501	1336458	MARLIN BLUE	7.35	17 1133669 SPRING				.09	36	1187441	STOP ALL EXCEPT	.20				
BAKING ENAMEL MUST BE					501	1336459	PEBBLE GRAY	7.50	18 1206119 BRACKET,7X3 L-2				.45	7X1							
CURED AT 290-300 F FOR 45					503	AIR DRY LACQUERS,1/4 PINT							3.35	37	1128113	SCREW ALL	.04				
MIN. CES MUST NOT ATTEMP					503	1274017	WHITE	3.15	18 1126365 BRACKET,7X3 L-1				.75	39	1175198	STOP,TORQUE BAR	.09				
THE BAKING OPERATION					503	1274018	COOL GRAY	2.35	18 1206121 BRACKET,7X5 L-2				.40	40	1175199	STUD	.10				
													.45	41	1127745	SCREW	.01 01				
													.75	42	1141073	SPRING,7X3-7X5	.03				
													.65								

SELECTRIC

42 0123491 SPRING-7X1	.30	*6* ORDER L-2 LH LIFT GUIDE	11 1204028 *4*RAIL,ESC DP	1.70	PN 1287306-INCLUDES REF 31,23 AND 64.
44 1127733 SCREW	.01	111111	PLASTIC 13"SELII+III		
45 0038051 NUT	.06 07	(15-2) ABOVE	11 1204029 *4*RAIL,ESC DP	1.95	
47 1141072 SCREW,7X3-7X5	.05 01	8X3 1078410	PLASTIC 15"SELII+III		32 1204276 *1*LEVER SW PIT 1.20
48 0037913 NUT	.06 07	8X5 2087850	11 1290884 *4*RAIL,ESC SP	1.25	33 0338169 WASHER,L-1 ONLY .15
50 1205996 BRKT,T.B MTG	.45	-	PLASTIC 13"SELII+III		34 0338238 SCREW,L-1 .08
51 0056722 WASHER,7X3 ONLY	.02 08	*7* REQUIRES REF 59,60,61	11 1290885 *4*RAIL,ESC SP	2.05	34 1205641 *1* SCREW,L-2 .02
52 0322550 SCREW,7X3-ONLY	.08	-	PLASTIC 15"SELII+III		35 1115633 RETAINER, SP LV .03 03
53 0801451 SCREW	.02	*8* ORDER PROPER GANG	12 1204438 SCREW,ESC RAIL	.70	36 1014536 LINK, UPPER HBS .08
55 1141072 SCREW	.05 01	CLEAR BRACKET	12 1290567 SCREW,USE WITH	.01	37 1204258 BELLCRANK, INT .65
56 1290995 CLIP	.01 03	-	PLASTIC RAILS		38 1261242 SCREW, STOP .06
57 1147277 TRIGGER ALL	.15		13 0236550 SCREW,HALF B/S	.08	39 1091743 NUT, STOP SCREW .03
EXCEPT 7X1			BELLCRANK MT SCREW-REPLACE		40 1204596 LEVER,TRIGGER 1.55
57 1147276 TRIGGER 7X1	.15	07-ESCAPEMENT HALF B/S	WITH 1206494-REF 13 FOR		13" SEL II + III
58 1287434 STUD	.70		TORQUE BAR BACK-UP		40 1204609 LEVER TRIGGER 2.30
59 1205771 STUD,BKUP CTR	.10	I 1204239 *3* BRKT,ESCAPE	13 1206494 SCREW,BACKUP-LH	.07	15" SEL II + III
DP&SP		SELECTIVE RIBBON	14 1204223 BRACKET, HBS BC	.45	41 1141073 SPRING .03
60 1124616 SPACER,BACKUP	.04	II 1205640 BRACKET ESCAPE	15 1224616 SPACER, BKT	.04	42 0037913 NUT, LOCK .06 07
61 1205770 NUT,BACKUP (SP)	.06	FABRIC RIBBON	16 1092125 CLIP, INT LEVER	.01 03	43 1164559 SCREW, ADJ .01
61 0037913 NUT,BACKUP (DP)	.06 07	I 1359681 BKT,ESCAPEMENT	17 1204229 LEVER, HBS INT	1.25	44 1147443 SPRING, TRIG .01
71 1124094 SPACER	.30	RIBBON CASSETTE	18 1204231 LINK, WIRE	.04	45 1204668 BRACKET .45
		2 1205300 GUIDE, ESC PAWL	19 1204230 STUD, INT LEVER	.30	46 1127733 SCREW .01
		3 1256873 SPACER,ESC PAWL	20 1204505 PLATE, RACK BRG	.40	47 0038051 NUT .06 07
		ALSP	20 1206847 BRACKET LEV 3	.40	48 1206842 TORSION SPRING .15
		ORDER(07-005)1256619	21 1164576 SCREW, PLATE MT	.02 00	LEV 3 USED ABOVE 8X3
72 1272949 *3&8*LEVEL 1	19.50 #	4 1204254 *2*PAWL ESC	22 1175101 SCREW,GEAR 4-40	.04 01	1544000 8X5 2859000
(LONG ESC PAWL MTG STUD)		5 1204371 *2*STUD PAWL MT	22 1175103 SCREW,GEAR 6-32	.05	+ ALL SEL III
72 1205795 *3&7* LEVEL 2	20.25	WITHOUT CENTER T.BAR	23 1205965 GEAR,ESC RACK	.85	50 1164027 SCREW, ESC BKT .03
(SHORT ESC PAWL MTG STUD)		BACKUP SUPPORT	90 DEGREE 4-40 SCREWS.		51 1141928 SCREW, FABRIC .01
		5 1256619 STUD PAWL L-2	IF ESC RACK GEAR IS STEEL,		RIBBON
72 1287444 *6* LEVEL 1	7.50	WITH CENTER SUPPORT	REPLACE WITH REF 65 SECTOR		51 1164027 SCREW .03
(LONG ESC PAWL MTG STUD)		6 1204533 SPRING, ESC PAW	GEAR B/M PN 1287306		SELECTIVE RIBBON
72 1205794 *6&7* LEVEL 2	9.60	7 1072780 LINK, LOWER HBS	INCLUDES REF 31,23&64		56 1264270 RING,GRIP .02 07
(SHORT ESC PAWL MTG STUD)		8 1070020 CLEVIS	23 1336478 GEAR,ESC RACK		57 1147277 TRIGGER,ALL .15
		9 1204227 SPRING, ESC RAC	IN LINE 6-32 SCREWS.		EXCEPT 7X1
		10 1204002 RACK,ESC 8X3,DP	24 1290908 ESC RK TOS SPG	.05	58 1287434 STUD .70
1 BELOW 7X3 4733963		10 1304252 RACK,DP 13" SEL	ESC RACK GEAR.NOTE:ON		59 1205771 STUD,BKUP CTR .10
		II ABOVE 1544000 & SEL	MACHINES BELOW 8X3 1736931		DP&SP
2 BETWEEN		III	AND 8X5 3268887,REMOVE		60 1124616 SPACER,BACKUP .04
7X1 4057225 - 4173820		10 1204003 RACK,ESC 8X5,DP	MAR RACK GEAR SPRING		61 0037913 NUT,BACKUP (DP) .06 07
BELOW		10 1304251 RACK,DP 15" SEL	(10-28) WHEN INSTALLING		62 1164579 SCREW .01 14
7X3 4800218		II ABOVE 2859000 & SEL	THIS STRONGER SPRING		63 0038051 NUT .06 07
7X5 4454733		III			64 1206437 SPACER-USED .08
		10 1290886 RACK 10P 13"	25 1204496 STUD, HBS LEV	.30	WHEN CONVERTING FROM METAL
3 CAN NOT BE USED ON		SEL II + III	25 1254365 ECCENTRIC,670X	.25	TO PLASTIC ESCAPEMENT GEAR
MACHINES BELOW		10 1290887 RACK,ESC8X3,12P	26 1204569 LEVER, HBS	.60	65 1287306 B/M SECTOR GEAR 2.10
7X1 4009050 OR 7X5 4013500		10 1336747 RACK 9P 15"	27 0438568 SCREW, STUD MTG	.08	CONTAINS REF 23,31&64
		SEL II + III	28 1204286 LEVER, HBS OP	1.05	REMOVE REF 108 SPACER WHEN
4 BELOW 7X1 4012015		10 1290888 RACK 10P 15"	29 1142214 SCREW, LEV MTG	.03	INSTALLING REF 65 B/M
		SEL II + III	30 1206885 SPACER, SWITCH	.05	70 1141636 CLIP-FOR LONG .09
5 ABOVE		10 1290887 RACK 12P 13"	PITCH		PAWL MOUNTING STUD
7X1 5845764		SEL II + III	31 1205978 *1* GEAR,SECTOR	.60	70 1206318 SPACER USE ONLY .10
7X3 5379870		10 1290889 RACK 12P 15"	IF ESC RACK GEAR 07-23		IN MACHINES WITH LEVEL 2
7X5 9210101		SEL II + III	IS STEEL,REPLACE WITH		SHORT PAWL MOUNTING STUD
		10 1290680 RACK 9P 13"	REF 65 SECTOR GEAR B/M		89 1204369 NUT .07
		SEL II + III			

07-09

SELECTRIC

101 *5* REQUIRES REF 59,60,61

09-MARGIN-LINELOCK
NRB/S(NON-ROTARY B/S)

RELEASE 7X1 L-1

FABRIC RIBBON ESC BRACKETS
101 1287442 LEVEL-1 7.75
(LONG ESC PAWL MTG STUD)
101 1205792 *5* LEVEL 2 9.90
(SHORT ESC PAWL MTG STUD)

SELECTIVE RIB ESC BRACKETS
101 1287056 *3* LEVEL-1 11.25
(LONG ESC PAWL MTG STUD)
101 1205791 *3&5* LEVEL 2 8.50 #
(SHORT ESC PAWL MTG STUD)

101 1359686 BKT. ASM., ESC- 11.00
APPEMENT RIBBON CASSETTE

102 1174444 RETAINER CLIP .04
USE WITH LEVEL 2 HALF BS

103 1205960 COMP SPRING .05
NOT USED ON LEVEL 3

104 1205962 STOP BRACKET .06
NOT USED ON LEVEL 3

105 1205961 COLLAR .25
106 1205966 HBS CAM .10
107 1205963 CAM LEVER .10

108 OBSOLETE
110 1164579 SCREW .01 14

111 1164096 SCREW, COLLAR .06
112 1256615 LINK .15

113 1205531 BELCRNK, INTERM 2.00
114 1205532 BRKT, BELLCRANK .15

115 1070020 LEVIS .10 06
120 1359558 LH RIBBON STOP 1.30
BRACKET

121 1359559 RH RIBBON STOP 1.30
BRACKET

122 1359712 TUBE, DOWNSTOP .06

1 REPLACE REF 31 & 32
ABOVE 8X3 1014678
8X5 2011987

2 REPLACE BOTH REF 4 & 5
BELOW 8X3 1020492
8X5 2018048

3 ORDER L-2 LH LIFT GUIDE
MECH (15-2) BELOW
8X3 1078410
8X5 2087850

4 WHEN REPLACING METAL ESC
RAIL WITH PLASTIC, REPLACE
SCREWS WITH REF 12
P/N 1290567

08-FRAMES

2 1124506 *1* BEARING .85
3 1124296 SCREW LH 7X1 .08
4 0056722 WASHER .02 08
5 0038051 NUT .06 07
6 1164582 SCREW .01 12

7 SIDE FRAME, NOT
AVAILABLE-REPLACE KYBD ASM
8 1134823 *2* GUARD, KLV 9.55
8 1304248 GUARD, KEYLEVER 1.40
9 SIDE FRAME, NOT
AVAILABLE-REPLACE KYBD ASM

11 1132185 ECCENTRIC, 7X1 .05
12 1132147 WICK .04
13 1147323 SCREW 4-40 SELF .05
TAPPING

13 1174370 SCREW 6-32 SELF .25
TAPPING

13 0326264 ROLL PIN .05
13 1206860 SCREW, 8-32 SELF .01
TAPPING ABOVE 7X3 1656674,

7X5 3084374
14 1135593 SCREW .15
15 1074145 WASHER .01

25 1203582 STUD, REPLACE- 1.85
HENT-TAP HOLE IN KEYBOARD
SIDE FRAME USING 8-32 TAP

BREAK OFF TIP AT
FIRST UNDERCUT FOR
SE I

26 1275613 STUD B/H, LOW 1.70
VELOCITY REPLACEMENT
USE 5-40 TAP

30 1203726 CENTER BEARING 3.15
REFERENCE ONLY

31 1287346 WORN ESC TORQ 3.85
BAR HOLE B/H

1 ORDER C.R. CORD
DRUM MECH 03 REF 363
BELOW

7X1-4158888
7X3-4475555
7X5-4443185

2 BELOW
7X1-4083195
7X3-4704022
7X5-4380816

1 1124702 BRACKET, POINTER .10
1134888 WASHER .03
3 1124703 POINTER .15 #
4 0038262 SCREW .08 02
5 1147657 BRACKET ASM .70
LINELOCK

6 1123605 ECCENTRIC .15
7 1164576 SCREW L1 .02 02
7 1290377 SCREW L2 .02
7 1164577 SCREW L3 AND L4 .01 14
9 1073418 RETAINER .01 03
13 1127745 SCREW .01 01
14 0123552 SPRING .30
15

MARGIN SET LEVERS
ON EARLY LEVEL MACHINES
ORDER REF 125

15 1204727 SE II NRB/S(NON 1.00
ROTARY BACK SPACE)

15 1256665 MARGIN LEVER, 1.30
METAL

16 1164734 PIN .02 #
17 1164735 PIN, SLIDER ASM 1.65
18 1174259 STOP, MARGIN LH .45

18 1164943 STOP, MARGIN LH- .25
PARAGRAPH INDENT

18 1187599 STOP, MARGIN LH- .80
BELOW

7X1-4218186
7X3-4859623
7X5-4510354

18 1204594 STOP, LH, SE II .90
NRB/S(NON-ROT B/S)

19 1123603 LEVER, MARG. REL. 2.10
20 1127738 WASHER .06

21 1123602 BUSHING, LH .40
22 0010574 NUT .40

23 1124019 *1* SPACER .09
24 1281162 SPRING 2.20
25 0438566 SCREW .08 15
26

KEYBUTTONS
26 1179634 CHARCOAL GRAY 1.85
26 1124845 ACCENT GRAY 1.85

26 1124849 BLUE 1.85
26 1138784 NAVY 1.85

27 1128317 KEYLEVER, MARGIN .45
7X1-ALSO ORDER REF 61
27 1124009 KEYLEVER, MARGIN 5.00

28 1133541 SPRING .08
29 1124020 *1* STUD .30
30 1132122 RETAINER .01 03
31 1175101 SCREW .04 01
32 1123812 SPRING .01 05
33

MARGIN RACKS *2*, LEV 2
LESS REF 125

33 1287446 10P 7X1 4.55
33 1287447 12P 7X1 4.15

33 1287448 10P XX3 3.90
33 1287450 12P XX3 4.15

33 1287452 10P XX5 5.55
33 1287454 12P XX5 5.00
33 1280656 9P 7X1 57.75

MARGIN RACKS, LEVEL-1
NO LONGER AVAILABLE
SEE NOTE *8*

35 1123618 STOP, RH 1.85
35 1204593 STOP, RH, SE II .90

36 2101794 PIN .05
37 1127738 WASHER .06
38 1123626 BUSHING, RH 7X1 .35

38 1128166 BUSHING, RH, 1.05
7X3-7X5

39 0038261 SCREW .02
41 1164582 SCREW .01 12
45 0438550 SCREW .02 02

46 1128065 LEVER, LH .50
47 1128066 SHAFT, 7X5 .20
47 1138109 SHAFT, 7X3 .04

48 1073418 RETAINER .01 03
49 1128063 LEVER, RH .08
50 0037913 NUT .06 07

51 1116729 SPRING .01
52 1128323 KLV, MARGIN .25
REL XX3-XX5 L-2 & CURRENT

52 1128060 KLV, MARGIN .95
RELEASE 7X3 & 7X5 L-1

53 1073418 RETAINER .01 03
54 1107743 SPRING .04
55 1141228 STUD .70

56 0264641 CLIP .01 03
57 1141230 BUSHING, 7X1 L-1 .30
57 1141231 BUSHING, 7X3 & .25
7X5 L-1

58 1147352 SCREW L-2 .02 02
58 1164577 SCREW L-4 .01 14

59 1141229 GUIDE, 7X1 L-2 .90
59 1141232 GUIDE, 7X3&5 L-2 .15
59 1290363 GUIDE, 7X1 L-4 .45

59 1290364 GUIDE, 7X3&5 L-4 .30

SELECTRIC

59	1205549 GUIDE, 8X3&5 L-4	.20	7X1-4044200		136	1457091 POINTER, SELEC-	.75 #	-
	NON-ROTARY B/S		7X5-4359150			TIVE RIB EQUIPPED		*4* ORDER REF 5 & 14 ALSO
60	1290376 WASHER	.02	87 1164578 SCREW	.02 12		WITH SOUND REDUC B/M		IF USING ON MACHINES BELOW
61	1290362 STOP CURRENT	.55	88 1175059 INTERPOSER, KYBD	.75	136	1204432 POINTER, FAB RIB	1.35 19	7X1 4103174
61	1138993 STOP L-2	.30	LOCK, SINGLE PIECE			EQUIPPED WITH SOUND		7X3 4725655
61	1128316 *7*STOP, L1 ALSO	.20	88 1133597 *6*LEVER, KYBD L	.75		REDUCTION B/M		7X5 4396380
	ORDER REF 27		89 1110529 CLEVIS	.10 06	137	0038259 SCREW, SEL RIB	.08	-
62	1145446 SPRING	.01	90 1132182 LINK	.30	138	1204431 WASHER	.01	*5* REF 118, 119, 120, & 121
63	0001928 SCREW	.08 01	91 1164838 *6*SPRING	.07	139	1206689 BRACKET SEL RIB	.09 #	MUST BE REPLACED BELOW S/N
64	1128318 LEVER, RELEASE	.20	92 1071449 SPRING	.30	140	1204988 HOLDER	.10 #	7X1 4136551
65	1147173 SHAFT, 7X3 L-4	.35	93 0123552 SPRING	.01				7X3 4756627
65	1147174 SHAFT, 7X5 L-4	.55	98 1134829 NUT	.01		MARGIN RACK ASSEMBLES		7X5 4419928
65	1138109 SHAFT, 7X3 L-3	.04	99 1124435 BELLCRANK	.09		ALSO ORDER QTY 2 REF 15,		
65	1128066 SHAFT, 7X5 L-3	.20	100 0001928 SCREW	.08 01		METAL SET LEVER IF ASM.		*6* ORDER REF 88, 91, & 104
66	1115057 SPRING	.01	101 1070020 CLEVIS	.10 06		CONTAINS PLASTIC LEVER		WHEN REPLACING EARLY LEVEL
67	LEVER, L-2 NOT		102 1141834 LINK	.20				PARTS
	AVAILABLE-USE L-3		103 1175318 BAIL	.55	150	1164191 7X1 10P ACCENT	9.60	-
67	1128322 LEVER, L-3	.50	104 1133598 *6*INTERPOSER	4.05	150	1164192 7X1 12P ACCENT	9.60	*7* BELOW 7X1 5735252
68	1141223 RETAINER	.01 20	105 1271817 B/M, CARRIER	.55	150	1147119 7X1 10P CHAR	9.60	7X3 4954782
69	1134829 NUT	.01	POINTER 7XX		150	1147122 7X1 12P CHAR	9.60	7X5 4591612
70	1133541 SPRING	.08	106 1256666 *4* BELLCRANK	.30	150	1147118 7X1 10P LT BLUE	9.60	-
71	1174113 BUSHING, 7X1 L-2	.25	108 1073418 CLTP	.01 03	150	1147121 7X1 12P LT BLUE	9.60	*8* L-1 MARGIN RACKS N/A
71	1174114 BUSHING, 7X3-7X5	.25	116 1138464 CLTP	.02	150	1147120 7X1 10P NAVY	9.60	N/A
72	1133628 BELL	.10	117 1127719 COLLAR	.04	150	1147123 7X1 12P NAVY	9.60	ORDER RACK ASM AND SPRING
72	1204443 BELL SEL II+III	.60	118 1164373 SCREW	.03	150	1164195 7X3 10P ACCENT	10.50	REF 160 & 162. ALSO ON
73	1132027 BELLCRANK, ASM	5.20	119 1134829 NUT	.01	150	1164196 7X3 12P ACCENT	10.50	7X1 ORDER REF 27 & 70.
74	0219633 RETAINER	.03 03	120 1132013 SPACER	.30	150	1147131 7X3 10P CHAR	10.50	ON 7X3-7X5 USE REF 64 & 66
75	1073449 SPRING	.15 21	121 1164433 SPRING	.01	150	1147134 7X3 12P CHAR	10.50	-
76	1164847 LEVER, L-3	.09	122 1164721 BELLCRAPPER	.65	150	1147130 7X3 10P LT BLUE	10.50	
76	1132012 *5*LEVEL L-2	.50	123 1164845 COIL SPRING	.10	150	1147133 7X3 12P LT BLUE	10.50	
77	1175101 SCREW	.04 01	124 1204448 SPRING-CLAPPER	.01	150	1147132 7X3 10P NAVY	10.50	
78	0150735 SPRING	.30	125		150	1147135 7X3 12P NAVY	10.50	
79	0045677 WASHER	.05	MARGIN LEVER ASM.		150	1164193 7X5 10P ACCENT	11.00	1 1206995 LEVER, MAR SET
80	8169051 BAIL, BELLINGER	1.60	125 1287851 SE II NRB/S(NON	1.30	150	1164194 7X5 12P ACCENT	11.00	2 1141062 SPRING
	SEL III		ROTARY BACKSPACE)		150	1147125 7X5 10P CHAR	11.00	3 1336715 SLIDER, MARGIN
80	1174169 BAIL, BELLINGER	1.15	125 1256668 MARGIN LEVER,	3.10 #	150	1147128 7X5 12P CHAR	11.00	4 1204313 PIN, LEVER MTG
	L-3		ASM., METAL		150	1147127 7X5 10P LT BLUE	11.00	5 1206996 STOP, MAR RH
80	1164985 BAIL BELLINGER	1.55	126 1272715 MARGIN RACK 7X1	2.05	150	1147126 7X5 10P NAVY	11.00	6 0219633 CLIP, BC
	USED WITH SINGLE PIECE		CONVERSION FOR REMORK		150	1147129 7X5 12P NAVY	11.00	7 1204337 STUD, BC
	INTERPOSER KYBD LOCK		PROGRAM		150	1287449 8X3 10P SEL II	3.80	8 1256662 BELLCRANK, MAR
80	1128173 BAIL BELLINGER	3.30	127 1164619 SCREW	.10	150	1287451 8X3 12P SEL II	4.05	9 1164576 SCREW, OB GUIDE
	USED WITH L-2 KYBD LOCK		128 0602229 NUT	.06	150	1287453 8X5 10P SEL II	5.45	10 1290714 GUIDE, OVERBANK
80	1132021 BAIL BELLINGER	7.90	129 1138483 RETAINER	.07		1287455 8X5 12P SEL II	4.35	NOTE: WHEN REPLACING L-1
	USED WITH L-1 OBSOLETE		130 1175060 SPRING	.01		160 0037913 NUT	.06 07	ALSO ORDER REF 13 &
	KYBD LOCK		132 1138995 PIVOT L1 AND L2	.09				MECH 03 REF 555
81	0264641 RETAINER	.01 03	132 1290375 PIVOT L3 AND L4	.25	161	1279471 STUD B/M, BELL	2.15	-
82	1133627 GROMMET	.02	133 1274714 B/M, MARGIN	.70		MOUNTING, CURRENT LEVEL		11 1141227 SPACER, OB GDE
83	1123623 WEIGHT, BELLCRAP	.30	PIVOT					12 1164580 SCREW
84	1141117 STUD, USED ON	1.40	134 1275140 B/M, BELLINGER	1.15		*1* BELOW 7X1 4012015		13 1204564 BRACKET, OB GDE
	MACHINES BELOW 7X1-4011720		BELLCRANK					14 1204317 RAIL, MARGIN 13"
84	1279471 STUD B/M, BELL	2.15	135 1090394 SPACER	.01		*2* ORDER REF 133 & 134 WHEN		SEL II + III
	MTG. USED ON PRESENT LEVEL		136 1206640 POINTER, UNIV.	.10 #		RACK IS INSTALLED BETWEEN;		14 1204318 RAIL, MARGIN 15"
	MACHINES		SELECTIVE RIBBON			7X1 4106350 - 4272500		SEL II + III
85	1106650 SPRING	.03	136 1204975 POINTER, UNIV.	.15 #		7X3 4714830 - 4954782		15 1336709 SPRING, MAR RE-
86	1132009 BRACKET, BELOW	.06	FABRIC RIBBON			7X5 4390106 - 4591612		STORE
								16 1164580 SCREW, MAR BKT

10-MARGINS(RB/S)
ROTARY BACKSPACE

1	1206995 LEVER, MAR SET	1.05
2	1141062 SPRING	.01
3	1336715 SLIDER, MARGIN	.15
4	1204313 PIN, LEVER MTG	.01
5	1206996 STOP, MAR RH	.70
6	0219633 CLIP, BC	.03 03
7	1204337 STUD, BC	.15
8	1256662 BELLCRANK, MAR	3.35
9	1164576 SCREW, OB GUIDE	.02 02
10	1290714 GUIDE, OVERBANK	.20
	NOTE: WHEN REPLACING L-1	
	ALSO ORDER REF 13 &	
	MECH 03 REF 555	
	-	
11	1141227 SPACER, OB GDE	.01
12	1164580 SCREW	.01 02
13	1204564 BRACKET, OB GDE	.25
14	1204317 RAIL, MARGIN 13"	2.90
	SEL II + III	
14	1204318 RAIL, MARGIN 15"	2.75
	SEL II + III	
15	1336709 SPRING, MAR RE-	.04
	STORE	
16	1164580 SCREW, MAR BKT	.01 02

SELECTRIC

17 1204310 BRACKET, MAR RL	.60	43 1205625 ROLLER (ALSO	.25	104 0469565 CLIP	.02 12	-	
18 1126323 KYLVR,MAR REL	.25	ORDER REF 5 BELOW)		105 1254999 PIN	.09	CAPACITOR START MOTORS	
LEVEL 1		8X3-1 081654		106 1254687 LEVER,MAR SET	1.50	-	
18 1254479 KYLVR,MAR REL	.80	8X5-2 095803		107 1304140 CARRIER POINTER	.60 #	FOR INFORMATION REGARDING	
LEVEL 2		47 1290722 *1* MARGIN RACK	53.00	DUAL PITCH		OTHER THAN 115V 60HZ	
19 1073418 CLIP, MAR REL	.01 03	ASM 9 PITCH, 8X3		107 1254690 CARRIER POINTER	.60 #	CONTACT CE MANAGEMENT	
20 1179634 KB, CHAR GRAY	1.85	47 1290902 *1* MARGIN RACK	12.50	SINGLE PITCH			
20 1124845 KB, ACCENT GRAY	1.85	ASM 10P; 8X3		107 1336358 POINTER FAB RIB	1.30	5 1124741 115V 60HZ	122.00 R
20 1124849 KB, BLUE	1.85	47 1290903 *1* MARGIN RACK	13.25	108 1304139 POINTER HOLDER	.15	-	
20 1138784 KB, NAVY	1.85	ASM 12P, 8X3		SEL III		9 1175107 SCREW	.03 01
20 1254237 KB,SEL III,CHAR	.70	47 1290904 *1* MARGIN RACK	11.75	109 1304632 PLATE,SWITCH	.20	10 1159175 PULLEY	2.30
GRAY		ASM 10P, 8X5		109 1151221 PLATE SW MTG	.35	11 1124805 CLAMP	1.80
21 1147173 SHAFT, 8X3	.35	47 1290905 *1* MARGIN RACK	11.50	SEE CEM 472 FOR WIRING		12 1164576 SCREW	.02 02
21 1147174 SHAFT, 8X5	.55	ASM 12P, 8X5		INSTRUCTIONS WHEN REPLAC-		14 1173356 INSULATION	1.70
21 1359086 SHAFT,13.5"	3.70	47 1359472 MARGIN RACK ASM	56.00	ING PREVIOUS LEVEL PLATE		15 0055901 WASHER	.01
SEL I II		9 PITCH, 13.5" SEL III		110 1208139 SCREW	.04	16 0951905 6MFD 236V FOR	9.10
21 1359087 SHAFT,15.5"	.50	47 1304607 MARGIN RACK ASM	13.00	111 1304058 BRACKET,GUIDE	.80	115V 60HZ 2 WIRE MACHINES	
SEL I II		10 PITCH 13.5" SEL III		112 1245535 SWITCH,LAMP	3.55 #	123V 50HZ 2 WIRE MACHINES	
22 1205537 RACK,MARGIN 13"	3.90	47 1304605 MARGIN RACK ASM	13.50	SELECTOR		17 1124740 SCREW,NYLON 2W	.20
SEL II + III DP		12 PITCH 13.5" SEL III		113 1336714 *2* GEAR MARGIN	.55	17 0322065 SCREW,METAL 3W	.08
22 1205538 RACK,MARGIN 15"	4.50	47 1336746 MARGIN RACK ASM	72.50	RACK. USES 6-32 SCREW.		LENGTH, 5/8 INCH	
SEL II + III DP		9 PITCH 8X5 & 6703		114 1164583 SCREW	.01 14	17 0055726 SCREW, METAL 3W	.08
23 1256549 SPRING,MAR RAC	.01	47 1304424 MARGIN RACK ASM	13.00	115 1304085 PLATE,LAMP	.06	LENGTH,3/16 INCH	
24 1090199 WASHER,MAR RACK	.01	10 PITCH 15.5" SEL III		116 0186712 SCREW	.20 01	18 1164384 BRACKET	2.05
25 1204331 BRACKET, GUIDE	.25	47 1304422 MARGIN RACK ASM	11.50	117 1304202 SHIELD,LAMP	.30	19 0257187 NUT	.06 13
26 1175102 SCREW,MAR RACK.	.03	12 PITCH 15.5" SEL III		118 1304059 SOCKET ASM	3.95	20 1147613 BRACKET RH 7XX	.90
4-40.		48 1204723 MARGIN RACK ASM	14.00	119 1303102 LAMP, QTY 2	4.35 #	20 1205308 BRACKET RH SEL	1.15
26 1175107 SCREW,MAR RACK.	.03	DUAL PITCH,8X3		120 1304203 BRKT,LAMP	.20	II + III	
6-32.		48 1204725 MARGIN RACK ASM	16.25	MOUNTING		21 1147614 BRACKET LH 7XX	1.55
27 0322552 *2* STUD	.08	DUAL PITCH,8X5		121 1128382 SCREW	.02	21 1205309 BRACKET LH SEL	.95
28 *2* OBSOLETE		48 1304115 MARGIN RACK ASM	14.00	121 1336413 SCREW, LONG	.07	II + III	
29 1336714 *2* GEAR,MARGIN	.55	D.P. 13.5" SEL III		122 1090022 SCREW	.10	22 1190434 MOUNT(NOTCHED)	2.50
USES 6-32 SCREW.		48 1254822 MARGIN RACK ASM	15.75	123 1336772 SPACER	.35	LEVEL 2	
30 1204332 BUSHING, MAR	.05	D.P. 15.5" SEL III		130 0045639 WASHER	.06	22 1174096 MOUNT,LEVEL 1	.70
31 1206997 STOP,MAR LH	.90	51 1290681 RACK MARGIN	27.00	240 1206689 BRACKET	.09 #	23 1164480 INSULATION	.09
32 1204321 LINK, MAR PITCH	.70	9 PITCH, 8X3		-		24 1275217 LEAD WIRE	.80
33 1073418 CLIP, LINK	.01 03	51 1304718 RACK,MARGIN	39.50	*1* IF CONVERTING FROM		38 1159519 WIRE TIE	.08 #
34 1147657 BRACKET ASM	.70	9 PITCH, 13" SELECTRIC III		L-1 TO L-2(CEM #408)		40	
35 1127745 SCREW, BKT	.01 01	51 1336745 RACK,MARGIN	60.75	REPLACE SPRING(10-23)		MOTORS SHIPPED WITHOUT	
36 0123552 SPRING, STOP LA	.30	9 PITCH,8X5 & 6703		PN 1256549		MOTOR MOUNTS. ORDER AS	
37 1206640 POINTER, UNIV.	.10 #	51 1290890 RACK,MARGIN	2.25	-		REQUIRED. WHEN REPLACING	
SELECTIVE RIBBON		10P,8X3		-		ON MACHINE BELOW APPROX.	
37 1204975 POINTER,UNIV.	.15 #	51 1290891 RACK, MARGIN	2.15	*2* SEL II MACHINES BELOW		S/N 7X1-0465789,	
FABRIC RIBBON		12P,8X3		8X3 1736931 AND 8X5		7X3-9351786, 7X5-9351415,	
37 1457091 POINTER, SELEC-	.35 #	51 1290892 RACK,MARGIN	2.90	326-8887,MARGIN RACK SPRING		8X3-1062615, 8X5-2078990	
TIVE RIB EQUIPPED WITH		10P,8X5		NOT REQUIRED. REPLACE MECH		(LVLL) MOTOR MT BRKTJORDER	
FACTORY SOUND REDUC B/M		51 1290894 RACK MARGIN	2.25			2 MOTOR HTS P/N 1174096.	
37 1204432 POINTER,FAB RIB	1.35 19	12P,8X5				IF REPLACING ON MACHINE	
EQUIPPED WITH FACTORY		100 1254997 MARGIN POINTER	.10 #	11-MOTOR-DRIVE		WITH S/N ABOVE THE S/N'S	
SOUND REDUCTION B/M		DUAL PITCH		2 1132799 WIRE	.15	LISTED ABOVE, ORDER 2	
38 0038259 SCREW	.08	101 1304136 MARGIN POINTER	.15	3 0738378 SCREW SELF	.06	MOTOR HTS P/N 1190434.	
39 1204431 WASHER	.01	SLIDER		THREADING		40 1147420 110V 60HZ	74.50
40 1206689 BRACKET	.09 #	102 1254980 MARGIN POINTER	.25	4 1263006 CLIP	.20	SELECTRIC & SE II	
41 1204988 HOLDER	.10 #	BASE				40 1304579 NON-TRANSFORMER	43.25
42 1173850 CLIP, MAR REL	.15	103 1206081 SPRING	.02			WTR, 115V 60HZ SE III	

SELECTRIC

40 1304774 TRANSFORMER MTR	63.50	52 1164309 115V/60 13FT 3W	7.65	CLIP, ALSO ORDER SWITCH		495 1287046 MOTOR	122.00
115V 60HZ SE III		SE, SE II, & SE III SP.		87 1159913 WIRE TIE	.06	496 0951918 CAPACITOR	11.50
-		55 1132508 RETAINER	.25	88 5412817 FASTRON TERM-	.30	496 5252827 CAPACITOR	7.30
FOR OTHER THAN 115V 60 HZ		56 1174309 SCREW	.03	INAL.		496 1174326 CAPACITOR	7.80
CONTACT CSD MANAGEMENT		57 1134825 BRACKET	.90	90		496 1174325 CAPACITOR	12.50
-		58 1141372 SCREW	.01	-		498 1272463 PULLEY B/M	4.55
41 1174096 MOUNT-HEX NOTCH	.70	59 1175320 BRACKET, L-2	.40	B/M SHADED POLE 50HZ TO		499 1287285 2-WIRE CONVERS	6.05
41 1141077 MOUNT-HEXAGONAL	3.90	59 1205302 BRACKET, SE II	.35	CAPACITOR START 50HZ		HARDWARE	
42 1175107 SCREW	.03 01	60		90 1287285 B/M 2 WIRE	6.05	499 1287279 3-WIRE CONVERS	7.50
42 0257971 SCREW NYLON HUB	.10 02	-		90 1287279 B/M 3 WIRE	7.50	HARDWARE	
43 1164455 *4*HUB&PAWL	2.90 #	SWITCH BUTTONS		-		500 1274785 *5*B/M, MODIFIED	238.00 R
60 CYCLE		60 1124880 ACCENT GREY	1.85 #	90 60HZ TO 50HZ CONV.		MOTOR 115V 60HZ	
44 1159211 BUSHING	.01 08	60 1179636 CHARCOAL GREY	1.85 #	NOT RECOMMENDED		500 1274973 *5*B/M, MODIFIED	238.00 R
44 1236572 BUSHING	.80 #	60 1124884 BLUE	1.85	-		MOTOR 112.5V 50HZ	
QTY 20 OF 1159211		60 1138790 NAVY	1.85	105 0058207 SCREW, BRACKET	.08 15	500 1274975 *5*B/M, MODIFIED	238.00 R
45 1147333 SPRING, 60 HZ	.02	60 1254213 SELECTRIC III	1.50	110 1175107 SETSCREW, PULLEY	.03 01	MOTOR 220V 50HZ	
46 1141923 PAWL	.70	-		111 1173352 PULLEY, MTR	3.60	501 1164547 *5* MOTOR,	144.00 R
47 1073418 RETIANER	.01 03	61 1124410 LEVER	.15	60HZ 8T		MODIFIED 115V 60HZ	
48 1141502 *1* PULLEY, 60HZ	1.85	62 1133520 LINK	.08	113 0001928 SCREW, CLAMP	.08 01	501 1174288 *5* MOTOR,	144.00 R
49 0103689 RETAINER	.02	63 1070020 CLEVIS	.10 06	LINECORD L-2		MODIFIED 112V 50HZ	
50 1134822 CLAMP	.20	64 1073418 RETAINER	.01 03	132 0055901 WASHER	.01	501 1174289 *5* MOTOR,	144.00 R
51 1164576 SCREW	.02 02	65 1147192 SWITCH	1.60 #	134 1134507 SCREW, SW MTG	.03 12	MODIFIED 220V 50HZ	
52		WITH SNAP ON LINK *2*		141 1174096 RING, MTR MOUNT	.70	502 1147310 PAWL, CLUTCH	1.50
LINE CORD BM'S		65 1175205 SWITCH, DBL POLE	2.40 #	142 1175621 SCREW CLTCH MTG	.05	503 1147665 SPRING, PAWL	.40
-		66 1268619 SW B/M SGL POLE	4.10 #	144 1141077 RUBBER ASM,	3.90	504 0219633 C CLIP.	.03 03
CORDS IN BM'S MAY NOT FIT		68 1124812 BELT	2.00 #	MOTOR MTG		505 1164329 RATCHET	14.50
THRU VENT GRILLS (04-80)		69 1132028 RETAINER	.05	147 1073418 RTNR CLU PWL	.01 03	506 1175103 SCREW.	.05 02
ON EARLY MACHINES. FILE		70 1124799 CONNECTOR	.15	149 0103689 RTNR, MTR PULLEY	.02	507 1164557 FLY WHEEL	3.55
AWAY A PORTION OF THE		71 1141503 SPACER	.01	151 0035739 SCREW, CLAMP	.08	508 0303217 P/N	.04
OPENING IF NECESSARY.		72 1134829 NUT	.01	219		509 0951918 CAPACITOR 6 MFD	11.50
-		73 1272466 *4* PULLEY BM	4.90 #	-		FOR 115 60HZ & 112.5	
DO NOT USE LINE CORD BM'S		60HZ & 50HZ		328 0322065 SCREW, CAP BRKT	.08	50HZ MOTORS	
ON DOUBLE INSULATED MACH.		74 1269407 CLIP	.07	329 1141846 SCREW, CAP	.02	509 5252827 CAPACITOR 2 MFD	7.30
THESE MACH. REQUIRE IDENTICAL		76 1070020 CLEVIS	.10 06	MTG 7X1		FOR 220 50 HZ MOTORS	
REPLACEMENT PARTS.		80 1175053 CLIP	.30	333 5252827 CAPACITOR, 2MFD	7.30	510 1164430 FELT WASHER	.06
-		81 1191445 CLAMP, DBL POLE	.15	400 1205958 FAN, SOUND	1.60	511	
52 1287286 2 WIRE 8 FT.	9.80	81 1175206 CLAMP, SGL POLE	.15	REDUCTION MACHINES ONLY		514 1287858 BRACKET	8.30
52 1287287 2 WIRE 13 FT	8.25	82 1116170 TUBING	.30	401 1123577 CLAMP, SOUND	.01 #	515 1164940 SCREWS	.01
52 1287288 *3* 3 WIRE 8 FT	9.45	83 1304713 RING TERMINAL	.30	REDUCTION MACHINES ONLY		516 1164581 SCREWS	.01
52 1287289 *3* 3 WIRE 13FT	8.25	84 1206175 LINK, SNAP ON	.85	493 1175022 LINE CORD	3.65	517 1287883 NUT	.90
-		ALL EXCEPT 7X1		493 1164308 LINECORD	7.85	518 0257187 WASHER	.06 13
52 LINE CORDS ONLY-		84 1174465 LINK, 7X1 SNAP-ON	1.05	493 1175319 LINECORD	5.60	600 1304051 PLATE, LINECORD	.10
DOUBLE INSULATED		84 1141251 LINK ASM ALL	.75	493 1164309 LINECORD	7.65	601 1304052 HOUSING, TRANS-	1.05
-		EXCEPT 7X1		493 1141416 LINECORD	5.60	FORMER	
52 1175022 115V/60 8FT 2W	3.65 #	84 1141253 LINK ASM 7X1	.75	494 1304584 TRANSFORMER	11.25	602 1249875 CONNECTOR	.25 #
SE, SE II, & SE III SP		85 1070340 LINK	.25	494 1304585 TRANSFORMER	24.25	603 1304583 TRANSFORMER	33.25
52 1164308 115V/60 13FT 2W	7.85	85 1231565 LINK 5", UNIV	.25	494 1304586 TRANSFORMER	27.25	115V, 60HZ	
SE, SE II, & SE III SP		85 1231566 LINK 3", UNIV	.15	494 1304587 TRANSFORMER	27.50	604 1304050 BACK PLATE	.45
52 1336439 115V/60 8FT 2W	4.95 #	86		494 1304588 TRANSFORMER	24.50	2-WIRE MACHINES	
SE III DP		-		494 1304589 TRANSFORMER	37.75	604 1304707 BACK PLATE	1.10
52 1336440 115V/60 13FT 2W	6.90	86 1174161 BRACKET X3-X5	2.35	494 1304590 TRANSFORMER	23.00	3-WIRE MACHINES	
SE III DP		86 1175446 BRACKET, 7X1	.60	495 1287047 MOTOR	122.00	R	
52 1175319 115V/60 8FT 3W	5.60	86 1205011 BRKT, ALL RB/S	2.05	495 1287045 MOTOR	122.00	605 1336438 CLIP, MOTOR LEAD	.55
SE, SE II, & SE III SP.		NOTE WHEN REPLACING L-1		495 1287048 MOTOR	85.25	606 1245622 WIRE TIE	.07
		BRACKET THAT USES REF 80		495 1287043 MOTOR	96.00	607 1254622 WIRE TIE	

SELECTRIC

1 ORDER REF 73 ONLY WHEN
REPLACING PULLEY BELOW
7X1-4115000
7X3-4730000
7X5-4405000

2 BELOW: 8X3-1035210
8X5-2041790
7X1-9505275
7X3-9197732
7X5-9605343
ALSO ORDER REF 80

3 IF CONVERTING FROM DOUBLE
INSULATION ORDER 3 WIRE
REAR LOGO: SE P/N 1133556;
SE II NON-CORR P/N 1204607
SE III NON-CORR P/N 1304531
SE II CORR P/N 1206433;
SE III CORR P/N 1304530

4 IF CONVERTING FROM METAL
HUB TO NYLON HUB (CURRENT
LEVEL) ALSO ORDER 1 SCREW
(11-42) P/N 257971.

5 NOT RECOMMENDED FOR
INSTALLATION ON MACHINES
WITH SOUND REDUCTION.

PLATENS ARE LISTED IN

16 1269332 *1* 11" SE 27T	22.75
16 1269336 *1*13.5" SE 27T	26.25
16 1256077 *1*13.5" SE 54T	23.75
16 1287081 13.5" SE II&III	24.25
16 1336435 13.5" SE II&III	21.75
16 1269340 *1*15.5" SE,	24.00
SE II & SE III 27T	
16 1359498 15.5" SE,	23.25
SE II & SE III 54T	
16 1268456 *1*2* 11" SE	15.00
JUMPS 27T	
16 1268457 *1*2* 13.5" SE	21.00
JUMPS 27T	
16 1256028 *1*2* 13.5" SE	19.25
JUMPS 54T	
16 1287994 *2* 13.5"	23.75
SE II & SE III JUMPS 27T	
16 1336437 *2* 13.5"	22.25
SE II & SE III JUMPS 54T	
16 1268458 *1*2* 15.5"	24.75
SE, SE II&SE III JUMPS 27T	
16 1336434 *1*2* 15.5"	15.25
SE, SE II&SE III JUMPS 54T	
16 1279500 13.5" SE II &	26.75
SE III, COURT REPORTER	
PLATEN .016" OVERSIZE.	
16 1279499 15.5" SE II &	38.00
III, COURT REPORTER	
PLATEN .016" OVERSIZE	
17 175577 PIN	1.20
17 1130358 PIN, USE BELOW	2.30
7X1-5745700	
7X3-5146000	
7X5-5498600	
19 1138363 SPRING	.02
20	
20 1164462 24T	5.35
20 1164463 *1*27T	5.35
20 175272 31T	5.35
20 1159549 36T	5.35
20 1175276 45T	5.35
20 1175283 48T	5.35
20 1164464 54 T	5.35 #

21 1164050 RETAINER .03
22 1138361 BUSHING, 7X1&7X3 .35
22 1147581 BUSHING, 7X1&7X3 1.00
A FRAME PAPER FEED

22 1138360 BUSHING, 7X5, 8X3	.35
& 8X5	
22 1147582 BUSHING, 7X5, 8X3	1.30
8X5 A FRAME PAPER FO	
22 1254411 BUSHING, SEL III	.95 #
23 1359915 WASHER	.01
24 1164476 *3* DRIVER	.40
25 1272530 B/M, 24T TO CON-	17.00
VERT FROM 27T	
30 1287512 B/M, 54T	14.75 #
B/M'S FOR NEW STYLE PLATEN	
ONLY. INCLUDE PRICE OF	
PLATEN IN CHARGE FOR MACH-	
INES BELOW S/N 4021000	
USED TO CONVERT FROM 27T	
31 1164867 WASHER, SPRING	.07
32 1175903 LEVER, 36T ONLY	1.05
32 6518582 LEVER, 54T ABOVE	1.65
7X1-9444462	
7X3-9123921	
7X5-9319263	
32 1164965 LEVER, ALL OTHER	.70
32 1290935 LEVER, 54T EC OT	1.00
33 1272973 B/M, LINE POS.	1.05
RESET LEVER, 7X1 & 7X3	
33 1269077 B/M, LINE POS.	1.20
RESET LEVER, 7X5	
B/M'S CONTAIN LEVER	
P/N 1164965, REF 32	
34 1142683 SPRING	.01
50 1175870 INDICATOR	1.80
50 1205428 INDICATOR, SEII	.65
BLACK	
51 1175872 WASHER, SPRING	.03
53 1147308 RETAINER	.08
55 1256532 BLK KNOB SEL II	3.15
SCREWS 90 DEGREES	
55 1205427 BLK KNOB SEL II	2.10
SCREWS IN-LINE	
55 1254336 KNOB, SEL III	2.55
56 1175871 WASHER	.01
57 0256759 RETAINER	.04
58 1206499 SPRING	.02
59 1206791 WASHER	.01

1 WHEN REPLACING PLATEN OR
RATCHET ON MACHINES BELOW
7X1 5768900
7X3 5181121
7X5 5536000
ALSO REPLACE INDEX PAWL
ASM (20-432)

2 .012 UNDERCUT FOR USE
WITH JOINT UNIFORM

MILITARY PAY SYSTEM AND
OCR APPLICATIONS (SILVER
END)

3 REF 20, 23, & 24 MUST
MUST
ALL BE REPLACED BELOW
7X1 5814792
7X3 5296092
7X5 5649208

13-FABRIC RIBBON

1 1141135 SCREW	.10
2 1124191 SPRING	.15
3 1091647 SPRING	.01 04
4 1164580 SCREW	.01 02
5 1124185 SPRING	.15
6 0015887 SCREW	.08 11
7 1132067 SPRING	.15
8 1124679 LEVER	.05
9 1091647 SPRING	.01 04
10 1132065 LEVER	.15
11 1141878 TRIGGER, LH	.35
11 1141889 TRIGGER, RH	.15
12 1141800 SPRING	.10
14 1141801 BRACKET	.10
15 1132066 LEVER	.35
16 1175133 RATCHET	1.00
17 1175132 RATCHET	1.10
18 0219633 RETAINER	.03 03
19 1175195 WASHER	.20
22 0251989 RETAINER	.02 03
23 1124122 BELLCRANK	.10
24 0251989 RETAINER	.02 03
25 1124130 SHAFT	.10
28 1124189 SPRING	.06
29 0219633 RETAINER	.03 03
30 1124127 PAWL	.05
31 1074242 SPRING	.10 12
33 0123491 SPRING	.30
36 1124827 SCREW	.10
36 1124662 SHAFT	.50
37 1128289 GUIDE ASM	4.20 #
38 1124123 PLATE ASM	7.30
39 0219633 RETAINER	.03 03
40 1164291 SCREW	.02
41 1124665 SCREW	.15
45 1124663 FOLLOWER	.65
47 1073418 RETAINER	.01 03
48 1141304 SPRING	.10
49 1124668 LEVER ASM	.10

12-PLATEN

1 1206875 PLATEN KNOB BLK	2.60 #
1 1287865 HANDICAP	3.25
PLATEN KNOB	
2 1175621 SCREW, SHORT	.05
2 1175107 SCREW, LONG	.03 01

LH PLATEN BUSHING
14 1138969 7X1, X3 L-2 .85
14 1138990 15" SEL I, II &
III L-2 .80
14 123549 ALL L-1 1.30
14 1287366 OVERSIZE - ALL .35
EXCEPT 15"
14 1287367 15" OVERSIZE .35

PLATEN ASM. ARE SHIPPED
WITHOUT RH BUSHING. ORDER
APPROPRIATE RATCHET AND
BUSHING IF NECESSARY.

SELECTRIC

50 1141900 FOLLOWER,RIBBON	1.70	87 1173334 WIRE, CONNECTOR	1.00	68 0219633 RETAINER,L-1	.03 03	205 1175128 LINK	.40
FEED L-2		88 1174456 LEVER	8.40	68 1164665 RETAINER,L-2	.01	207 1175120 PLATE	.25
50 1124151 FOLLOWER,RIBBON	4.05	89 1164580 SCREW	.01 02	70 1164336 PULLEY	1.75	209 1175080 LEVER	.60
FEED L-1		91 1269770 BRACKET	3.50	72 1164335 WASHER	.02	211 1175802 *3*ARM	1.05
FOR RIBBON FEED CAM		92 1173331 LEVER	2.85	74 1164487 SCREW	.10	213 1174117 SPOOL	1.60
SEE MECH 02		93 1173335 SCREW	.15	75 1127763 NUT	.04	215 1175800 *3*STUD	1.05
51 1124672 SCREW	.40	94 1090404 SPRING	.01	76 1164573 SPRING	.85	217 1175067 ROLL	.60
52 1073863 SPRING	.03 04	500 1269719 CARRIER&ROCKER	247.00 R	77 1164435 *1*SUPPORT PAD	.20	219 1175093 SCREW	.20
53 1100936 SPRING	.04 18			78 1164085 SCREW	.05	221 0123491 SPRING	.30
54 1124672 SCREW	.40			81 1141679 LEVER	.15	223 1175126 GUIDE	6.40 #
55 1124674 LEVER	.40			82 1164340 FLANGE	.80	227 1279472 SCREW	.20
56 1090794 SPRING	.01			84 1175108 SCREW	.10	229 1175068 PULLEY	4.15
57 1124678 LEVER	.20			86 1164094 BRACKET	.08	231 0008506 NUT	.06
58 1128730 CAM	1.10			88 1141685 PLATE	.15	233 1090337 SPRING	.03
59 1175103 SCREW	.05 02			90 0338169 WASHER	.15	235 1175078 SPRING	.90
59 1127760 SCREW, BELOW	.10			92 1175125 SCREW	.03	237 1175085 LEVER ASM	.80
7X1-4115000				100 1164291 SCREW	.02	239 1175090 SCREW	.15
7X3-4736000				102 1141519 PLATE	.03	241 0251989 *3*RETAINER	.02 01
7X5-4405000				104 1164291 SCREW	.02	245 1175116 STUD	.08
60 1124664 SPACER	.06			108 1124662 SHAFT	.50	247 1175127 PLATE	8.80
61 1090404 SPRING	.01			110 1090794 SPRING	.01	249 1164862 *2*PLATE ASM	18.50
62 1124660 LINK	.45			112 1127785 SCREW	.07	251 1154416 WASHER, INSTALL	.01
63 1070020 CLEVIS	.10 06			114 0257985 WASHER	.01 13	AT BOTTOM OF STENCIL LEVER	
64 1141165 FEED ASM	12.90			116 1141687 ARM	.30	255 1175801 SPRING	.03
65 1141303 LATCH	.20			117 1141820 CAM	1.90	256 1274355 BM PRES ARM	2.85
66 1204016 ANCHOR, SPRING	.10			118 1124665 SCREW	.15	257 1173585 CLIP	.15
70 1164237 SPRING	.04			120 1175103 SCREW	.05 02	-	
71 1164555 SPRING	.04			122 1124663 FOLLOWER	.65	*1* IF REF 158 IS REPLACED	
72 1091647 SPRING	.01 04			124 1124664 SPACER	.06	REF 77, 149, & 150 MUST BE	
73 1164236 LEVER	.50			126 0219633 RETAINER	.03 03	INSTALLED BELOW	
74 1164220 PLATE	6.30			128 1124660 LINK	.45	7X1 4174197	
75 0219633 RETAINER	.03 03			130 1070020 CLEVIS	.10 06	7X3 4800218	
76 1128403 SPRING,BRAKE LH	.30 #			136 1147216 FOLLOWER,CARBON	.75	7X5 4454733	
76 1128404 SPRING,BRAKE RH	.45 #			RIBBON		-	
77 1164435 PAD, ALSO ORDER	.20			138 0123552 SPRING	.30	*2* ALSO REPLACE REF 170	
2 EACH OF REF 82&83 BELOW				140 1164095 CAM	.65	BELOW 7X1 5768900	
7X1-4174197				142 1164096 SCREW	.06	7X3 5183120	
7X3-4800218				144 1133660 SPRING	.02	7X5 5536100	
7X5-4454733				146 1141687 LEVER	.30	-	
78 1164241 LEVER	.30			147 1014536 LINK	.08	*3* ORDER REF 256	
79 1164580 SCREW	.01 02			148 1141686 CLEVIS	.35	BETWEEN	
80 1164600 RIBBON FEED ASM	14.50			149 1164939 *1*SCREW	.20	7X1 4204760 - 4265084	
IF REPLACING L-1 ASSEMBLY				150 1164938 *1*SPRING	.01	7X3 4841171 - 4932701	
ORDER MECH 02-505 13-76				152 0338169 LOCKWASHER	.15	7X5 4494829 - 4573670	
81 1271806 B/M, STENCIL	6.00			156 1141704 STUD	.25	-	
LOCKOUT-USED TO INSTALL				158 1174104 *1*PAWL ASM	5.10	*4* IF REPLACING ON MACHINE	
STENCIL LOCKOUT ON MACH-				160 1100937 SPRING	.01 18	BELOW S/N IN NOTE *2*	
INES BELOW				164 1164939 SCREW	.20	ALSO ORDER REF 170	
7X1-4053100				170 1174225 *5* LEVER	.60	-	
7X5-4356790				172 1141721 SCREW	.10	*5* IF REPLACING ON MACHINE	
82 1092017 SPACER	.01			175 1272420 B/M FAB TO FILM	39.50	BELOW S/N IN NOTE *2*	
83 1164939 SCREW	.20			DO NOT INSTALL ON PRE D.I.		ALSO ORDER REF 56	
84 1175128 LINK	.40			180 1272421 B/M FILM TO FAB	24.25	-	
85 0438549 SCREW	.08			201 0043373 SPRING	.01 31		
86 1141721 STUD	.10			203 1090404 SPRING	.01		

14-FILM RIBBON

1 1073418 CLIP	.01 03
2 1141696 SPOOL	1.05
3 1073418 CLIP	.01 03
4 1141683 LEVER	1.00
10 0251989 CLIP	.02 03
11 1164335 WASHER	.02
12 1141708 ROLL, PRESSURE	.20
14 0251989 CLIP	.02 03
16 1141706 STUD	.10
18 1123785 NUT	.04
20 1164838 SPRING	.07
22 0219633 RETAINER	.03 03
24 1141823 SPRING	.03
26 1141819 SPRING,SHOCK	1.80
28 0219633 RETAINER	.03 03
29 1141824 LEVER,BRAKE	.15
30 1164000 BRAKE	.06
31 -	
-	
DRIVE SPRINGS	
31 1141822 MEDIUM	.60 #
31 1164485 HEAVY,BLUE	.50
31 1164486 LIGHT,RED	.40
-	
36 0108114 SCREW	.08
38 0038565 SCREW	.08
39 0210822 LOCKWASHER	.01
40 1164209 SPRING	.04
42 1175125 SCREW	.03
44 1164208 PLATE	1.35
46 1141698 BAIL	1.05
48 NOT AVAILABLE	
ORDER REF 56 & 170	
50 0038214 NUT	.06
52 1141722 SPRING	.70
54 1141723 SHIELD	.06
56 1174222 *4* WHEEL	.25
58 1141681 LEVER	.09
60 1141714 SCREW	.35
62 1141692 PULLEY AND FEED	2.10
ROLLER	
64 0108114 SCREW	.08
66 1164113 GUIDE	.10

15-SELECTIVE RIBBON

SEE MECH 26 FOR CORRECTING
"SELECTRIC"

1 1164027 SCREW	.03
2 1256565 GUIDE, L-1	5.35 #
8X3-1078410 & 8X5 2087850	
2 1206101 GUIDE, LIFT L-2	3.85 #
3 1206550 SPRING, GD BIAS	.04
4 1206621 GUIDE, ASM, RH	3.45 #
5 0006503 NUT, LOCK	.06
6 1206556 SCREW, LIFT PIV	.15
7 1206510 SPRING, FD PAWL	.01
8 1206623 FOLLOWER, FEED	.40
9 1164939 SCREW, FOL BKT	.20
10 1206532 ASM, FD CAM FOL	1.75
11 1358301 FOLLOWER ASM,	.85
RIBB FEED FTB	
11 0219633 CLIP, PIN RET	.03 03
12 1206543 BKT, FD CAM FOL	.60
12 1290581 BKT RIB FEED	.30
CAM FOLL FTB	
13 1164096 SCREW, FD CAM	.06
14 1164095 CAM, RIB FD	.65
16 1164435 PAD, CARR SUPP	.20
17 1206694 CAM, RIBB LIFT	1.05
17 1206058 CORR RIB, LIFT C	1.15
18 1164096 SCREW, LIFT CAM	.06
19 1206544 PIN, 3/4" UNIFORM	.35
DIAMETER	
19 1290582 PIN, 7/8"	.10
SHOULDERED, FTB	
20 1206517 ROLLER, CAM FOL	.45
21 0219633 CLIP, ROLL RET	.03 03
22 1206055 *2* PLATE, ADJ	.15 #
23 1206703 SCREW, PLT MTG	.02
24 1206704 *2* FOLLOWER	2.35 #
24 1206600 FOLLOWER, CORR.	2.55 #
25 1206705 ARM, LIFT	5.45
26 1206617 SPRING, WOBBLER	.25
27 1206585 ECCENTRIC, WOB	.05
28 2114985 NUT, LF SCR LOC	.06 07
29 1074242 SPRING, LFT FOL	.10 12
30 1206619 SCREW, LIFT ADJ	.15
31 1206605 SCREW, FEED FOL	.02
32 1206516 SCREW, FOL MTG	.25
51 0219633 CLIP, MODE	.03 03
52 1206515 BUTTON, MODE	.02
53 1206513 SPRING, MODE	.01
54 1206549 SCREW, INT GEAR	.08
55 1206567 GEAR, INT	.20 #
3 LARGE	
56 1206549 SCREW, SPIKE DR	.08
57 1206553 DRIVER, SPIKED	1.35 #
58 1164291 SCREW, CART RET	.02
59 1206034 SPRING, RET RH	.07
60 1206596 GEAR, INT	.15 #
3 SMALL	
61 1256672 SWING ARM	4.55
INCLUDES REF 65	
62 1206618 BELLER, WOB	.20
63 0257982 CLIP, LOAD LEV	.01 13
64 1206574 LEVER, LOAD	1.20
65 1206650 SPRING, LOAD LV	.02
66 1206649 HANDLE, LOAD	.08
67 0219633 CLIP, LATCH	.03 03
67 1073418 CLIP, SOLID MNT	.01 03
MOUNT STUD	
68 1206591 LATCH, LOAD LEV	.15
69 1206593 SPRING, LATCH	.20
69 1206652 SPRING, SOLID MT	.04
MOUNT STUD	
70 1206036 SCREW, LATCH	.15
71 1206692 WASHER, WOB CAM	.02
72 1206613 CAM, WOBBLER	.30
73 1206205 WHEEL, FD & LFT	.40
74 1206537 SCREW, FEED	.15
75 0264641 CLIP, LFT CON	.01 03
76 1206583 LEVER LFT CONT	1.70 #
77 1206702 SPRING LFT LEV	.03
78 1206560 SPRING, LFT ARM	.03
79 1091670 SPRING, STENCIL	.02 05
80 1206598 LEVER, STENCIL	.50
81 1206512 SPRING, RET LH	.04
82 1206603 STUD, SHK WIRE	.10
83 1206541 ASM, SHOCK WIRE	1.00
84 1073418 CLIP, SHK WIRE	.01 03
85 1206562 SPRING, SWG ARM	.25
86 1206533 PLATE	5.05
87 1206639 LEVER, WIRE DIS	.20
88 0257982 CLIP, DIS LEV	.01 13
89 1206551 *1* POST, RIB FD	2.40
90 1206518 SPRING, FD GEAR	.01
91 1206604 SPRING, SHK MIR	.03
92 1206697 *1* & *3* GEAR,	.10
LOWER	
93 1118361 RETAINER, MODE	.01
94 1206542 SPOOL SUPPLY	.50 #
95 1206643 SPRING, CORE	.10 #
96 1073418 CLIP, SUP SPOOL	.01 03
97 1164580 SCREW, PLATE LH	.01 02
98 0472729 SCREW, PLATE RH	.08
99 OBSOLETE	
100 1206696 *1* GEAR, UPPER	.08
101 1206562 GUARD	.25
103 1287342 B/M RIBBON FEED	.80 #
INCL 55, 60 & 92	
106 1164938 SPRING-CAM FOL	.01

SELECTRIC

151 1206661 ASM., RIBB PLATE	28.00
SE II&III	
218 1206018 SPRING	.30 #
501 FOR REF ONLY	
502 FOR REF ONLY	
503 FOR REF ONLY	
504 FOR REF ONLY	
505 FOR REF ONLY	
506 1287441 B/M CONTAINS	4.75
SPREAD PLATE-REF 22	
FOLLOWER-REF 24	
SCREWS-REF 23	
-	
1 ORDER REF 92 & 100	
BELOW 8X3 1033751	
8X5 2039487	
2 REPLACE REF 22, 23, & 24	
BELOW 8X3-1070370	
8X5-2085674	
-	
3 IF MACHINE HAS SINTERED	
METAL GEARS, TO REPLACE REF	
92, ORDER REF 103. ORDER	
REF 103 IF REPLACING REF	
55 OR 60	
-	
32	
KEYBUTTONS	
32 1128454 CHAR. GRAY-RH	1.85
32 1132252 ACCENT GRAY RH	1.85
32 1132256 BLUE RH	1.85
32 1138773 NAVY RH	1.85
32 1254290 SEL III (96) RH	.70
32 1254704 SEL III (92&94)	.70
RIGHT HAND	
-	
34 1171974 CHAR. GRAY	1.85
34 1132266 ACCENT GRAY	1.85
34 1132270 BLUE	1.85
34 1138777 NAVY	1.85
34 1254277 SEL III	.70
-	
36 1171961 CHAR. GRAY LH	1.85
36 1132259 ACCENT GRAY LH	1.85
36 1132263 BLUE LH	1.85
36 1138775 NAVY LH	1.85
36 1300036 SEL III (92) LH	.70
36 1254274 SEL III (94&96)	.70
LEFT HAND	
-	
37 1124010 BRACKET	.15
37 1304083 BRACKET SEL III	.35
38 1164582 SCREW	.01 12
39 1175103 SCREW	.05 02
40 1074242 SPRING	.10 12
41 1124775 SCREW	.10
42 1124287 SCREW	.05

16-SHIFT

1 1118361 RETAINER	.01
2 1141269 SLEEVE	.08
3 1090404 SPRING	.01
4 0150735 SPRING	.30
6 1132235 BAIL	.35
7 1138455 BUSHING	.01
8 0001928 SCREW	.08 01
9 1124285 BELLCRANK	.08
10 1070020 CLEVIS	.10 06
11 0038051 NUT	.06 07
12 1132288 *1* LINK, ALL MOD	.10
12 1141797 LINK, 7X1 DI	.55
12 1141796 LINK ALL WITH	.40
DI EXCEPT 7X1	
13 1175103 SCREW	.05 02
14 1141782 CAM, CURRENT LUL	.65
14 1124284 *1* CAM, USE TWO	1.40
SET SCREWS	
15 1073418 RETAINER	.01 03
16 1141658 DETENT ASM, 7X1	4.45
16 1133596 *1* DETENT A 7X1	4.60
17 1124290 SPRING	.03 #
17 1124722 *1* SPRING	.30 05
18 1138997 SPRING	.02

SELECTRIC

43 0037913 NUT	.06 07	74 1138049 ARM, ASSM 13"	.65	205 1164580 SCREW	.01 02	*6* USED WITH BLACK
45 1174160 PULLEY, RH ALSO	1.55	SEL II + III		206 1206985 ARBOR	2.50	METAL CAM ABOVE;
ORDER REF 49		75 0264641 RETAINER	.01 03	208 1174310 BRAKE, 7X1	1.45	7X1-4120239
46 1123807 SHAFT	3.35	76 1164576 SCREW	.02 02	208 1174311 BRAKE, ALL	.95	7X3-4742468
47 1175255 ROLLER, WIDE	.15	77 1128190 SHAFT 15" SEL	.20	EXCEPT 7X1		7X5-4409200
NARROW ROLLER IS OBSOLETE		II + III		210 1175325 STUD	.70	-
REPLACE BEARING PLATE		77 1138047 SHAFT 13" SEL	.15	210 1287365 STUD, USE WHEN	2.15	*7* ORDER REF 219, 55& 38. ON
48 1092125 RETAINER, L-2	.01 03	II + III		SIZE FRAME IS RETAPPED 8/32		MACHINES WITH WHITE PLAS-
48 1073418 RETAINER, L-1	.01 03	78 1128199 BRAKE ASM		211 1174230 SLEEVE, DAMPER	.03	TIC CAM ALSO ORDER REF 31
49 1164577 SCREW, PULLEY	.01 14	80 0123491 SPRING	.30	212 1175322 DETENT ASM. 7X3	1.30	-
MOUNTING, ALSO ORDER REF 45		81 1128191 ARM 15" SEII+III	.75	AND 7X5		*8* USE WITH 1 PIECE
50 0038051 NUT	.06 07	81 1138048 ARM 13" SEII+III	.95	212 1206796 DETENT ASM L-2	1.30	STAMPED SHIFT ARM
52 1141992 SHAFT, L-1	.35	84 1147350 SPRING	.03 05	214 1175321 DETENT 7X1	1.20	-
52 1147392 *8*SHAFT, L-3	.15	85 0038351 SCREW	.08	216 1174187 SPRING	.04	*9* IF REPLACING 2
53 1164576 SCREW	.02 02	86 1128195 BRACKET	.09	217 1074145 SPACER, 7X1 ONLY	.01	PIECE STAMPED SHIFT
55 1124273 PLATE	.15	87 1124266 PIN, USED BELOW	.45	218 1205820 BRACKET	.25	ARM ALSO ORDER REF
55 1205814 PLATE L-2	.20	7X1-4005000		219 1205813 CAM SHIFT L-2	5.10	106 & 107.
56 1123810 STOP	.20	88 1115633 RETAINER	.03 03	220 1287308 *10*CAM CNV B/M	14.50	-
56 1141143 STOP-USED BE-	1.00	89 1124819 WASHER, USED ON	.90	XX3-XX5		*10* IF CONVERTING EARLY LVL
TWEEN 7X1-4014850-4016850		7X1 MACHINES BETWEEN S/N		220 1287987 *10*11*CAM CNV	10.75	EARLY LVL
ONLY TO CORRECT KYBD		4005325 AND 4014850.		BM, 7X1		MACH BELOW APPROX 7X1
LOCKUP AFTER SHIFT		90 0022066 WASHER	.02	300 1287396 *12* SHIFT ARM	6.60	5773141, 7X3, 5200132, 7X5
57 1164584 SCREW	.01	91 1090050 SPACER	.06	B/M		5551194, ALSO ORDER MECH 21
58 1175103 SCREW	.05 02	92 1128471 SPRING	1.00	-		REF 208, 283, 285, 289
59 1164777 ARBOR	1.25	93 1133685 KEYLEVER, LH	1.00	*1* USED PRIOR TO DI		-
60 0264641 RETAINER	.01 03	93 1254421 KYLVR, SEL IIX	1.15	7X1-4115000		*11* IF REPLACING ON MACHINE
61 1141661 ARM ASM, 7X1	.90	LEFT HAND		7X3-4736000		WITH OLD STYLE RELEASE ARM
ALSO REPLACE INTERRUPTER		94 1133672 KEYLEVER, RH	.30	7X5-4405000		(HOOK PORTION ON END) ALSO
CAM WHEN REPLACING ARM ON		94 1254303 KEYLEVER,	.65	-		ORDER REF 19. MACH BELOW
PRE-DI MACHINES PN 1141782		95 0264641 CLIP	.01 03	*2* ORDER REF 52, 210, & 220		APPROX 5845764.
62 1073418 RETAINER	.01 03	RIGHT HAND		BELOW		-
63 1132287 SPRING	.40 #	100 0038051 *4*NUT	.06 07	7X1-4271333		*12* IF REPLACING ON
64 1174482 *5* RATCHET, 7X1	1.10	101 1128356 *4*SCREW	.03	7X3-4947269		OLD LEVEL MACHINE
CURRENT LEVEL		102 1092125 *4*RETAINER	.01 03	7X5-4586101		WITH ADJUSTING SCREW
64 1174439 *5* RATCHET ALL	.90	103 1090254 *4*SPACER	.07	-		IN ARM ALSO ORDER
EXCEPT 7X1 CURRENT		104 1128303 *4*SPRING	.15	*3* USE ON 73 I/O &		REF 100 AND 101.
64 1141875 *6* RATCHET, 7X1	.50	104 1147396 *8*SPRING	.04	BELOW		-
64 1141877 *6* RATCHET, 7X3-5	1.90	105 1147397 *9*12*ARM	3.75	7X1-4105856		-
64 1132123 *3* RATCHET, 7X1	1.95	106 1205628 ROLLER	.20	7X3-4728150		-
64 1159409 *3* RATCHET, 7X3-5	6.65	107 1073418 C-CLIP	.01 03	7X5-4398189-		-
65 0219743 RETAINER	.05	109 1175244 SLEEVE	.01	FOR OLD LEVEL SHIFT CAM		-
66 1128188 DETENT	4.60	110 1128285 WASHER	.02	-		-
67 1073418 RETAINER	.01 03	111 1175107 SCREW	.03 01	*4* ABOVE		KEYBUTTONS
68 1164690 SCREW	.01	112 OBSOLETE, ORDER		7X1-4120239		100 1300040 SEL IIX, L-3
69 0038350 SCREW	.08	REF 31-P/N1256681 ONE		7X3-4742468		100 1279466 CHARCOAL GRAY
70 1128189 BRACKET	.55	PIECE BEARING.		7X5-4409200		100 1269422 ACCENT GRAY
71 1138997 SPRING	.02	114 1091220 SPACER	.01	-		100 1269423 NAVY
72 1138353 SCREW, USED WITH	.08 12	200 *7* OBSOLETE		*5* USE WITH ALL		100 1269424 BLUE, L-3
WASHER 109630 ON FORMER		REF ONLY		PLASTIC SHIFT CAM		INCLUDES 138, 140 & 142 L-2
LEV INTERLOCK ARM BELOW		201 1174445 SPACER, SPRING	.65	AND ALSO WHEN		100 1266879 ACCENT GRAY
7X5-4400705		202 1174438 SPACER	.40	REPLACING OVERTHROW		100 1266880 BLUE
72 1174180 SCREW	.01	203 1174440 STOP	.40	STOP ON MACHINES		100 1266881 NAVY
73 1128193 ARM	.08	203 1203728 STP, STEEL CAM L2	.10	MANUFACTURED WITHOUT		100 1173512 CHARCOAL GRAY
74 1128192 ARM, ASSM 15"	.60	204 1141928 SCREW, USED WITH	.01	THE STOP		L-1
SEL II + III		SHIFT CAM STOP		-		100 1271554 NAVY
						100 1271553 BLUE
						100 1271552 ACCENT GRAY

17-SPACEBAR

100 1300040 SEL IIX, L-3	1.65
100 1279466 CHARCOAL GRAY	2.95
100 1269422 ACCENT GRAY	1.90
100 1269423 NAVY	1.90
100 1269424 BLUE, L-3	1.90
INCLUDES 138, 140 & 142 L-2	
100 1266879 ACCENT GRAY	4.55
100 1266880 BLUE	2.10
100 1266881 NAVY	4.05
100 1173512 CHARCOAL GRAY	1.90
L-1	
100 1271554 NAVY	1.20
100 1271553 BLUE	1.30
100 1271552 ACCENT GRAY	1.95

SELECTRIC

102 1073066 SLEEVE	.08	140 1254164 STEM,SEL III	.10	MACHINES.		9 1128031 #1*7X5	1.10
103 1134977 BRACKET, USE	.95	141 1175095 SPRING	.06	364 0167790 SPRING	.30	10 1134953 STOP,FINAL	.05
WITH REF 113		142 1174193 LINK SEL II,III	.04	370 1274214 B/M, SPACE-TO-	10.50	11 1124075 #2*STOP,FINAL	.90
104 1124014 BRACKET,REPEAT	2.30	ABOVE 7X1 5751130		PRINT INTERLOCK FOR L-1 &		12 1070020 CLEVIS	1.00 06
USED BELOW 7X1-4010750		7X3-5155540		L-2. FOR L-1 ALSO ORDER		13 1134960 STOP,FRICITION	.02
105 1134710 NUT	.15	7X5-5510230		B/M 1269569 FOR LVL 1 -		13 1147675 STOR, SHAP IN	.01
106 1134709 SCREW	1.10	142 1164425 LINK,BETWEEN	.15 #	BELOW SERIAL NUMBERS		14 1124074 #2*STOP	2.30
107 0123491 #1*SPRING	.30	7X1-4174197-5751130		7X1-4133735		15 0103372 NUT	.08 07
109 1128271 #1*LEVER ASM	2.80	7X3-4800218-5155540		7X3-4755435		16 1166619 #3*BRACKET	.30
110 1138469 LEVER ASM,USED	3.15	7X5-4454733-5510230		7X5-4418324		17 1147653 SPRING	.01
WITH SB LINK BELOW		146 1175040 SPRING	.02			18 1110529 CLEVIS	1.00 06
7X1-4083195		148 1164467 BAIL	.25	370 1268639 B/M,SPACE-TO-	3.05	19 1124103 LINK,7X1	.15
7X3-4704072		150 1304079 KYLVR,SB SE III	1.30	PRINT INTERLOCK LVL 3		19 1076717 LINK,7X3.& 7X5	.10
7X5-4380816		150 1164637 KEYLEVER, SB	1.15	USED ON SE ABOVE SH:			
110 1123982 LEVER ASM,BELOW	2.30	150 1280990 KEYLEVER, SB	1.95	7X1-5825769			
7X1-4064000		SPECIAL FIELD SERVICE		7X3-5328368		BUTTON,SET-CLEAR	
7X5-4370500		MUST BE USED WITH REPLACE-		7X5-5674254		20 1179556 CHARCOAL GREY	1.85 #
111 1123977 #1*ECCENTRIC	.07	MENT KBRD AND/OR		403 1174484 LINK	1.65	20 1124875 ACCENT GREY	1.85 #
112 0037913 #1*NUT	.06 07	ON OPERATIONAL BRACKET B/M'S		404 1174490 RETAINER	.80	20 1124879 BLUE	1.85
113 1164086 #1*SPRING	.20	ON MACHINES BETWEEN				20 1138780 NAVY	1.85
114 1134708 SPRING- ORDER	.20	7X1-4064000-4091940		*1* BELOW			
B/M 1271551 BELOW		7X3-4700000-4716190		7X1-4091940		21 1073418 RETAINER	.01 03
7X1-4002158		7X5-4370500-4388350		7X3-4716190		22 1123520 LEVER	.10
115 1127722 NUT	.05 14	151 1071449 SPRING	.01	7X5-4438350		23 0038351 SCREW	.08
116 0006364 WASHER	.01	152 1164428 SHAFT,SPACEBAR	1.90			24 1134950 #3*LINK,7X1	2.10
117 1134824 STOP	2.60	300 1128372 LATCH ASM 7X1	1.30	*2* BELOW		24 1123522 LINK,SET-CLEAR	.40
118 1164580 #2*SCREW	.01 02	300 1128374 LATCH ASM,XX3	1.70	7X1-4007000		7X1-USED WITH REF 48 P/N	
119 1132042 #2*STOP	.70	AND XX5 NR/S				1123523 BELOW	
120 0257984 #2*WASHER	.03	300 1124476 #1*LATCH ASM	1.75	*3* BELOW		7X1-4013800	
121 1127763 #2*NUT	.04	7X1 L-1		7X1-4064000		24 1141145 #3* LINK 7X3	.40
122 1132088 STUD	.04	300 1128105 #1*LATCH A 7X3	1.25	7X5-4370550		24 1141146 #3* LINK 7X5	.85
123 0008506 NUT	.06	AND 7X5				25 1127764 GUIDE PRE-DI	.06
124 1133671 SPRING	1.65	301 1164559 SCREW,(HEAD) L3	.01			26 1090175 SPRING	.02 31
125 1133687 PLATE	.65	301 1141071 #1*SCREW,SET L2	.03				
126 1164576 #1*SCREW	.02 02	301 1141072 SCREW, L-1	.05 01	18-TAB(NRB/S)			
127 1090970 #1*WASHER	.01	302 0037913 NUT	.06 07	NON-ROTARY B/S		TAB KEYBUTTON	
128 1141105 #1*SUPPORT	.15	303 1132098 SCREW, 7X1	.06 02			27 1171959 CHARCOAL GRAY	1.85
129 1141106 #1*STUD	.15	303 1141071 SCREW, 7X3 7X5	.03	1 1070020 CLEVIS	.10 06	27 1124890 ACCENT GRAY	1.85
300 0037913 #1*NUT	.06 07	305 1100937 SPRING	.01 18	2 1204026 LINK 7X1 ONLY	.50	27 1124894 BLUE	1.85
131 1128270 CLIP	.01	306 1173851 CLEVIS	.15 18	3 1164577 SCREW	.01 14	27 1138771 NAVY	1.85
132 1141103 #1*SHAFT ASM	5.75	307 1204069 LINK, S/B	.35	5 1092125 RETAINER	.01 03		
133 0528552 RETAINER	.04 03	350 1164724 CAM,ESC,88,92 &	.40	6 1132212 PIN	.01	28 1256683 KEYLEVER	2.10
134 1123979 SHAFT ASM,ORDER	6.70	94 CHARACTER MACHINES		7 1290689 BUSHING	.30	29 1164576 SCREW, SHORT XI	.02 02
REF 100,115, & 118 BELOW		350 8169067 ESC/SPACEBAR	1.10	8 1141223 RETAINER,ALL7X3	.01 20	29 1128113 SCREW,LONG X3,5	.04
7X1-4007000		INTERLOCK CAM-96 CHAR		ALSO USED ABOVE		30	
ORDER B/M 1271551 BELOW		350 1124538 #3* CAM,ESC	3.95	7X1-4057225		142 & MECH 06-50 TO CON-	
7X5-4402158		352 1175103 SCREW	.05 02	7X5-4367458		VERT TO NEW STYLE	
135 1072703 SPRING #1*	.01	353 1138804 S/B CAM 88,92 &	.40	8 0219633 #1*RETAINER	.03 03	30 1266171 PLATE-USED	2.00
136 1123987 SCREW	.06	94 CHARACTER MACHINES				WITH REF 9, L-1 TAB	
137 0038051 NUT	.06 07	353 8169067 ESC/SPACEBAR	1.10			TORQUE BAR	
138 1134899 STEM	.04	INTERLOCK CAM-96 CHAR		TAB TORQUE BARS		30 1124081 PLATE,USED	6.20
138 1254165 STEM SEL III	.06	363 1175557 INTERLOCK,S/B	1.05	9 1147383 7X1	3.85	BELOW 7X1-4012015	
140 1175235 STEM,ALSO REPLC	.15	363 8169069 INTERLOCK,S/B	1.55	9 1147384 7X3	3.65	31 1134961 PLUG	.45
PN 1174193,LINK		USED WITH 96 CHARACTER		9 1147382 7X5	4.35	32 1175101 SETSCREW	.04 01
				9 1132278 #1*7X1	13.50	33 1164690 #4*SCREW	.01

SELECTRIC

34 1124073 *4*BAR,TAB STOP 7X1	2.90	75 1141050 *5*NNUT	.10	103 1128108 GEAR	1.45	WITH FRICTION-FIT RACKS	
34 1128028 *4*BAR,TAB STOP 7X5	16.00	76 1128291 SPACER,L-2	.15	104 1175107 SCREW	.03 01	ONLY (SHORT TIP)	
35 TAB RACKS		76 1091207 SPACER,.025 L-1	1.20	105 1123573 HUB	.20	133 1124094 SPACER	.30
-		76 1091504 SPACER,.020 L-1	.10	106 1123572 SPRING	.20 #	134 1164289 SPRING	.01
CHECK GANG CLEAR BKT		77 1138802 SCREW	.07	107 1123571 PINION	.35 #	135 0344239 WASHER	.01
(18-132)CHANGE IF		78 1123080 SCREW	.10 01	108 1123582 COLLAR	.15	136 1127745 SCREW	.01 01
REQUIRED (NOTE-ALL CURRENT		79 1132103 BUSHING	.09	109 1141857 ANCHOR,TAB CORD	.30	140 1141515 CLIP,INTERLOCK	.08
TAB RACKS ARE SNAP-IN AND		80 1175219 SPRING	.01	USED BELOW		141 1128113 SCREW XX3,XX5	.04
USE THE LONG TIP GANG		81 1128208 LATCH	.10	7X1-4106289		142 1205292 BRACKET,TB RACK	.45
CLEAR BKT P/N 6520873)		82 1091670 SPRING	.02 05	7X3-4728829		ON 7X1 BELOW 9506198	
-		83 1138801 *5*PAWL	.70	7X5-4398609 DO NOT USE		ALSO ORDER 1164696	
35 1164700 7X1-10P	10.25	84 1138499 *5*LEVER	3.70	WITH REPLACEMENT CARRIER		MECH 703,REF.582	
35 1164702 7X1-12P	10.75	85 1072949 SPRING	.30	110 1164580 SCREW, DI	.01 02	M703,REF.582	
35 1164995 7X3-8X3 10P	9.80	87 1138801 PAWL	.70	110 0038262 SCREW,PRE-DI	.08 02	143 1164188 STUD, USED	.35
35 1164994 7X3-8X3 12P	8.85	88 1138499 LEVER	3.70	111 1175107 SCREW	.03 01	WITH REF 144, L-2	
35 1164704 7X5-8X5 10P	9.60	89 1128290 NUT	.07	112 1135593 SCREW,FRAME MTG	.15	144 1105829 *6* CLIP	.01
35 1164706 7X5-8X5 12P	13.25	90 1147403 STUD,PAWL MTG	.25	112 1124642 SCREW,FRAME MTG	.75	144 0257982 CLIP,LEVEL 2	.01 13
35 1287371 7X1-9P	15.25	90 1205768 STUD PAWL MTG	.45	BELOW		145 OBSOLETE	
35 1290679 8X3-9P	7.85	91 1132128 *2*TRIGGER	.85	7X1-4089200		146 1175578 CLIP-OFFSET	.08 03
35 1136744 8X5-6703 9P	16.00	92 1164695 STOP,OVERTHROW-	.20	7X3-4713000		148 1175546 STOP,FINAL	1.05
-		IF USED ON MACHINES WITH		7X5-4430155		"SNAP IN"	
36 1134959 SPRING,10P	.55	CABLE GUIDE ON ESC BRKT,		116 1074145 WASHER	.01	150 SEE M ECH 19 REF 150	
36 1134958 SPRING,12P	.40	BREAK GUIDE OFF ESC BRKT		117 0038051 NUT	.06 07	151 1147651 LEVER,TAB L-3	.50
37 1141081 PLATE,7X1	1.90	93 1134711 SUPPORT, TORQUE	1.65	118 1141936 SCREW	.80	152 1147652 PAWL,TAB L-3	.07
37 1141082 PLATE,7X3	.65	BAR-USED ON MACHINES BELOW		122 1134829 NUT	.01	153 1287297 TAB LEVER ASM.	4.25
37 1141080 PLATE,7X5	.20	7X1-4005450		123 1124628 PULLEY	.08	154 1204238 CABLE DEFLECTOR	.10
38 1164578 SCREW	.02 12	94 1127745 SCREW	.01 01	123 1287997 PULLY SMALL USE	.15	155 1287429 LINK	.25
39 1090343 SPRING	.02 16	95 1164342 MAINSPRING	3.10 #	WHEN REPLACING C19		156 1287430 GUIDE	.35
40 1206992 SCREW,SELF TAP	.06	96 1141300 HUB	.40	ROLLER,CEN 319		157 1138464 CLIP	.02
41 0055726 SCREW	.08	97 1147188 BACKPLATE, IF	2.85	124 1124624 STUD	.15	158 1138974 SCREW	.02
42 1127765 BRAKE,TAB RACK	.15	REPLACING BETWEEN		125 1164561 ESC SHAFT & HUB	1.65	159 0123206 C-CLIP	.10
43 0438549 SCREW	.08	7X1-4091940-4101930		ASM-SB INTERLOCK		200 1287431 B/M TAB KEYLEV.	.80
44 1147480 *3*SCREW	.03	7X3-4716190-4724769		125 1164561 SHAFT,ESC	1.65	LINELOCK	
45 1123526 *3*BELLCRANK	.10	7X5-4388350-4395996		ESC SHAFT & HUB-REF 96-TWO		-	
46 1134829 *3*NNUT	.01	ALSO REPLACE B/S LATCH		SEPERATE PIECES-USED BELOW		*1* BELOW	
47 1164577 SCREW	.01 14	PN 1128370 AND CLIP PN		7X1-4144239		7X1 4057225	
48 1134952 *3*ARM,SET-CLR	2.15	25282		7X3-4770218		7X5 4367458	
48 1123523 ARM,SET-CLEAR	2.00	97 1287467 BACKPLATE,BELOW	5.95	7X5-4430155		-	
SEE REF 24 P/N 1123522		7X1-4091940		126 1124506 BEARING,REPLACE	.85	*2* USE TAB LEVER 1138499	
49 1138059 BRACKET,7X3	.35	7X3-4716190		C.R. CORD DRUM MECH 703		1138499	
49 1128033 BRACKET,7X5	.25	7X5-4388350		REF 363 ALSO BELOW		ALSO BELOW	
50 1164577 SCREW,7X5	.01 14	98 1133584 STUD,CAGE STOP-	.10	7X1-4158888		7X1 4140337	
52 1073418 RETAINER,7X5	.01 03	USED BELOW 7X1 4021400		7X3-4786656		7X3 4764214	
53 N/A ORDER REF		99 1164577 SCREW,BP,LOWER-	.01 14	7X5-4443185		7X5 4425640	
55,56,57 & 58		ALL LEVELS		127 1127733 SCREW	.01 01	-	
54 1138065 PIN,7X3	.09	100 1141678 SPACER,BP-USED	.02	128 1175103 SCREW	.05 02	*3* REF 16, 24, 44, 45, 46,	
54 1128039 PIN,7X5	.08	WITH SCREW 1164577 ABOVE		129 0257187 NUT	.06 13	& 48 SHOULD BE USED	
55 1147212 BELLCRANK	.04	7X1-4084150		130 1205784 PULLEY & BKT	2.65 #	TOGETHER BELOW	
56 1147214 SCREW	.04	7X3-4705900		ASM,PLASTIC		7X1 4084965	
57 1147343 CLIP	.30	7X5-4381400 UP TO L-2		131 1271973 B/M,TRANSPORT	5.60	7X3 4706880	
58 1147215 LINK,KYLVYR 7X3	.01	101 1128378 CORD,7X1 17 IN	.45 #	PULLEY		7X5 4581584	
58 1147342 LINK,KYLVYR,7X5	.45	101 1175579 CORD,TAB X3-X5	.50 #	132 6520873 BRACKET	.35 #	-	
60 1123577 CLIP,PINION SP	.01 #	22"		WITH SNAP IN AND SILICONE		*4* PARTS USED BELOW	
		102 1175107 SCREW	.03 01	RACKS (LONG TIP)		7X1 4009050	
				132 1141210 BRACKET	.15 #	7X5 4103500	

SELECTRIC

5 ORDER REF 75, 87, & 88
BELOW 7XX 4016900

6 USED BELOW S/N
7X1 9599120
7X3 9778107
7X5 9699871
8X3 1276632
8X5 2380509

19-TAB(RB/S) ROTARY B/S

1	1164027 SCREW, BKT MTG	.03
2	1205407 BRACKET, SET CLR	1.40
3	1204372 SCREW, PLT MTG	.03
4	1204246 PLATE, PAWL ADJ	.10
5	1204535 SPRING, PAWL	.25
6	1204536 SPRING, TAB LEV	.04
7	1204373 SCREW, LATCH	.02
8	1204377 BUSHING, LATCH	.03
9	1204374 LATCH	.15
10	1204546 SPRING, LATCH	.05
11	1175107 SCREW, MS HUB	.03 01
12	1164342 MAINSPRING	3.10 #
13	1161300 HUB, MAINSPRING	.40
14	1204043 SHAFT	1.00
14	1164561 ESC SHAFT, USED WITH DUAL TRANSPORT SYSTEM (NYLON TAB CORD & DRUM)	1.65
15	1175107 SCREW, DRUM	.03 01
16	1124624 STUD, IDLER	.15
17	1204128 PULLEY, STEEL CABLE	.25
17	1124628 PULLEY DUAL TRANSPORT	.08
17	1287997 PULLEY-SMALL	.15
17	1287997 PULLEY-SMALL USED WHEN REPLACING CAM FOLLOWER ROLLER	.15
18	1204042 DRUM, TAB CABLE	2.90
18	1128108 DRUM, TAB DUAL TRANSPORT	1.45
19	0038051 NUT, PULLEY	.06 07
20	0257986 WASHER, PULLEY	.02
21	1204136 BRACKET, PULLEY	.65
22	1204681 CABLE, TAB 8X3 22 INCHES	5.80
22	1204680 CABLE, TAB 8X5 25 INCHES	4.20 #
22	1175579 CHORD, 13" + 15" SEL II+III NYLON DUAL TRANSPORT S/S 22 INCHES	.50 #

23	1124567 PULLEY	1.90
24	1164576 SCREW, SHORT XI	.02 02
24	1128113 SCREW, LONG X3,5	.04
25	1092125 CLIP	.01 03
26	1164188 STUD	.35
27	1124082 BUSHING, RACK	.20
28	1141515 CLIP, INTERLOCK	.08
29	1205292 BRACKET, MTG	.45
30	1206992 SCREW	.06
31	1204487 *1*RACK, TAB 8X3	12.50
31	1204497 *1*RACK, TAB 8X5	12.50
32	0038234 SCREW	.02
33	1124104 LINK, KL 8X5	.20
34	1073418 C-CLIP	.01 03
35	ORDER REF 150	
36	1128039 SHAFT, 8X5	.08
36	1138065 SHAFT, 8X3	.09
37	1128033 *2* BRKT, 8X5	.25
37	1138059 *2* BRKT, 8X3	.35
38	1147212 BELLCRANK, 8X3	.20
39	1147215 LINK, KYLVR 8X5	.30
39	1147342 LINK, KYLVR 8X3	.45
40	1070020 CLEVIS	.10 06
42	1090175 SPRING, KL	.02 31
43	1256683 KEYLEVER	2.10
43	1254478 KYLVR SEL III	1.20
44	1171959 KB, CHAR GRAY	1.85
44	1124890 KB, ACCENT GRAY	1.85
44	1124894 KB, BLUE	1.85
44	1138771 KB, NAVY	1.85
45	1147214 STUD, BC MTG	.04
46	1147343 CLIP	.01
47	1124103 LINK, TORQUE BAR	.15
48	1173851 CLEVIS	.15 18
49	L-1 TORQUE BAR	
	OBsolete-ORDER REF 150 B/M	
50	1141145 LINK, 8X3	.40
50	1141146 LINK, 8X5	.85
51	1110529 CLEVIS	.10 06
52	1123520 KEYLEVER	.10
53	1073418 CLIP	.01 03
54	1254233 KB, SEL III	.70
54	1179556 KB, CHAR GRAY	1.85 #
54	1124875 KB, ACCENT GRAY	1.85 #
54	1124879 KB, BLUE	1.85
54	1138780 KB, NAVY	1.85
55	1166619 BRACKET	.30
56	1133662 SPRING	.03
56	1147653 SPRING USED WITH SNAP IN RACK	.01
57	1204508 STUD	3.60
58	1164577 SCREW	.01 14
59	1174186 ARM, SET & CLEAR	.15
60	1134829 NUT	.01

61	1123526 BELLCRANK	.10
62	1147480 SCREW	.03
63	0344239 WASHER	.01
64	1164289 SPRING, RACK	.01
65	1204534 SPRING, TAB LEV	.01
66	1204376 BUSHING	.04
67	1204990 SCREW, LEV PAWL	.08
68	1204244 PAWL, TAB LEV	.20
69	1204243 LEVER, TAB	1.70
70	1204255 BUSHING, TAB LV	.10
71	1204247 TRIGGER, TAB	.75
72	1204369 NUT	.07
73	1072949 SPRING, TRIG	.30
74	1204238 CABLE DEFLECTOR	.10
75	1110529 CLEVIS	.10 06
76	1204245 LINK, TORQUE BAR	.20
77	1204666 BAR, TORQUE 8X3	5.40
77	1204667 BAR, TORQUE 8X5	5.85
	SEE REF 49 FOR 7XX L-1	
78	1205344 *2* LNK, KYLVR	.35
79	1205341 BELLCRANK 8X3	.25
79	1205342 BELLCRANK 8X5	.45
80	1141936 SCREW	.80
81	1147675 STOP, TAB	.01
82	1205944 STOP, FINAL CURRENT LEV SNAP-IN	.06
84	0123206 C-CLIP	.10 03
149	1205784 B/M CORD PULLEY	2.65 #
150	1287368 B/M 8X3	10.50
150	1287369 B/M 8X5	9.20
151	1105829 CLIP	.01
152	1279483 CONVERSION B/M FROM ALL STEEL TRANSPORT TO DUAL TRANSPORT	20.50
	1 WHEN REPLACING GREASE FILLED RACK ON A FRAME MACH ALSO ORDER REF 2 & 56 ON TIE ROD DO NOT CHANGE REF 2 ONLY REF 56.	
	2 BELOW SERIAL NO: 8X3 1769000 8X5 3340000 REPLACE REF'S 37 & 79 TOGETHER	
5	1204430 LEVER, DET REL	1.35
8	1174448 NUT	.02
9	1204261 SUPPORT	.40
10	1128280 SCREW	.09
11	1115633 CLIP	.03 03
12	1204283 LEVER 24-48T	1.25 #
12	1204284 LEVER 54T	1.30
13	1205042 SPACER	.01
14	1205006 BELLCRANK 13"	1.75
	ROTARY B/S	
14	1205007 BELLCRANK 15"	2.25
	SEL II (RB/S) & SEL III	
14	1287871 BELLCRANK 13"	2.40
	SEL II (RB/S) & SEL III USED FOR DOUBLE INDEX	
14	1287872 BELLCRANK 15"	3.00
	SEL II (RB/S) & SEL III USED FOR DOUBLE INDEX	
15	1164049 SPRING	.01
16	1290995 CLIP, NEW STYLE	.01 03
	54 TOOTH INDEXING	
18	0251989 CLIP-ALSO 45 & 48 T	.02 03
18	1336421 *18* CLIP	.02
19	6512356 ROLLER, NON- ECCENTRIC OT STOP	.25 #
19	1290610 ROLLER, ECCEN- TRIC OT STOP	1.00
19	1279019 *18* ROLLER B/M INCLUDES QTY 2 P/N 1336421 CLIP.	.35
19	1279008 ROLLER, 27 T	.65
20	6512614 SHAFT, NON- ECCENTRIC OT STOP	.50 #
20	1290631 SHAFT, ECCEN- TRIC OT STOP	.15
21	1147247 DETENT ASM., SE TIE ROD. INCLUDES REF 18, 19, & 20. IF INSTALLING ON M/C'S BELOW 7X1-9444462 7X3-9123921 7X5-9319263 ORDER P/N 6518582 DETENT RELEASE LEVER.	1.50
21	1256709 *18* DETENT, SE A-FRAME	.70
21	1256708 *18* DETENT ASM., SE A-FRAME. INCLUDES REF 18 & 19.	1.35
21	1256706 *18* DETENT, SE II & III	.80

20-INDEXING

2	1204640 SPRING	.02
3	1204940 RETAINER	.03
4	1204630 STUD	.25
4	1290609 STUD 7X1 ECC OT	.45

SELECTRIC

21	1256707 *18*DETENT ASM, SE II & III. INCLUDES REF 18 & 19.	1.50	47	1164370 LEVER,ACCENT GR	2.25	318	1128477 LEVER,CAM 27T, 31T & 36T	.20	413	0038235 SCREW,7X3-7X5	.01 02
			47	1164371 LEVER,NAVY BLUE	1.40				414	0257986 WASHER	.02
			48	1132842 WASHER	.01	318	1128076 *2*LEVER,27T	2.40	415	1090622 WASHER	.01
22	SEE REF 24		49	1256686 STOP	5.50	318	1141559 *2*LEVER,24T	2.10	416	0257187 NUT	.06 13
			50	1287777 F.I.BM DOUBLE INDEX 7X1	17.50	318	1141556 LEVER,24T,45T & 48T IDENTIFIED BY V NOTCH ON TOP	.30	425	1124756 CARRIER ASM	8.60
	24-48 TOOTH INDEXING		50	1287908 F.I.B/M DOUBLE INDEX 13"SEL II+III	22.75	319	1141776 SCREW	.01	426	1132158 STUD	.60
23	0251989 CLIP	.02 03	50	1287907 F.I.B/M DOUBLE INDEX 15"SEL II+III	21.50	320	1206821 SPRING	.06	427	0038214 NUT	.06
24	1141601 ROLLER,45&48 T	.40				321	1141600 STUD	.20	428	1115017 SPRING	.01
25	1175284 *4* DETENT, 45&48 T SE TIE ROD	1.90	100			322	1359082 LEVER-54T	.15	429	1132164 SPRING	.50
25	1279065 DETENT, 45&48 T SE A-FRAME	2.55		KEYBUTTONS		322	1287873 LEVER-54T 2 POS USED WITH DOUBLE INDEX	1.15	431	0264641 RETAINER	.01 03
25	1290625 DETENT, 45&48 T SE II & III	1.35	100	1254726 SEL III	.70	322	1279009 LEVER,27 TOOTH	.40	432	1141595 PAWL,INDEX USED WITH 24T,27T,31T,36T	2.45
			100	1179635 CHARCOAL GRAY	1.85	323	1141603 SPRING	.05	432	1287374 *7*ASM,PAWL CAR	2.85
			100	1124850 ACCENT GRAY	1.85	325	1141602 STUD	.15	434	1107795 SPRING	.01
26	DETENT ASSEMBLY INCLUDES DETENT ROLLER		100	1124854 BLUE	1.85	327	1141598 BRACKET	.80	434	1147436 *7* SPRING	.04
			100	1138785 NAVY	1.85	327	1147620 BRACKET,A-FRAME	.15	435	1256484 SPRING, UNIV.	.05
	SE TIE ROD		101	1123984 KEYLEVER	1.20	328	0038051 NUT	.06 07	436	1290709 SPRING	.03
26	1141561 *4* 24 T	3.85	101	1279066 KEYLEVER, USED WITH LVL 1 SPACEBAR.	1.05	329	1073418 RETAINER	.01 03	436	1287381 *7*SPRING	.55
26	1141767 *4* 27 T	2.55 #	102	1072703 SPRING	.01	330	1133593 RETAINER	.05	437	1124762 STOP	.95
26	1175273 *4* 31 T	3.20	104	1073418 RETAINER	.01 03	331	1175832 LOCKWASHER	.02	438	0055726 SCREW	.08
26	1128975 *4* 36 T	2.80	105	1123997 LEVER	.08	332	0251989 RETAINER	.02 03	439	1147587 CLIP,	.06
			106	1133662 SPRING	.03	333	6512803 BRKT,INDEX L-1	WT	452	1128017 STOP,OVERTHROW	.65
	SE A-FRAME		107	1092125 RETAINER	.01 03	334	1189591 SPACER	.01	452	1147605 *1* STOP L-2	1.10 #
26	1279062 24 T	3.90	109	1071449 SPRING	.01	401	1124772 LINK ASM	.80	452	1147605 *1* STOP L-2	1.10 #
26	1290696 27 T	1.20	301	1124764 LEVER,SELECTION	2.20	403	1287919 LINK,7X1-USE ONLY BELOW S/N 0294576	.95	452	1147565 STOP, A FRAME L-1 (LARGE PIN)	3.05
26	1279063 31 T	13.50	302	1092125 RETAINER	.01 03	403	1206826 7X1 LINK ABOVE S/N 0294577	.35	452	1206108 STOP,A FRAME L-2 (SMALL PIN)	1.25 #
26	1279064 36 T	11.00	303	1138127 *2*LEVER,SELEC- TION	8.65	403	1206825 LINK ALL 13+15" ALSO USED ON OLD STYLE 2-21/2,3 INDEX	.40	452	1287375 *7*STOP TIE ROD (6X40 SCREW)	6.00
26	1290626 24 T	1.30	303	1147561 *8*LEVER,AFRAME 7XX 24,27,31,36,45 & 48T	1.40	404	1206820 CLEVIS	.45	452	1287407 *7*STOP TIE ROD (4X40 SCREW) BELOW 7X1-9432831	6.60
26	1290627 27 T	1.60	303	1204283 LEVER,A-FRAME SEL II+III 24,27,31,36,45 & 48T	1.25 #	405	1127726 NUT	.20	452	1287385 *7*STOP A FRAME (LARGE PIN)	2.70
26	1290629 31 T	1.00				406	0264641 RETAINER	.01 03	452	1287761 *7*STOP A FRAME (SMALL PIN)	1.75
26	1290628 36 T	2.40	304	1115633 RETAINER	.03 03	407	1164933 *15* LEVER-XX3	.35	452	1290611 STOP,ECC CT	.35 #
30	1287767 BRACKET	.75	305	1128084 *2*STUD,27T	.35	407	1138032 *3*LEVER,7X3	1.75	453	1164582 SCREW	.01 12
31	1105514 SPRING	.01 04	305	1141738 *2*STUD,54T	.40	407	1164934 *15* LEVER-XX5	.55	453	0063324 *1*SCREW,L-2	.01
32	1175246 CLIP	.03	306	1092125 RETAINER	.01 03	407	1128078 *3*LEVER,7X5	2.95	453	0038282 SCREW,ECC OT	.05
33	1138384 RETAINER	.02	307	1147595 LEVER,54T TIE ROD AND A-FRAME 7XX	1.50	407	1287401 *7*LEVER 7X1	.90	454	1091220 WASHER	.01
34	1287768 SHAFT,INDEX TRP	.45	307	1204284 LEVER,A-FRAME 8XX 54T	1.30	407	1287386 *7*LEVER7X3-8X3	7.85	455	1290630 ECCENTRIC,OT	.06
35	1175909 LINK, INTERLOCK	.55				408	1092125 RETAINER,7X3-5	.01 03	459	1127741 SPACER	.03
36	1175245 CLIP	2.40				409	1128079 LINK,7X3 & 7X5	.80	460	SEE REF 25 & 26	
37	1147436 SPRING	.04				411	1164670 SHAFT,7X3	.10	461	1204637 STUD,USED WITH REF 26(SE A FRAME AND SE II & III)	.30
38	0002650 SCREW	.08	308	1115633 RETAINER	.03 03	411	1164671 SHAFT,7X5	9.10	461	128302 STUD USED WITH REF 26(SE TIE ROD) AND REF 21(SE TIE ROD)	.50
39	1287769 TRIPPER	.70	309	1070020 CLEVIS	.01 06	411	1138033 *3*SHAFT,7X3	1.40			
40	0322060 SCREW	.01	310	1014536 LINK	.08	411	1128081 *3*SHAFT,7X5	.09			
42	1206517 SPACER	.45	311	1123532 LEVER	.65	412	1164650 FULCRUM,7X3-5	.10			
43	1287773 LINK	1.65	312	0038214 NUT	.06	412	1141558 LEVER,7X1 24T	.90			
44	1287771 LOCATOR	1.25	313	0062031 WASHER	.01		45T & 48T				
45	1287770 BRACKET	.40	314	1132162 STOP	1.15	412	1128073 LEVER,7X1 27T,	.35			
46	1134842 NUT	.01	315	1124766 STUD	4.80		31T,36T & 54T				
47	1304577 LEVER,SEL III	3.70	316	1124827 SCREW	.10	412	1287402 *7*LEVER,MULTI	.90			
47	1125803 LEVER,CHARCOAL	3.65	317	1132173 SPRING	.25	413	1128411 SCREW,7X1	.04			

SELECTRIC

[illegible]

SELECTRIC

100 1204927 8X-CHAR GRAY	175.00	108 1304135 ROW B, SE III	.95	128 1123969 SUPPORT,DOM	6.60	214 1164109 SCREW	.02
100 1205380 8X-NAVY	175.00	109 1254563 KEYLVR. REPEAT	1.50	129 8169014 STOP	.83	215 0037913 NUT	.06 07
8X K/B ARE FOR SEII		ROW E, SEL III		130 1164576 SCREW, L-1	.02 02	216 0045639 WASHER	.06
& CORR SE, PARTS MECH 26		110 1164080 SPRING	.02	130 1141929 SCREW, L-2	.01	217 1138369 SCREW	.03
REF 84, 85, 90, 93, 94, 95,		110 1132165 SPRING, BELOW	.03 04	131 1141929 SCREW	.01	218 1141129 PLATE	.15
97 & 202 MUST BE EXCHANGED		7X1-4107400		131 1124411 SCREW, BELOW	.20	219 000033* OBSOLETE	
OR REORDERED FOR CORR SE		7X3-4730438		7X1-4107325		220 000033* OBSOLETE	
		7X5-4400224		7X3-4729594		221 000033* OBSOLETE	
100 1254679 SEII-92 CHAR	174.00	111 1134972 SPRING,COMP	.01	7X5-4399241		222 000033* OBSOLETE	
NON-CORRECTING		111 0166623 SPRING,COMP-	.30	132 1254556 COMB, GUIDE L-2	.80	223 000033* OBSOLETE	
100 1304175 SEII-94 CHAR	180.00 R	USED WITH LONG PAWL		132 1123968 COMB, GUIDE L-1	.60	224 000033* OBSOLETE	
NON-CORRECTING		UNDER SCORE		ABOVE		225 1174382 SCREW	.03
100 1304291 SEII-96 CHAR	187.00 R	112 1141266 SPRING, SE &	.01	7X1-4174197		226 0338169 LOCKWASHER	.15
NON-CORRECTING		SE II ROW 182, SE III		7X3-4800218		227 000033* OBSOLETE	
100 1359300 SEII-92 CHAR	217.00 R	ROW D&E		7X5-4454733		228 1206910 SCREW CURRENT	.04
CORRECTING		112 1141267 SPRING, SE &	.01	133 1128293 DOWNSTOP- MAY	.55	LEV NEEDS NO WASHER	
100 1359381 SE III-94 CHAR	209.00 R	SE II ROW 384, SE III		BE INSTALLED PRIOR TO 7X1-		229 1128382 SCREW LEV 182	.02
CORRECTING		ROW B&C		4026100 TO PREVENT KICK-		229 1123687 BRKT LEVEL 2	.40
100 1359305 SE III-96 CHAR	221.00 R	112 0023106 SPRING, UNDRSCR	.30 18	BACK		229 1147432 BRKT CRRNT LEV	.80
CORRECTING		113 1147347 *2*INTERPOSER	.65	134 1138974 SCREW	.02	230 000033* OBSOLETE	
101 0264641 RETAINER	.01 03	SELECTOR		135 1133647 SPRING LH	.45 #	231 000033* OBSOLETE	
102 1132166 ROD	.35	113 1138939 INTERPOSER	.30	135 1254551 SPRING, LH SEL	.40	232 000033* OBSOLETE	
103 1133637 INSULATION	.10	UNDERSORE		III, 92, 94 & 96 CHAR KYBDS		233 000033* OBSOLETE	
103 1204973 INSULATION, SEII	.50	113 1304787 INTERPOSER,		136 1133654 SPRING RH	.70 #	234 1073418 RETAINER	.01 03
104 1090175 SPRING	.02 31	SE III POSITION E00		137 1133682 COMB LH	.35	240 8169011 DAMPER SPRING	.19
105		114 1164760 SHAFT, 88, 92 & 94	7.75	137 1254549 COMB, LH SEL III	.30	SEL III, CYCLE BAIL	
-		FOR DI MACHINES PRIOR TO		92, 94, & 96 CHAR KTBDS		280 1132240 BAIL, 7X1-7X3	.20
KEYLEVERS-SHORT PAWL		SNAP-OFF COVERS ALSO ORDER		138 1133683 COMB RH	.45	280 1128186 BAIL, 7X5	.50
LONG PAWL KYLVRS NO LONGER		GEAR-P/N 1164761		138 1254550 COMB, RH SEL III	.40	281 1138384 RETAINER	.02
AVAILABLE. CONVERT KEY-		114 1138810 SHAFT, FILTER	45.25	92, 94, & 96 CHAR KYBDS		282 1134812 *4*ANCHOR	.70
BOARD TO SHORT PAWL		PRIOR TO DUAL THP		139 8169032 PLATE, L-2, LH	.28	283 0002650 SCREW	.08
-		114 1123681 SHAFT, FILTER	8.85	139 1133679 PLATE, L-1 BELOW	.30	284 1134813 SPRING	.20
FOR SE II & III KEYBOARD		114 8169065 SHAFT, 96 CHAR	13.90	7X1-4174197 7X3-4800218		285 1132241 *4*PAWL, L-1	1.15
LAYOUTS REFERENCE TYPE		115 1128144 SPACER, 88, 92 & 94	.06	7X5-4454733		285 1164601 *6*PAWL, L-2	.90
CATALOG 241-5687		115 8169066 SPACER, 96 ONLY	.21	140 1138974 SCREW	.02	285 1175248 *7*PAWL, L-3, CR	.15
-		116 6519783 *14* BEARING	.85	142 1164431 SPRING, LH-88CHR	.25	PRINT INTERLOCK	
105 1123947 ROW 1	.65	SHAFT		142 1254548 SPRING, LH-92-94	.35	286 1134867 SPACER	.06
105 1123951 ROW 1, REPEAT	2.70	117 6512825 SPRING, RPT, KLV	.05	142 1164574 SPRING, LH 96CHR	.35	287 1164602 PLATE	.10
USE WITH CURRENT LEVEL		117 1254559 SPRING, REPEAT	.01	142 1164574 SPRING, RH ALL	.35	287 1132242 *4*PLATE	.35
INTERPOSER, REF 113 BELOW		ROW E		143 1164366 BRACKET, ABOVE	.35	289 1132064 SPRING, USED	.02 04
7X1-4013400 AND ABOVE		117 1254963 SPRING, REPEAT	.03	7X1-4174197		WITH C.R. PRINT INTERLOCK	
7X1-4037900, ALSO USE		ROW B"		7X3-4800218		289 1159132 SPRING, USED	.15 31
ABOVE 7X5-4354900		119 1141894 RETAINER, 7X1	.20	7X5-4454733		WITH SPACE TO PRINT	
105 1254650 ROW E, SEL III	.90	119 1141895 RETAINER SEL II	.10	150		INTERLOCK	
106 1123948 ROW 2	.55	XX5.		SHAFT L-2		289 1128327 SPRING	.08
106 1304133 ROW "D" SEL III	.90	120 1174382 SCREW	.03	200 1138974 SCREW	.02	300 1127733 SCREW	.01 01
107 1123949 ROW 3	.55	121 1164761 GEAR	.60	202 1133664 SPRING	.10	301 1128113 SCREW	.04
107 1254651 KEY LEVER, SEL	1.25	122 1175107 SCREW	.03 01	203 0341216 SCREW	.01	302 1123957 PLATE, USED	3.35
III POSITION C12 ONLY		123 1123963 ROD	1.00	204 1134976 BRACKET	.40	WITH LEV 1 SPACEBAR	
107 1304134 ROW "C" SEL III	2.00	124 1092125 RETAINER	.01 03	205 1134887 KEEPER ASM	.95	302 1164977 PLATE	1.40
108 1123950 ROW 4	.60	125 1138974 SCREW	.02	206 1127781 PAWL & LINK ASM	2.35	303 1123959 PLATE	.30
108 1279468 ROW 4, REPEAT	5.15	127 1254555 GUIDE, INTERPSR	1.40	207 1123827 SPRING	.01 04	304 1123661 BAIL	.35
SEL I & II		127 1132191 GUIDE, INTERPSR	11.50	208 1134767 UP-STOP	.20	305 1091057 NUT, CABLE	.02
108 1254564 ROW B, REPEAT	2.45	BELOW 7X1 4102224		209 1123556 BAIL, CY CLUTCH	.55	306 0038350 SCREW	.08
SEL III		7X5-4356084		210 1147354 SPRING	.02	307 1133578 STOP	.10

SELECTRIC

308	BKT, NOT AVAIL		418	1115735 SCREW	.01	541	-	699	-
	SEE NOTE AFTER REF 26		419	1141771 SCREW	.04		-		KEYBUTTON B/M'S ARE
309	1123790 *6*INTERPOSER	1.30	420	1141805 CLAMP	.05		ON-OFF BUTTONS		FOR PRICING ONLY.
310	1123788 *6*INTERPOSER	1.20	421	0358509 LOCKWASHER	.02	541	1141507 ACCENT GRAY	3.55	-
311	1123787 *6*INTERPOSER	1.35	422	0047987 NUT	.06 12	541	1141521 NAVY	3.55	SEE TYPE CATALOG FOR
312	1123789 *6*INTERPOSER	1.25	423	0170215 SCREW	.07	541	1141522 BLUE	3.55	KEYBUTTON B/M P/N'S
313	1123791 *6*INTERPOSER	1.35	424	0056722 WASHER, 7X3&7X5	.02 08	541	1141528 CHARCOAL GRAY	3.55	AND DESCRIPTION.
314	1123792 *6*INTERPOSER	1.10	425	1164394 BRACKET,	1.25	541	1141529 BLANK, ACC. GRAY	3.55	-
315	1133670 SPRING	.02		7X1 ABOVE 4142060		541	1141530 BLANK, NAVY	3.55	ORDER EXP & C/R KEYBUTTONS
316	1135168 LINK	.45	425	1141147 BRACKET, SE II	.30	541	1141531 BLANK, BLUE	3.55	FOR SE II. ALSO ORDER
316	1133586 LINK, NEG LATCH	.35		+III ALSO BELOW 7X1		541	1127710 BLANK, CHAR. GRAY	3.55	CORR KEYBUTTON FOR CORR
316	1460846 REPLINT CABLE	2.10		4142060		541	1254226 SEL III	1.35	SE, MECH 26 REF 97.
	FIELD USE ONLY-REF CEM 446		425	1175576 BRACKET, ABOVE	.65	541	1254296 SEL III, BLANK	1.05	-
317	1070020 CLEVIS	.10 06		7X1-5803763		542	-		700 1274219 ALL REF 700
318	1141377 INTERPOSER	.35	426	1141655 CAM	.65		-		40.50
318	1147474 *6*INTERPOSER	.30	427	1175101 SCREW 4-40	.04 01		CONTROL WHEEL		KEYBUTTON B/M'S ARE THIS
319	1141375 INTERPOSER	.30	427	1175103 SCREW 6-32	.05 02	542	1141224 ACCENT GRAY	.80	PRICE EXCEPT THE FOLLOWING
319	1147472 *8*INTERPOSER	.30	428	117589 SPRING	.01	542	1141095 NAVY	.40	700 1274239 B/M, KEYBUTTON
320	1141374 INTERPOSER	.30	429	1141761 D.I. CABLE CLIP	.10 20	542	1141884 BLUE	4.75	70.00
320	1147471 *8*INTERPOSER	.35	430	1275413 STUD B/M, LOW	1.70	542	1138459 CHARCOAL GRAY	.90	700 1274243 B/M, KEYBUTTON
321	1141376 INTERPOSER	.35		VELOCITY, USE 5-40		542	1304527 CHARCOAL SE III	5.00	68.75
321	1147473 *8*INTERPOSER	.35		TAP WHEN REPLACING		543	-		700 1274258 B/M, KEYBUTTON
322	1141378 INTERPOSER	.30	450	1090175 SPRING	.02 31		INDICATOR		68.75
322	1147475 *6*INTERPOSER	.30	451	1164080 SPRING	.02	543	1128284 ACCENT GRAY	4.35	700 1274259 B/M, KEYBUTTON
323	1141379 INTERPOSER	.30	500	1272323 B/M, LOW VEL.	14.50	543	1138471 NAVY	5.10	68.75
323	1147476 *6*INTERPOSER	.35		INHIBITOR		543	1138472 BLUE	4.40	700 1274265 B/M, KEYBUTTON
324	1141383 SPRING	.04	501	1164370 LEVER, ACC. GRAY	2.25	543	1138473 CHARCOAL GRAY	2.65	68.75
325	1141382 BRACKET	2.60	501	1123803 LEVER, CHAR. GRAY	3.65	543	1304528 CHARCOAL SE III	5.35	700 1274265 B/M, KEYBUTTON
325	1147465 *8*GUIDE BKT	.05	501	1164372 LEVER, BLUE	.90		-		68.75
326	1138974 SCREW	.02	501	1164371 LEVER, NAVY	1.40	544	1141517 LEVER	.85	715
327	8168649 VEL VANE	2.35	502	1073418 RETAINER	.01 03	545	1070017 LINK	.10	KEYPUNCH SIMULATOR
400	1138977 SCREW	.05	503	1070020 CLEVIS	.10 06	545	1070020 CLEVIS	.10 06	715 1275551 SIMULATOR B/M
401	0056722 WASHER	.02 08	504	1164300 LINK	.15	547	1141489 LEVER	.35	7.30
402	0219633 RETAINER	.03 03	505	1164301 BELLCRANK	1.45	548	1141497 LATCH	.25	ACCENT GRAY
403	1174115 BRACKET	.04	506	1164302 BRACKET	2.80	549	1124189 SPRING	.06	715 1275823 SIMULATOR B/M
403	1141666 BRACKET, BELOW	.10	507	0251989 RETAINER	.02 03	550	1141488 CLEVIS	1.60	CHARCOAL GRAY
	7X1-5764846		508	1164305 LATCH	.05	551	1141491 LINK	.25	-
	7X3-5173883		509	0043373 SPRING	.01 31	552	1164096 SCREW	.06	*1* USED BELOW
	7X5-5526034		520	0219633 RETAINER	.03 03	553	1141484 BELLCRANK	1.80	7X1 & 7X5-4013400
404	1254958 VANE, SEL III	1.60	522	1132211 WASHER	.03	554	-		-
404	1174112 VANE	1.50	524	1175542 LATCH	.85		B/M MANUAL VELOCITY CONT.		*2* REMOVE UNDESIED
404	1141836 VANE, SEE NOTE	4.95	526	1175544 SHOCK ABSORBER	.30		CAN BE INSTALLED ONLY ON		PROJECTIONS ON INTERPOSER.
	WITH REF 403 P/N 1141666		528	1175545 PIN	.05		SEL I MACHINES WITH S/M		ALSO USE PROPER SPRING
405	1138455 SPACER	.01	530	1175615 GUIDE ASM	1.05		BEGINNING WITH 5 AND		REF 112
406	1141835 BELLCRANK	.35 20	532	1175616 BRKT LEVEL 2	.40		ABOVE-AND ALL SEL II + III		-
407	0038566 SCREW	.08	532	1147433 BRKT CRNT LEV	.50	554	1274991 CHARCOAL GRAY	13.25	*3* PARTS USED WITH CYCLE
408	1142264 NUT	.30	534	1175617 STUD	.07	554	1274992 ACCENT GRAY	14.50	CLUTCH RESTORING MECH
409	1141647 LINK	1.45	536	0037913 NUT	.06 07	554	1274993 BLUE	15.25	BELOW 7X1-4020950. CONVERT
410	1070020 CLEVIS	.10 06	538	1274073 ASM, CYCLE CL	4.15	554	1274994 NAVY	9.85	TO LATE LEVEL PARTS SHOWN
411	1141668 LATCH	.30		LEV 2 AND 3. LEV 2 USES		554	1336356 CHARCOAL GRAY	16.75	IN BOX. ALSO ORDER BAIL
412	1073418 RETAINER	.01 03		MOUNT SCREW REF 228 P/N			SEL III		SHAFT MECH 723-REF 118
413	1147311 SPRING	.15		1128382, REPLACES LEV 1		555	0438549 SCREW	.08	-
414	1071687 SPRING	.01 12		PARTS. DOES NOT INCLUDE		556	0602229 NUT	.06	7X1-4161710
415	1141652 STOP	.15		BKT REF 229, ORDER			-		7X3-4788645
416	1141780 FOLLOWER	.45		SEPARATELY.			-		7X5-4444350

SELECTRIC

6 BETWEEN

7X1-4161710-4226363
7X3-4786455-4875488
7X5-4444350-4522047

7 ABOVE

7X1-4226363
7X3-4875488
7X5-4522047

8 CURRENT LEVEL PARTS
USED ABOVE

7X1 9478150
7X3 9168841
7X5 9374280
8X3 1040787
8X5 2050763

11 WHEN A KEYBOARD
ASSEMBLY IS REPLACED
ON MACHINES PRIOR TO
S/N 7X1-9478150

7X3-8168841
7X5-9374280
8X3-1040787
8X5-2050763

IT WILL BE NECESSARY TO
REMOVE THE GUIDE BRACKET,
SELECTOR INTERPOSERS AND
SPRINGS AND INSTALL THE
FORMER LEVEL PARTS ON THE
NEW KEYBOARD

13 ON MACHINES BELOW

7X1 0660188, 8X3 1656674
AND 8X5 3084374 ORDER 8-32
SELF-TAP KB MT SCREWS
P/N 1206860

14 ON MACHINES THAT HAVE
THE EARLY STYLE BEARING
ALSO ORDER MECH 21-1198120

22-PAPER FEED

1 1141866 ARM, LH .90
1 1206094 ARM, LH SEII 1.05
PAP BAIL ARMS FOR PINFEED
MACHINES, SEE MECH 49
1 1254826 ARM, LH, SEL III 2.25
2 1256661 SCREW SLOTTED .07 #
HEAD
2 1472505 SCREW, 670X .01 #

3 1115736 SCREW .15
4 1124370 ECCENTRIC .05
5 1175237 *1*SCREW, FRONT .01
5 1115736 SCREW, REAR .15
5 1164489 SCREW, FRONT .10
7 1124369 PLATE .08
8 1115736 SCREW .15
9 1124803 ECCENTRIC .07
10 1117176 SCREW .05
10 1071657 SCREW, USED .06
BELOW 7X1 4005500
11 1124371 ECCENTRIC 1.20
11 1256089 *1*ECCENTRIC .25
12 1124802 LATCH, LH .45
12 1204263 LATCH, LH SE II .30
13 0038051 NUT .06 07
14 1147562 LEVER ASSEMBLY 2.00
14 1204285 LEVER, SE II 3.45
15 1175102 SCREW .03
16 1091743 NUT .03
17 1124383 DETENT .25
17 1204233 DETENT, SE II .25
18 NOT AVAILABLE
19 1141865 ARM, RH 1.05
19 1206095 ARM, RH SE II 1.15
PAP BAIL ARMS FOR PINFEED
MACHINES, SEE MECH 49
19 1254414 ARM, RH SEL III .60
20 1175266 *1*SPRING-ALL .08
20 1124723 SPRING, 7X1 .40
20 1141586 SPRING 7X3-7X5 .10
20 1204232 SPRING, LH RB/S .15
21 1117759 SCREW .01 14
22 1164542 SHAFT, 7X1 1.45
22 1138143 SHAFT, 7X1-
BETWEEN 4012015 AND
4092300 1.00
22 1124788 SHAFT, 7X1 BELOW
4012015 6.60
22 1164543 SHAFT, 7X3 1.35
22 1164499 SHAFT, 7X5 1.45
22 1128215 SHAFT, 7X5 L-1 5.45
22 1204272 SHAFT, 8X3 RB/S 2.85
22 1204274 SHAFT, 8X5 RB/S 2.35
23 1134954 *1*SHAFT, 7X1 1.25
23 1124372 SHAFT 7X1 BELOW
4012015 1.85
23 1138076 SHAFT, 7X3&8X3 1.05
23 1128136 SHAFT, 7X5&8X5 1.25
23 1204259 SHAFT, 8X3 RB/S 1.75
23 1204260 SHAFT, 8X5 RB/S .50
24 1124379 PLATE, LH .50
24 1175332 *3*PLATE, LH .60
25 1124377 SPACER .10
26 1138996 SPRING, LH .03

26 1138996 SPRING, RH .03
27 1124378 ECCENTRIC .05
28 0038353 SCREW .08
29 1124579 STUD .20
30 1133589 BRACKET .85
31 1205563 STUD, BAIL MTG. .10
32 0528552 RETAINER .04 03
33 1206821 SPRING, BAIL .06 05
34 1138148 *2*LEVER, 7X3-5 4.95
35 1128012 *2*STUD .25
36 1128224 STOP, NYLON L-1 .09
37 1103695 RETAINER .01
38 1138368 SCREW .15
39 1090394 WASHER .01
42 0038051 NUT, USED BELOW .06 07
7X1-4102015
43 1133590 BRACKET .25
46 1124801 LATCH, RH .15
46 1204262 LATCH, RH SE II .95
47 1124384 *2*LEVER, PR 7X1 2.10
48 1072703 *2*SPRING .01
49 OBS., CONVERT
TO A FRAME PAPER FEED
50 1271741 *2*STUD .20
50 1124366 STUD, USE BELOW 4.90
7X1-4012015
51 1175106 SCREW .05 02
52 1132188 ARM, USED BELOW 2.05
7X1-4012015
52 1138138 ARM, USED BELOW 3.60
7X3-4716300
7X5-4388600
BETWEEN
7X1-4012015-4092300
53 1141862 SHAFT 7X1 10" 1.90
53 1141863 SHAFT 7X3 12.5" 1.60 #
53 1141864 SHAFT 7X5 14.5" 2.35 #
53 1204351 SHAFT 8X3 13.3" 2.00
53 1204352 SHAFT 8X5 15.3" 2.80
53 1254954 SHAFT, SEL III 1.70
13"
53 1254416 SHAFT, SEL III 1.75
15"
54 1141872 *7* ROLL, RUBBER .85 #
54 1175055 *7* ROLL, NYLON 2.60
54 1147282 ROLLER, RUBBER 1.45
USED WITH PIN-FEED
PLATEN
55 1115633 CLIP .03 03
60 1128479 HANDLE ONLY .70
60 1147560 LEVER, 7X3 1.50 #
60 1204282 LEVER SE II 2.60
61 1164160 STOP .80
77 0364710 RETAINER .25 11
78 1128155 ARM, ASM. 7X3-7X5 3.85
79 1175326 *3*ROD, 7X1 .40
79 1175327 *3*ROD, 7X3 .55
79 1175328 *3*ROD, 7X5 3.70
79 1132221 ROD, 7X1 3.95
79 1138086 ROD, 7X3 5.55
79 1128149 ROD, 7X5 7.55
81 1175107 SCREW .03 01
82 1128280 SCREW .09
86 1128236 *4*ARM, LH 1.10
87 1128550 SPRING, 7X1 .35
87 1128221 SPRING, XX3-XX5 .08
88 1128237 *4*ARM, RH 1.35
93 1138118 LEVER .35
95 1132228 ARM ASM, 7X1 .55
95 1128146 ARM ASM, 7X3-7X5 1.00
96 1133593 RETAINER .05
97 1132222 SCREW .50
98 0364710 RETAINER .25 11
99 1132219 ARM, REAR RH 1.15
99 1175337 *3*ARM, REAR RH .85
FOR ALL MODELS
100 0037913 NUT .06 07
101 1134773 STUD .40
102 0265195 SCREW .20
103 1124777 SPACER .04
104 1134842 NUT .01
107 1132220 STUD, ECCENTRIC 1.40
107 1128239 STUD, SHOULDERED .25
108 1175323 *3*ARM, REAR RH .20
CENTER 7X3-7X5
108 1128151 ARM, RH 7X3-7X5 1.70
109 1164576 SCREW .02 02
110 0081693 SCREW .01
112 1164925 BRACKET TRANS 1.75
7X3-7X5 LEVEL 182
113 1164577 SCREW .01 14
114 1132214 SUPPORT, TIE ROD 2.65
115 1128240 SUPPORT, ROD-7X5 5.10
127 1141072 SCREW, LEVEL-2 .05 01
129 0037913 NUT .06 07
130 1124782 FEED ROLL, 7X1 2.25 #
130 1138083 FEED ROLL, 7X3 4.00 #
130 1128141 FEED ROLL, 7X5 3.90 #
132 1124776 FEED ROLL, 7X1 2.25 #
132 1138080 FEED ROLL, 7X3 3.50 #
132 1128138 FEED ROLL, 7X5 3.35 #
134 1256096 DEFLECTOR, 7X1 2.95
134 1256093 DEFLECTOR, XX3 3.55
134 1256094 DEFLECTOR, XX5 4.05
137 1132227 ARM ASM, LH 7X1 4.10
137 1128145 ARM ASM, LH 7X3-2.85
137 1256094 DEFLECTOR, XX5 4.05
149 1128150 ARM, LH 7X3-7X5 .15
159 1132218 ARM, REAR, LH .25
159 1175335 *3*ARM, REAR LH .25

SELECTRIC

SELECTRIC

6 A-FRAME ASSEMBLIES
ALSO ORDER SPRING MECH 22-
264 P/N 1290621. IF CONV.
NON-ECC O/T, ORDER MECH 22
280 AND MECH 20-471

7 ON MACHINES BELOW
7X1-4234000
7X3-4920000
7X5-4542000
ORDER MECH 22-219 AND 53

23-SELECTION

1 0257187 NUT .06 13
2 123749 PULLEY 1.55
3 1256038 BUSHING .15
4 124636 BRACKET, L-1 2.35
5 123751 STUD .95
6 0263680 WASHER .03
7 124683 SCREW .02
8 0038350 SCREW .08
9 0038354 SCREW .08
10
TILT TAPES-GEARLESS TILT
10 1164314 *11*7X1 6.40 #
10 1164318 *11*13" MACHINE 6.40 #
10 1164316 *11*15" MACHINE 6.40 #
TILT TAPES-GEAR TILT
10 1287879 TAPE,TILT 7X1 4.50
10 1287880 7X3 5.25
10 1287881 TAPE,TILT 7X5 6.25
11 1164775 SCREW,L-1 BELOW .04 02
7X1-9484430 8X3-1062276
7X3-9180053 8X5-2077307
7X5-9365349
11 6519552 SCREW CURRENT .08
12 0038051 *1* NUT .06 07
13 0062031 *1*WASHER .01
14 1134878 STUD .75
15 0025282 RETAINER FOR .05 12
ROUND STUD
15 1092125 RETAINER,USED .01 03
WITH "D" SHAPED STUD
16 1123736 STUD,ROUND END .50
16 1203298 STUD,"O" SHAPED .35
17 1091220 WASHER, USED .01
WITH MECH 23,REF 3.
18 1141926 SPRING .02
20 0038214 NUT .06
21 1174181 *1*STUD .01

22 0056313 WASHER .01
23 1090268 NUT .01
24 1132056 ARM, ALSO .45
ORDER REF 28
25 1123696 *12*SPACER .25
26 1123692 PULLEY 1.15
27 1134964 STUD, L-2 .55
27 1123695 *12*STUD,L-1 .35
28 1134879 *2*LINK,7X1 .50
28 1138091 *2*LINK,7X3 .55
28 1134877 *2*LINK,7X5 .95
29 0505071 SPACER-USED 1.15
BELOW 7X1-4010000
30 1073418 RETAINER .01 03
32 1290669 LATCH ASM 3.50
32 1123753 LATCH ASM-FOR 3.75
DIFF BKT WITHOUT REPL
STUDS
33 1138996 SPRING .03
34 1132093 GUIDE .35
36 1187001 OIL WICK .02
50 1205996 BRKT, RH L-3 .45
50 1164767 BRKT,RH TILT .30
PULLEY L-2 (ALSO MOUNT RM
END OF ESC TORQUE BAR)
51 0056722 WASHER,7X3 .02 08
52 0322550 SCREW,7X3 .08
53 0801451 SCREW .02
100 1123676 BRACKET, SEL .65
LATCH-SHAPED PORTION REM.
USE WITH SNAP-IN DUST SHLD
100 1134855 BRACKET, SEL 3.05
LATCH-USE WITH SCREW IN
DUST SHIELD
101 1164580 SCREW .01 02
102 0257187 NUT .06 13
103 1123934 NUT,INCLUDES .03
STAR WASHER
104 1090622 WASHER .01
105 1124821 SHIM .05
107 1124607 GUIDE .10
108 1164582 SCREW .01 12
112 1132192 SCREW .20
113 1164690 SCREW .01
114 PLATE-NOT
AVAILABLE,USE REF 115
115 1123771 *3*BAIL ASM,SEL 3.75
115 1147427 *16*BAIL ASM 5.90
116 1134837 SPRING .02
117 0332747 RETAINER .02 13
118 1174021 SHAFT L-2 1.60
118. 1123663 SHAFT, L-1-USE 1.30
PLATE P/N 1141129-SEE REF
218-MECH 721 ORDER BOTH
PARTS TO INSTALL BELOW

7X1-4096630
7X3-4721776
7X5-4392559
119 0038351 SCREW .08
120 1141895 RETAINER ALL .10
EXCEPT 7X1
120 1141894 RETAINER 7X1 .20
120 1128086 RETAINER,PRI DI .45
121 1164599 WICK .02
140 1256655 CHECK PAWL L-3 1.95
141 1256658 SPRING,FOR L-3 .20
CHECK PAWL
142 1256659 SCREW .01
190 1147469 DIFFERENTIAL 39.25
BRACKET & LATCH ASM B/M
USE ONLY ON MACH BELOW S/N
LISTED IN NOTE *3* USED
TO CONV FROM SILVER
DIFF BKT
200 1290667 *3* ROT LATCHES 3.55
SOLID BALANCE ARM
IF REPLACING ADJ BAL
ARM ALSO ORDER TWO
WASHERS 1092017
201 1123741 SCREW .10
202 0006364 WASHER .01
203 0038051 NUT .06 07
204 1124291 SPRING .75 05
204 1147467 *16*SPRING,LTCH .03
205 1123722 STUD .10
206 1073418 RETAINER .01 03
206 1073418 RETAINER,SBA .01 03
207 1124622 BRACKET .50
208 1128555 *4*STUD .80
208 1206883 *18*STUD LEV 2 .35
209 1135826 *4*STUD .01
209 0037913 *18* NUT,LEV 2 .06 07
210 1123718 *4*LATCH .15
210 1147466 *18* LATCH LEV2 .10
211 1133668 SPRING .03
211 1147436 *16*SPRING,-5 .04
212 1123725 STUD .20
214 1073418 RETAINER .01 03
216 1174023 SCREW,CURRENT .06
216 1123779 SCREW,L-1 BELOW .30
7X1-5774800 7X3-5204470
7X5-5555050
217 0000221 NUT, L-2 .06
217 0038051 NUT, L-1 .06 07
218 1174025 *14*BAIL ASM L2 2.35
218 1290787 -5 LATCH BAIL 1.70
SOLID BALANCE ARM
218 1254665 -6 LATCH BAIL, 1.95
670X
219 0332747 RETAINER .02 13

220 1175512 BELLCRANK, ROT 2.25
ADJUSTABLE BAL ARM
ALSO ORDER REF 368,234
(ROUND)370 AND 371 BELOW
7X1-5738980
7X3-5133000
7X5-5487790
220 1290785 ROTATE BLCKR 2.10
SOLID BAL ARM
225 0338169 WASHER .15
226 0006503 NUT .06
227 1133619 NUT .01
228 1133618 NUT .30
232 *20* OBSOLETE
233 *19* OBSOLETE
234 1174099 DAMPER, ROUND .01
234 1133641 DAMPER, SQUARE .06
241 1304975 -6 UPSTOP,670X .35
242 1359076 LATCH,-6,670X .50
244 1128698 SCREW .08
245 1359077 STUD,-6 LATCH .35
MOUNTING,670X
300 OBS,ORDER 488
301 1164940 SCREW .01
308 1133669 SPRING, 7X1 .09
308 1138101 SPRING, 7X3 .20
308 1128087 SPRING, 7X5 .20
311 1133568 ARM 2.65
312 1133662 SPRING .03
320 1134811 TAPE,7X1 6.40 #
320 1138106 TAPE,ALL 13"SEL 6.40 #
320 1134817 TAPE,ALL 15"SEL 6.40 #
336 1175227 BRACKET, IF .35
CONVERTING FROM D-SHAPED
HOLE BRACKET ALSO ORDER
REF 344 AND 346
338 OBSOLETE-ORDER
TWO PIECE ROTATE ARM REF
514, RETAINER REF 346 &
LTNK B/M REF 515.
344 1175221 STUD, ROUND .25
344 1268466 STUD,D-SHAPED .70
346 1092125 RETAINER .01 03
351 1203297 GUARD,LEVEL-4 .60
353 1147194 *19* STUD 6-32 .45 #
353 1287945 *19* STUD 4-40 .65
354 1147194 *20*STUD 6-32 .45 #
354 1287945 *20* STUD 4-40 .65
355 0038051 NUT,6-32 .06 07
355 0037913 NUT,4-40 .06 07
357 1141896 SPACER .01
358 0037913 NUT .06 07
359 1091220 WASHER .01
360 1134842 NUT L-4&L-5 .01
360 0037913 NUT L-1,L-2,L-3 .06 07

SELECTRIC

361 1174160 PULLEY	1.55	7X1-5788754,	478 0332747 RETAINER	.02 13	REPLACEMENT LATCH
361 1123704 PULLEY L-3	.75	7X3-5236767	479 1175865 GEAR, UPPER	.40 #	-
363 1164579 STUD	.01 14	7X5-5595975	IDLER		*10* REPLACE REF 465 & 466
363 1175222 STUD L-3(Y-ARM)	.50	ORDER B/M REF 437.	479 1159350 *15*GEAR, UPPER	.70	TOGETHER PRIOR TO
363 1123702 STUD L-1&L-2	2.20	426 1254662 CAMSHAFT, SE III	IDLER		7X3 4787118
364 1134842 NUT	.01	428 1147349 *13*SPRING	480 1147405 CLIP, SPRING MTG	.07	7X5 4429800
364 1174157 LOCKNUT6-32 L-3	.07	433 1164660 NUT	481 1290396 NUT-DIFF BKT MT	.10	-
(Y-ARM)		434 0186924 SCREW	482 1123737 STUD DIFF BRKT	.60	*11* ORDER B/M 1280498 TO
364 0037913 NUT, 4-40	.06 07	435 1269183 B/M, RESTORING	SE & SE II		CONVERT TO CURRENT LEVEL
367 1147183 LINK, LONG ALL	1.30	CAM, CLAMP, CYCLE CL SPRING	482 1304976 STUD DIFF BRKT	.50	BELOW
13" SEF		SCREW & NUT BELOW 7X1-	483 1123735 STUD ROT BELLOC	.75 #	7X1 4110605
367 1147184 LINK, LONG 7X1	.95	4020950 ORDER REF 402 ALSO	WHEN ORDERING STUD FOR		7X3 4733700
367 1147185 LINK, LONG ALL	1.30	437 1269046 *22*B/M-CYCLE	DIFFERENTIAL BRACKET WITH		7X5 4403282
15" SEF		SHAFT, CLUTCH, PULLEY, AND	REPLACEABLE STUDS ALSO		
368 1147182 LINK, SHORT ALL	.85	DRIVE BELT FOR SE I&II.	ORDER SPACER REF 487 AND		
MODELS		437 1336355 B/M-CYCLE SHAFT	CLIP REF 219		*12* REPLACE BOTH REF 25 &
369 OBSOLETE-ORDER		CLUTCH, PULLEY & BELT	484 1175076 STUD TILT LATCH	1.00	27 ON 7X1 BELOW 4010000
TWO PIECE ROTATE ARM ASM,		FOR SE III	485 USE REF 486		NOT REQUIRED ON SE II&III
REF 514 & RETAINER REF 346		451 0322551 SCREW, LONG	486 1287464 DIFF BRACKET	21.75	-
370 1147194 STUD 6-32	.45 #	13" & 15" MACHINES	WITH TILT LATCHES		*13* REPLACE REF 420, 423, &
371 0038051 NUT 6-32	.06 07	452 1175268 BEARING ASM	486 1336354 DIFF BRACKET	21.25	428 BETWEEN
400 1132134 HUB PULLEY ASM	11.25	453 1164577 SCREW	WITH TILT LATCHES, 670X		7X1 5788754 - 9422043
SEPARATE HUB PULLEY NOT		454 1123685 GEAR	487 1206794 SPACER	.08 #	7X3 5236767 - 9071026
AVAILABLE ON MACHINES		455 1175107 SCREW	488 1287915 *17*SOLID ARM	6.95	7X5 5595975 - 9269102
PRIOR TO 7X1-4024316,		456 1175866 SCREW	ROTATE		
COUNTER SINK REAR OF		457 1127759 BUSHING	513 1147429 SCREW	.07	*14* ALSO REPLACE REF 216 &
ROTATE BELLCRANK PIVOT		458 1123683 GEAR, LOW IDLER	514 1147196 TWO PIECE ROT	4.65	217 L-2 BELOW
HOLE WITH 5/16" DRILL. ON		459 1134843 WASHER	ARM ASM		7X1 5774800
MACHINES PRIOR TO 7X1		460 1134842 NUT	515 1287034 *21* LINK 7X1	4.30	7X3 5204470
4070000 USE FOLLOWING PRO-		461 1138100 IDLER ASM 13"	515 1287035 *21* LINK 13.5"	4.30	7X5 5555050
CEDURE TO REPLACE SLEEVE.		MACHINE	MACHINES		IF REPLACING EARLY LEVEL
REPLACE COLLAR ALSO TO		ALSO ORDER REF 462	515 1287036 *21* LINK 15.5"	4.30	CAST BAIL ALSO USE REF
INSTALL PULLEY & HUB, RE-		P/N 1206420			118 L-2
LACE COLLAR, SLEEVE ALSO		461 1128062 IDLER ASM 15"	*1* PARTS USED BELOW		*15* BELOW 7X1 4270500
402 1138398 SLEEVE	.65	MACHINE	7X1 4010000		7X3 4951945
404 1141848 SPRING	.70 #	ALSO ORDER REF 462	-		7X5 4589360
409 1164653 CLAMP	.09	P/N 1206421	*2* CONVERT TILT LINK ON		
412 1164654 CAM	.25	P/N 1175645	MACHINES BELOW 7X1 4012000		*16* CURRENT LEVEL PARTS
414 0219633 RETAINER	.03 03	462 1206420 SCREW 13.5" MACH	ALSO USE REF 29, 14, & 18		USED ABOVE
415 1123675 PAWL	1.00	462 1206421 SCREW 15.5" MACH	BELOW		7X1 9478150
416 1124574 SPRING	.15	463 1128259 GUARD, 7X3-7X5	7X1 4108580		7X3 9168841
417 1123674 STUD	.75	464 1090049 WASHER	7X3 4731942		7X5 9374280
418 1127730 WASHER	.02	465 1164581 SCREW	7X5 4401939		8X3 1040787
419 SNAP-ON SHIMS		465 0322065 *10*SCREW, 7X3-5	-		8X5 2050783
419 1280821 SHIM, -G	.04 08	466 1175867 *10*GUARD, GEAR	*3* WHEN REPLACING ANY OF		
419 1280822 SHIM, -H	.03 08	470 -	THESE, REPLACE ALL THREE		*17* ALSO ORDER REF 308 &
420 1138039 *13*PAWL	.20	B/M GEAR TRAIN	(REF 200, 115, 32, 485)		515
421 1138066 COLLAR	1.05	470 1269137 B/M 7X1	BELOW		
423 1138478 *13* STUD, FOR	.45	470 1269138 B/M 13.5" MACH	7X1 4085528		*18* USE THIS LEVEL ON
L-3 USE 1256659 (23-142)		470 1269139 B/M 15.5" MACH	7X3 4707544		MACHINES ABOVE
424 1175103 SCREW	.05 02	476 1175868 WASHER	7X5 4383200		7X1 0637809
426 1138480 CAMSHAFT ASM	15.50	476 1134843 *15*WASHER	-		8X3 1583609
IF ORDERING CAM SHFT BELOW		477 1175869 BUSHING	*4* FIELD REPLACEMENT ONLY		8X5 2939163
		477 1127759 *15*BUSHING	L-2 LATCH BITE ADJUSTMENT		THIS LEVEL USES LOCKWASHER
			SHOULD BE USED WITH FIELD		P/N 0338169, NOT PICTURED

IN PARTS MANUAL

19 EARLY LEVEL PARTS OBS.
REPLACE REF 353 & 368
TOGETHER OR ORDER B/M REF
515

20 EARLY LEVEL PARTS OBS.
REPLACE REF 354 & 367
TOGETHER OR ORDER B/M REF
515

21 THIS LINK ASM REPLACES
ALL LEVELS

22 MACHINES BELOW S/N
7X1 5788754
7X3 5236767
7X5 5595975
CONVERT TO L-2 CHECK PAWL
BY ORDERING THE FOLLOWING:
23-420 1138039
23-423 1138478
23-428 1147349
23-480 1147405

24-ROT BS - EXP BS

1 1207668 BKPLATE DP L-1	5.00
1 1205234 BKPLATE DP L-2	5.40
1 1290898 BACKPLATE ASM SINGLE PITCH 9,10&12	15.00
1 1205778 BACKPLATE ASM DUAL FITCH L-2	18.75
2 1124506 BEARING	.85
3 1204061 SPACER, TEN ARM	.01
3 1205777 SPACER, DUAL TRANSPORT SYSTEM	.02
4 1204064 ARM, CABLE TEN	.07
5 1204554 SPRING, CAB TEN	.01
6 1204040 DRUM ASM, W/PINS	10.75
6 1205779 DRUM ASM, DUAL TRANSPORT SYSTEM	6.55
7 1175107 SCREW	.03 01
8 1204044 COLLAR, ESC SFT	.09
9 1205011 BRACKET, ALSO ORDER (24-20)&(3-617) & (20-14) BELOW 8X3 1640000 & 8X5-3054000	2.05
10 1166342 SCREW	.10
11 1204685 SPRING, BS BC	.07
12 0037913 NUT, LOCK	.06 07
13 1204060 NUT, ADJ	.06

14 0100027 SPRING, BS LAT	.01
15 1204994 LATCH, BS	.35
16 1204001 LINK, INTERLOCK	.45
17 1173851 CLEVIS	.15 18
18 1205010 BELLCRANK, INLK	.20
19 1173850 CLIP	.15
USED BELOW 8X3 1640000 & 8X5 3054000	
20 1205008 SHAFT, INTERLOCK ALSO ORDER (24-9)&(3-617) BELOW 8X3 1640000 AND 8X5 3054000	.50
BELOW 8X3 1640000 AND 8X5 3054000	
21 1254287 KB, SEL III	.70
21 1171981 KB, CHAR GRAY	1.85
21 1124450 KB, ACCENT GRAY	1.65
21 1138769 KB, NAVY	1.65
21 1124844 KB, BLUE	1.65
22 1071449 SPRING	.01
23 1090404 SPRING	.01
24 1133686 KEYLEVER	1.20
24 1254424 KYLVR, B/S SEL III	1.35
25 1115633 RETAINER	.03 03
26 1204672 BELLCRANK, BS	1.05
26 1204052 BELLCRANK L-2	.90
27 1206990 SPRING, DRIVER	.06 #
28 1204058 STUD, DRIVE LINK	.10 #
29 1204062 LINK, DRIVER	.40
30 0264641 CLIP, DRIVER	.01 03
31 1204057 SPACER, DRIVER	.01
32 1206908 DRIVER B/S SPACER (OBS)	2.45 #
34 1073418 CLIP	.01 03
35 1204063 CAM, PITCH	.09
35 1290677 DRIVER STOP, 9P REPLACES SW PITCH B/S CAM SEE CEM 321	3.00
36 1204608 SPRING, PCH CAM	.10
37 1204549 CABLE, PCH 8X3	1.65 #
37 1204552 CABLE, PCH 8X5	1.55 #
38 1141805 *1* CLAMP CABLE	.04
39 1141771 *1* SCREW, CLAMP	.04
40 1164580 SCREW, CAB BKT	.01 02
40 1206436 SCREW, BRACKET MOUNT, CORR. SEL.	.04
41 1206076 ALL STEEL TRANSPORT - BREAK FRONT TORQUE BAR SUPP LUG FOR NON-CORRECTING	3.90
41 1205781 BRACKET, DUAL TRANSPORT SYSTEM FOR CORRECTING SEE MECH 26-55	1.30

SELECTRIC

42 1204553 SPRING, SHOCK	.04
43 1204677 CABLE, CR/BS UNIVERSAL FOR 13" & 15" MACH'S. LENGTH 29.5".	1.40 #
44 1256076 PULLEY	.70
45 1124567 PULLEY	1.90
46 1175199 STUD, IDLER	.10
47 1205564 PULLEY, IDLER	.30
48 1204547 CLAMP, CABLE	.04
49 1142214 SCREW	.03
50 1204370 WASHER	.01
101 1204985 SPRING	.05
102 1204984 LATCH, EXP BS NRB/S ONLY	.25
103 1204983 SCREW, LATCH	.30
104 1124818 SPRING, BC	.03
104 1204986 SPRING, BC NRB/S	.02
105 EXP BLCKR OBS ORDER ONE PIECE EXP B/S ARM B/M REF 207	
105 1336414 EXP B/S CR SHOE ARM, ONE PIECE, LVL 2. WHEN REPLACING PREVIOUS LEVEL ORDER B/M 24-207	.65
106 1092125 CLIP	.01 03
106 1115633 CLIP, GRIP USED FOR MOUNTING LVL 2 ARM REF 105 ON LVL 1 SHAFT 25-220	.03 03
107 1071449 SPRING	.01
108 1204362 KEYLEVER, EXP	1.35
108 1254305 KEYLEVER, EXP SEL III, 92894 CHARACTER	.07
108 1254481 KEYLEVER, EXP SEL III, 96 ONLY	.65
109 0150735 SPRING, KL	.30
110 1204541 KB, CHAR GRAY	1.85
110 1204539 KB, ACCENT GRAY	1.85
110 1205223 KB, NAVY	1.85
110 1254282 KEYB/TN, STANDARD SELECTRIC III	.70
110 1254283 KEYB/TN, ARROW SYMBOL, SELECTRIC III	.70
111 1128338 SHOE, EXP ONLY	.25 #
111 1206854 SHOE (WHITE) LVL 1, ONE PIECE ARM	.05
111 1336412 SHOE (BLUE) LVL 2, ONE PIECE ARM	.09
112 1164576 SCREW	.02 02
113 1164579 SCREW	.01 14
114 1418466 SCREW	.02
114 0322065 SCREW, ON STOP	.08
115 0151270 SCREW, 8-32	.10 14
116 1205943 STOP, DN	.55
117 1164581 SCREW	.01
118 1206484 SPRING	.07
119 1090622 WASHER	.01
120 1287925 CLIP FOR WORN INDEX STP LUG ON 724 REF 9	.95
150 0103372 NUT	.08 07
151 0264641 CLIP	.01 03
152 1115859 STUD	.90
153 1117831 SPACER	.02
154 1279024 STUD B/M	3.00
155 1279023 STUD	2.80
156 1142264 NUT	.30
157 257984 WASHER	
201 1254362 SPRING, PAWL ASM	.07
202 1164373 SCREW	.03
203 NOT AVAILABLE- REPLACE KEYBOARD	
204 1254800 BAIL, EXP ACTUAT SEL III	.50
205 1254423 PAWL ASM 670X	.10
206 1254949 SPRING, EXPRESS KEYLEVER RETURN	.15
207 1287500 EXP B/S CR SHOE ARM B/M LVL 2 INCLUDES QTY 1 24-105 (1336414) 24-106 (1115633) 24-111 (1336412)	1.85
1 REPLACE BOTH REF 38 & 39 AND BREAK OFF LUG BELOW 873-1006061 875-2005573	

25-OPERATIONAL CONTROL

1 1166231 INSERT	.10
2 1123579 SLEEVE	.10 #
3 1256545 *3* HUB TQ LIM	1.15
4 1290996 SCREW-HEXHEAD FOR TORQUE LIMITER	.04
5 1256546 *9* CLAMP	.15
8 1174181 SCREW	.01
9 1123581 SPRING, TQ LIM	.55 #
10 1141650 SPRING, EXT.	.02 05
10 8168266 SPRING, EXT L-2	.06 #
11 1159654 ARBOR	.30
12 1123577 CLAMP	.01 #
13 1175243 SPRING, PINION	.20 #
14 1123574 PINION, CAR RET	.30 #
15 0324497 RETAINER	.04 03
17 1123573 HUB	.20
19 1123572 SPRING, PINION	.20 #
20 1123571 PINION, TAB	.35 #

SELECTRIC

21 1175107 SCREW	.03 01	205 1123819 ARM,NRB/S	.65	225 8169069 INTERLOCK,S/B	1.55	319 1287352 PIVOT PIN C/R	.05
22 1123582 COLLAR	.15	205 1204969 ARM,RB/S	.50	226 0164790 SPRING	.30	320 1279006 NUT	.20 07
23 1123559 *2* SHAFT XX1	3.00	206 1187194 OIL WICK	.05	227 1164577 SCREW	.01 14	321 0251989 C-CLIP	.02 03
23 1138042 *2*SHAFT 13" MACHINE	3.35	208 1175634 INTERPOSER	.30	228 1175554 PAWL,LATCH	.10	322 1287354 B/M C/R	3.55 #
23 1128161 *2*SHAFT 15" MACHINE	2.60	208 1175634 INTERPOSER	.30	229 1072703 SPRING	.01	323 1287355 B/M, S/B	2.75 #
24 1123582 COLLAR	.15	208 1124554 *7* INTRPSR L1	1.60	230 1127714 SCREW	.04	324 1256475 B/M,MULTIPLY	3.00
25 1124827 SCREW	.10	208 1124554 *7* INTRPSR L1	1.60	231 1090472 WASHER	.01	350 1279492 SUPPORT BRKT	4.00
26 1123588 SCREW	.15 01	208 1124554 *7* INTRPSR L1	1.60	232 1138805 PLATE,KEEPER	.10	351 0035739 SCREW-BRKT MTG	.08
27 1175107 SCREW	.03 01	208 1204987 INTERPOSER,	.30	233 1174207 PAWL,CHECK	.40	352 0257187 NUT-BRKT MTG	.06 13
28 1174194 ECCENTRIC,L-2	.09	208 1175558 INTERPOSER,	1.00	234 1090404 SPRING	.01	353 1279491 TEMPLATE	1.85
28 1123593 ECCENTRIC,L-1	.20	208 1175558 INTERPOSER,	1.00	235 0023106 SPRING	.30 18	354 0438566 SCREW TEMPLATE	.08 15
29 1164987 *1* RING CHECK	.25	208 1138453 *7* INTRPSR S/B	.85	236 1174245 FOLLOWER,ESCCAM	.20	355 1279493 FI OP SHFT	8.10
30 0324221 RETAINER	.03	208 1138463 *8* INTRPSR S/B	5.15	237 1123587 PAWL,CHECK	.15		
31 1164989 *1* CAM	1.20	209 1174058 SPRING	.01	238 1164556 GUIDE,KLVR PAWL	.25		
32 1123566 CLUTCH WHEEL	.15	210 1134948 SPRING,S/B,	.01	ALSO REPLACE REF 224 BELOW			
33 1116729 SPRING	.01	210 1134948 SPRING,S/B,	.01	7X1-4161710			
34 1128413 PAWL	.65	210 1256445 SPRING,B/S CAR	.01	7X3-4788645			
35 1164992 WASHER	.01	210 1256445 SPRING,B/S CAR	.01	7X5-4444350			
36 1175107 SCREW 7X1	.03 01	210 1174483 SPRING S/B USED	.20	238 1304076 GUIDE,KLVR,PAWL	.20	356 1279494 FI OP SHFT	5.40
36 0316781 SCREW ALL	.06 01	210 1174483 SPRING S/B USED	.20	239 1132074 ARM,NRB/S	1.15	SUPPORT B/H	
EXCEPT 7X1		211 1175558 *5* INTERPOSER	1.00	239 1204968 ARM,RB/S	1.25	CONTAINS 25-353	
37 1174485 CLIP	.02	211 1175558 *5* INTERPOSER	1.00	240 1164578 SCREW	.02	354,356	
38 1164991 *1* RATCHET	3.15	212 1134997 STUD	.06	240 1204983 SCREW,LEFT HAND	.30		
39 1073418 CLIP	.01 03	213 1204100 SPRING,RB/S	.03	SE II,NRB/S			
40 1116729 SPRING	.01	213 1204100 SPRING,RB/S	.03	250 1128016 MULTIPLYING	.20	*1* REPLACE THE CAM AND	
42 1287465 TWO PIECE PAWL	1.30	ONLY		LEVER		RATCHET ASM IF ANY *1*	
B/M-FITS ALL MACHINE		214 1072703 SPRING	.01	300 1128424 *6* B/M OPR BKT	24.75	PART IS REPLACED. FILE	
INDIV PAWL NOT AVAIL		215 1133668 SPRING	.03	ASM		FLAT ON OP SHAFT BELOW	
44 1123570 CLUTCH WHEEL	2.75	216 1256667 BAIL,RESTORE	.85 #	300 1204982 B/M OPER BRKT	21.50	7X1-4214002	
45 1164990 *1* CAM	2.00	B/M. INCLUDES BAIL 1256444		ASM SE II,NRB/S		7X3-4853748	
46 1164988 *1* RING CHECK	.30	AND INDEX INTERPOSER SPRING		300 1204101 B/M OPER BRKT	27.75	7X5-4503831	
47 1124827 SCREW	.10	1256445(25-210).		ASM SE II, RB/S		THE B/S LATCH SPRING	
48 0324221 RETAINER	.03	217 1141141 RETAINER,USED	.01	300 1304084 B/M OPER BRKT	23.75	P/N 1174058 & ESC TQ BAR	
49 1174194 ECCENTRIC	.09	IN PLACE OF STUD AND NUT		ASM SEL III,92 & 94 CHAR		SPRING P/N 1134948 MUST	
50 1123588 SCREW	.15 01	BELOW 7X1-4010750		300 1304269 B/M OPER BRKT	23.75	BE INSTALLED BELOW	
53 1128326 SCREW	.03	218 1132084 BRACKET,NRB/S	3.20	ASM SEL III, 96 CHAR		7X1-4173822	
54 1164577 SCREW	.01 14	218 1204400 BRACKET RB/S	2.50	301 1269569 B/M,INC 3 EA.	6.40 #	7X3-4800218	
55 1135311 BRACKET SUPP	.35	219 1141162 SHAFT,ALSO	.40	OPERATIONAL INTERPOSER		7X5-4454733	
56 1159843 SUPPORT	.85	ORDER REF 202 BELOW		LATCH AND KEYLEVER PAWL.			
100 1280490 SHAFT B/M X1	20.00	7X1-4082837		6 EA WASHER, STUD, AND NUT		*2* WHEN REPLACING OP SHAFT	
100 1280491 SHAFT B/M 13"	20.75	7X3-4703795		302 1133584 STUD	.10	WITH FLAT FOR TQ LIMITER	
100 1280492 SHAFT B/M 15"	21.75 #	7X5-4380630		303 0056722 LOCK WASHER	.02 08	MOUNTING, ORDER PRESENT	
101 1280489 *1* CAM ASM	13.00 #	220 1123585 SHAFT	.20	304 1159844 BEARING	.15	LEVEL TQ LIMITER REF 3,	
201 1090162 SPRING	.02	220 1336411 SHAFT SE II+III	.10	305 1287910 HALF BEARING	.40	CLAMP REF 5, & SCREWS REF 4	
202 1164537 FOLLOWER,CAM	1.25	USED WITH LVL 2 ONE PIECE		306 1206838 SUPPORT ASM	.80		
202 1204971 FOLLOWER,CAM	.85	ARM		307 1287917 B/M OP SUPPORT	1.55		
203 1092125 RETAINER	.01 03	221 1134712 CLIP	.15	CONTAINS REF 53,55,56		*3* WHEN TO LIMITER HUB IS	
204 1124536 FOLLOWER,CAM	6.75	222 1132098 SCREW	.06 02	310 OBSOLETE-ORDER		INSTALLED ON MACHINES	
BELOW 7X1-4012015		223 1132122 RETAINER	.01 03	SEPARATELY		BETWEEN	
204 1128015 FOLLOWER,CAM	1.65	224 1164720 PLATE,LATCH	.20	315 1279005 LOCKING PLATE	2.00	7X1-4215000-4224100	
204 1204993 FOLLOWER,CAM	2.00	225 1175557 INTERLOCK,S/B	1.05	316 1287350 ROLLER	.30	7X3-4853748-4869200	
RB/S		88,92&94 CHAR KYBDS		317 1287349 PIVOT SHAFT,S/B	.55	7X5-4503831-4518400	
				318 1287351 SLEEVE C/R	.60	FILE FLAT ON OP SHAFT FOR	
						SECOND SET SCREW	

SELECTRIC

5 ALSO ORDER REF 228 & 229
BELOW 7X1 4271850
7X3 4952166
7X5 4589149

6 ORDER REF 350,353 & 363
IN MECH 17 TO CONVERT TO
NEW STYLE S/B LOCKOUT ALSO
ORDER MECH 25 REF 208 IF
NOT CURRENT LEVEL.

7 BELOW 7X1 4271850
7X3 4952166
7X5 4589149
FOR S/B SEE NOTE *8*

8 BELOW 7X1 4064000
7X5 4370550

9 ALSO ORDER REF 10 L-2

26-CORRECTING

1 1206022 BELLCRANK .10
2 1206020 SPRING FD BLK .05
3 1206037 DETENT .08
4 1290655 PAWL, LEVEL 2 .20
ORDER REF 13 IF REPL
ON LEVEL 1
5 1290653 SCREW .40
6 1206012 WHEEL, SPIKED .10
7 1206033 WASHER .06
8 1206014 SPACER .01
9 1206016 WIRE, SEPARATOR .75
10 0048594 SCREW .08
11 1206032 SPRING .08
12 1206017 SUPPORT .09
13 1279490 PAWL-FEED B/M 1.40
INCLUDES REF 4, 5
AND 216
14 1206882 GUIDE, CORR TAPE .25
REPLACES YOKE AND ROLLER
15 1256906 *3* *7* LEVER 1.60
16 1135663 *3* WASHER .01
17 1206145 *3* SCREW .04
18 1440504 *7* SPRING .50 #
19 1206007 LEVER, RIB LOAD 1.25
20 1206023 PLATE, RIBBON 10.50
21 0257982 RETAINER .01 13
22 1103695 RETAINER .01
23 0219633 RETAINER .03 03
24 1073418 RETAINER .01 03
25 1092125 RETAINER .01 03

26 1206036 SCREW .15
27 1206005 SPRING .25
27 1206853 SPRING, SOLID MT .10
MOUNT STUD
28 1206488 LATCH, LOAD .90
LEVER, USED WITH CORR FILM
LIMITING DEVICE
MOUNT STUD
28 1206006 LOAD LEVER LTCH .07
ALSO REPLACE SCREW REF 26
PN 1206036 BELOW
8X3 1408142 8X5 2603899
29 OBSOLETE
30 1206021 ARM, SWING .35
31 1164938 SPRING .01
32 1206004 SPRING, SW ARM .03
33 1206092 *1* FORK, CRADL .30
34 1287340 *1* CRADLE ASM 4.10 #
35 1072477 WASHER .02 08
36 1206166 STUD .08
37 0038261 SCREW .02
38 1256182 RATCHET, SUPPLY .20
39 1206083 CAP, RATCHET .06 #
40 1116729 SPRING, LOW BIA .01
41 1206424 *2* CARDHOLDER 1.10 #
41 1206368 *2* C.H. PIN FD. 1.30
42 1206219 BRACKET, CH MTG 2.50 #
INCLUDES REF 117, 118 & 135
43 1090007 STUD .05 01
44 1206040 FOLLOWER, RIB 2.55 #
45 1206060 FOLLOWER, FEED 2.65 #
45 1290568 FOLLOWER ASM, 1.15
TAPE FEED FTB
46 1206065 HUB, FOLLOWER .05
47 1206319 SPRING .03
48 1171923 SPRING .01
49 1206047 STUD .30
50 1464823 CAM, TAPE FEED .65
51 1206046 CAM, PRINT, CORR 1.10
52 1206081 SPRING, INHIBIT .02
52 1071687 INHIBITOR SPG .01 12
FTB
53 1206141 INHIBITOR, FEED .85 #
53 1290579 INHIBITOR, TAPE .50 #
FEED FTB
54 1466537 STUD .90
55 1206131 VEL BRKT, ALL 1.15
NYLON TRANSPORT, PRE-FTB
55 1206076 VEL BRKT, ALL 3.90
STEEL TRANSPORT, PRE-FTB
55 1205783 VEL BRKT, DUAL 3.00 #
TRANSPORT, PRE-FTB
55 1141624 VEL BRKT, ALL .80
NYLON TRANSPORT, FTB
55 1290577 VEL BRKT, DUAL 1.25
TRANSPORT, FTB
56 1206058 CAM, RIB LIFT 1.15
57 1206045 CAM, TAPE LIFT .25
58 1206044 FOLLOWER, LIFT .70 #
59 1206188 BKT, CABLE GUIDE .80
WITH TUBING
60 1206186 SCREW .01
61 1206422 SCREW .15
62 1206377 ARM, ACTUATING 1.75
62 1290574 ARM ASM, TAPE .55
LIFT ACT ARM FTB
63 1206146 SPRING .15
64 1206143 ARM, LIFT .85
64 1290580 ARM, LIFT FTB .70
65 1206165 STUD, LIFT ARM .35
66 1206142 ARM, ALSO ORDER .80
REF 67 AND 68 BELOW S/N
2880000
66 1290595 LATCH, LIFT ARM 1.25
FTB
67 1132211 WASHER .03
68 1206809 SCREW LIFT ASM .06
69 1206204 SCREW .02
70 1206054 SPRING .01
71 1206048 *1* LIFT GUIDE 7.80 #
72 1206419 GUIDE, LH LIFT 3.35 #
73 1206318 SPACER .10
USED ON RB/S CORR
MACH BELOW 8X3-1666654
AND 8X5-3117993
74 1206095 ARM RH 1.15
74 1206435 ARM PIN FEED RH 6.85
74 1254414 ARM, RH, SE III .60
75 1173851 CLEVIS .15 18
76 1206180 LINK, TRIGGER .20
77 1144368 SPRING .30
78 1206179 SCREW .25
79 1164581 SCREW .01
80 1206139 BELLCRANK .80
81 1133664 SPRING .10
82 1206172 "Q" LATCH 8X3 1.15
82 1206173 "Q" LATCH 8X5 .30
83 1206182 SHAFT .06
84 0219633 RETAINER .03 03
85 1070020 CLEVIS .10 06
86 1206181 LINK .30
86 1290604 LINK MODE ACT .20
T/B FLOATING TORQUE BAR
87 1206148 SPRING .08
88 1164579 SCREW .01 14
89 1206340 BRACKET .10
90 1206177 LINK .60
91 1206099 BRACKET 1.25
91 1128189 BRKT, SHIFT .55

MTG FTB
92 0038350 SCREW .08
92 1164576 SCREW, SHIFT .02 02
92 BKT, FTB
93 1206178 SCREW .50
94 0038051 NUT .06 07
95 1254910 KEYLEVER, II&III .30
95 IF RE PLACING SEL II
KYLVR
95 ALSO REPLACE 26-202
95 12549 48
96
CENTER COVERS
INCLUDES MARGIN TRIM
ALSO ORDER REF 107
893 DUAL PITCH
96 1287601 PEARL WHITE 76.50 R
96 1287602 SAPPHIRE BLUE 76.50 R
96 1287603 EMERALD GREEN 76.50 R
96 1287604 RAVEN BLACK 76.50
96 1287605 GRAYSTONE 76.50
96 1287606 SANDSTONE BEIGE 76.50 R
96 1287607 TOPAZ BRONZE 76.50 R
96 1287608 OPAL GRAY 76.50
96 1287609 GARNET ROSE 76.50 R
96 1287610 ONYX BLUE 76.50
96 1287611 WILLOW GREEN 76.50
96 1287612 CLASSIC BLUE 76.50 R
853 SINGLE PITCH
96 1287589 PEARL WHITE 76.50 R
96 1287590 SAPPHIRE BLUE 76.50 R
96 1287591 EMERALD GREEN 76.50
96 1287592 RAVEN BLACK 76.50 R
96 1287593 GRAYSTONE 76.50
96 1287594 SANDSTONE BEIGE 76.50 R
96 1287595 TOPAZ BRONZE 76.50 R
96 1287596 OPAL GRAY 76.50
96 1287597 GARNET ROSE 76.50 R
96 1287598 ONYX BLUE 76.50
96 1287599 WILLOW GREEN 76.50 R
96 1287600 CLASSIC BLUE 76.50 R
895 DUAL PITCH
96 1287625 PEARL WHITE 103.00 R
96 1287626 SAPPHIRE BLUE 103.00
96 1287627 EMERALD GREEN 103.00 R
96 1287628 RAVEN BLACK 103.00 R
96 1287629 GRAYSTONE 103.00 R
96 1287630 SANDSTONE BEIGE 103.00
96 1287631 TOPAZ BRONZE 103.00 R
96 1287632 OPAL GRAY 103.00
96 1287633 GARNET ROSE 103.00
96 1287634 ONYX BLUE 103.00 R

SELECTRIC

96 1287635 WILLOW GREEN	103.00	R	COMPLETE COVER B/M	103 1287658 ONYX BLUE	182.00	118 1138796 WASHER	.01
96 1287636 CLASSIC BLUE	103.00	R	INCLUDES MARGIN SCALES	103 1287659 WILLOW GREEN	182.00	122 1073418 CLIP, SOLID MNT	.01 03
			ORDER REAR LOGO-REF 107	103 1287660 CLASSIC BLUE	182.00	MOUNT STUB	
855 SINGLE PITCH						123 1172397 SCREW, LIFT ARM	.05
96 1287613 PEARL WHITE	103.00	R	893 DUAL PITCH	855 10 PITCH		STOP FTB	
96 1287614 SAPPHIRE BLUE	103.00		103 1287661 PEARL WHITE	103 1287673 PEARL WHITE	200.00	124 1290605 WASHER, LIFT ARM	.05
96 1287615 EMERALD GREEN	103.00	R	103 1287662 SAPPHIRE BLUE	103 1287674 SAPPHIRE BLUE	200.00	STOP FTB	
96 1287616 RAVEN BLACK	103.00	R	103 1287663 EMERALD GREEN	103 1287675 EMERALD GREEN	200.00	125 1290599 STOP, LIFT ARM	.10
96 1287617 GRAYSTONE	103.00		103 1287664 RAVEN BLACK	103 1287676 RAVEN BLACK	200.00	FTB	
96 1287618 SANDSTONE BEIGE	103.00	R	103 1287665 GRAYSTONE	103 1287677 GRAYSTONE	200.00	126 1290578 BELLOCK, INHIB	.25
96 1287619 TOPAZ BRONZE	103.00	R	103 1287666 SANDSTONE BEIGE	103 1287678 SANDSTONE BEIGE	200.00	ACT FTB	
96 1287620 OPAL GRAY	103.00		103 1287667 TOPAZ BRONZE	103 1287679 TOPAZ BRONZE	200.00	128 0251989 RETAINER, ACT	.02 03
96 1287621 GARNET ROSE	103.00	R	103 1287668 OPAL GRAY	103 1287680 OPAL GRAY	200.00	BELLCRANK PIN FTB	
96 1287622 ONYX BLUE	103.00		103 1287669 GARNET ROSE	103 1287681 GARNET ROSE	200.00	130 1279489 *6* SUPPORT ASM	16.00
96 1287623 WILLOW GREEN	103.00	R	103 1287670 ONYX BLUE	103 1287682 ONYX BLUE	200.00	13" FTB	
96 1287624 CLASSIC BLUE	103.00	R	103 1287671 WILLOW GREEN	103 1287683 WILLOW GREEN	200.00	130 1290607 *6* SUPPORT ASM	8.10
			103 1287672 CLASSIC BLUE	103 1287684 CLASSIC BLUE	200.00	15" FTB	
97						131 1290585 BELLCRANK	.15
CORRECTING KEYBUTTONS			895 DUAL PITCH	855 12 PITCH		TORQUE BAR FTB	
97 1206160 ACCENT GRAY	1.85		103 1287697 PEARL WHITE	103 1287685 PEARL WHITE	200.00	132 1290601 GUIDE, TORQUE	.09
97 1206161 CHARCOAL GRAY	1.85		103 1287698 SAPPHIRE BLUE	103 1287686 SAPPHIRE BLUE	200.00	BAR FTB	
97 1206224 NAVY BLUE	1.85		103 1287699 EMERALD GREEN	103 1287687 EMERALD GREEN	200.00	133 1290591 SLEEVE, TORQUE	.05
97 1254223 CHARCOAL, SE III	.70		103 1287700 RAVEN BLACK	103 1287688 RAVEN BLACK	200.00	BAR MT FTB	
			103 1287701 GRAYSTONE	103 1287689 GRAYSTONE	200.00	134 1290586 BKT, LH T/B	.20
98 1206097 TORQUE BAR 8X3	.65		103 1287702 SANDSTONE BEIGE	103 1287690 SANDSTONE BEIGE	200.00	MOUNTING FTB	
98 1206100 TORQUE BAR 8X5	1.35		103 1287703 TOPAZ BRONZE	103 1287691 TOPAZ BRONZE	200.00	135 1206642 BRACKET, SEL RIB	.09
98 1290588 TORQUE BAR	1.85		103 1287704 OPAL GRAY	103 1287692 OPAL GRAY	200.00	136 1290590 SCREW, T/B MOUNT	.05
FTB 13" MACHINE			103 1287705 GARNET ROSE	103 1287693 GARNET ROSE	200.00	FTB	
98 1290589 TORQUE BAR	2.90		103 1287706 ONYX BLUE	103 1287694 ONYX BLUE	200.00	137 1147429 SCREW, T/B GUIDE	.07
FTB 15" MACHINE			103 1287707 WILLOW GREEN	103 1287695 WILLOW GREEN	200.00	FTB	
99 1287853 COLLAR	.75		103 1287708 CLASSIC BLUE	103 1287696 CLASSIC BLUE	200.00	200 1206491 LABEL, USED WITH	.10
100 1206094 ARM LH	1.05					CORR FILM LIMITING DEVICE	
100 1206369 ARM PIN FEED LH	10.25		853 10 PITCH	104 1287710 B/M, PAPER BAIL	7.35	201 1287339 B/M-CORR FILM	2.05
100 1254826 ARM, LH, SE III	2.25		103 1287637 PEARL WHITE	DOES NOT INCLUDE SHAFT		LIMITING DEVICE	
101 1206433 LOGO	.10		103 1287638 SAPPHIRE BLUE	105 1123828 SETSCREW	.06	202 1254948 SPRING	.30
102 1206212 *4* CARRIER,	129.00	R	103 1287639 EMERALD GREEN	106 1206210 ASM., RIBB PLATE	43.25	203 1287857 CROHLDER D SHPE	2.30
NRB/S WHEN REPLACING ON			103 1287640 RAVEN BLACK	SE II		204 1206486 POST INT GEAR	1.10
MACHINES AS FOLLOWS:			103 1287641 GRAYSTONE	106 1254823 ASM., RIBB PLATE	43.25	USED WITH CORR FILM	
BELOW 8X3 S/N 1598062 AND			103 1287642 SANDSTONE BEIGE	SE III DOES NOT INCLUDE		LIMITING DEVICE	
S/N 8X5 2967661 ORDER 26-			103 1287643 TOPAZ BRONZE	POINTER OR HOLDER		206 1279488 SUPP CAR 13" FTB	6.20
130 FTB CARRIER SUPP & 26-			103 1287644 OPAL GRAY	107 1206432 LOGO DOUBLE INS	.09	206 1290584 SUPP CAR 15" FTB	4.55
86 LINK, 26-052 SPRING &			103 1287645 GARNET ROSE	FOR REAR COVER		207 1290600 PIN, INHIB ACT	.07
CONVERT TO NEW FTB			103 1287646 ONYX BLUE	107 1206433 LOGO, REAR 3WIRE	.10	BELLCRANK FTB	
102 1206211 *4* CARRIER,	209.00	R	103 1287648 CLASSIC BLUE	108 1206034 RETAINER, RH	.07	208 1290587 BKT RH T/B FTB	.15
RB/S WHEN REPLACING ON				110 1206375 PRINT SHIELD	.15	209 1206821 SPRING	.06 05
MACHINES AS FOLLOWS:			853 12 PITCH	111 1287309 PRINT SHIELD BM	4.70	210 1072477 WASHER	.02 08
BELOW 8X3 S/N 1598062 &			103 1287649 PEARL WHITE	112 1164096 SCREW, LIFT CAM	.06	216 1290654 LINK LEVEL-2	.25
S/N 8X5 2967661 ORDER 26-			103 1287650 SAPPHIRE BLUE	113 1164291 SCREW, CART RET	.02	ORDER REF 13 IF	
130 FTB CARRIER SUPP, 26-			103 1287651 EMERALD GREEN	114 1164027 SCREW SEL RIBB	.03	REPL ON LEVEL 1	
52 SPRING FTB & 26-86 LINK			103 1287652 RAVEN BLACK	115 0322552 SCREW, BRACKET	.08	250 1164435 PAD, CARR SUPP	.20
AND CONVERT TO FTB			103 1287653 GRAYSTONE	MOUNT, CORR SEL		251 1290581 BKT RIB FEED	.30
102 1254673 CARRIER, SE III	174.00	R	103 1287654 SANDSTONE BEIGE	115 1164580 SCREW, BRKT MTG	.01 02	CAM FOLL FTB	
			103 1287655 TOPAZ BRONZE	FTB		252 1164939 SCREW, FOL BKT	.20
103			103 1287656 OPAL GRAY	116 1204553 SHOCK SPRING	.04	255 1128326 SCREW	.03
			103 1287657 GARNET ROSE	117 1172397 SCREW SEL RIBB	.05	256 1123827 SPRING	.01 04

SELECTRIC

258 0001928 SCREW	.08 01	3 1206037 DETENT	.08	53 1290579 INHIBIT, TAPE	.50 #	304 1206623 FOLLOWER, FEED	.40
259 1287348 *5# CORR KEY	3.20	4 1290655 PAWL	.20	54 FEED		305 1164939 SCREW, FOL. BKT.	.20
INTERLOCK		5 1290653 SCREW	.40	54 1206163 STUD	1.15		
260 1134829 NUT	.01	6 1206012 WHEEL, SPIKED	.10	55 1290577 VEL. BKT, DUAL	.125	306 1290572 ASM., FD CAM FOL	1.05
261 1206621 GUIDE, RH LIFT	3.45 #	7 1206033 WASHER	.06	TRANSPORT		307 0219633 CLIP, PIN RET.	.03 03
270 0316781 SCREW, PRINT CAM	.06	8 1206014 SPACER	.01	55 1141624 VEL. BKT, ALL	.80	308 1290581 BKT, RIB. FEED	.30
501 FOR REF ONLY		9 1206016 WIRE, SEPERATOR	.75	NYLON TRANSPORT		309 1164096 SCREW, FEED CAM	.06
502 FOR REF ONLY		10 0048594 SCREW	.08	56 1359730 CAM, RIBBON LIFT	1.30	310 1164095 CAM, RIBBON FEED	.65
504 FOR REF ONLY		11 1206372 SPRING	.03	57 1206045 CAM, TAPE LIFT	.25	311 1164435 PAD, CARR. SUPT.	.20
505 FOR REF ONLY		12 1206017 SUPPORT	.09	58 1206044 FOLLOWER, LIFT	.70 #	314 1290582 PIN 7/8" SHOU-	.10
-		13 1279490 PAWL, FEED B/M	1.40	59 1206188 BKT, CABLE GUIDE	.80	LDERED	
1 BOTH REF 33 & 71 MUST BE		(INCLUDES REF 4, 5 & 216)		WITH TUBING		315 1206517 ROLLER, CAM FOL.	.45
REPLACED TOGETHER		14 1206582 GUIDE, CORRECT	.25	60 1206186 SCREW	.01	316 0219633 CLIP, ROLL RET.	.03 03
BELOW SER. NUMBERS		TAPE		61 1206422 SCREW	.15	317 1359729 PLATE ADJUST	.25
8X3-1134000		15 1206009 LEVER, TAPE	1.70	62 1290574 ARM, ACTUATING	.55	318 1206703 SCREW, PLT. MTG.	.02
8X5-2166000		16 1135663 WASHER	.01	63 1206146 SPRING	.25	319 1359714 TUBE	.06
-		17 1206145 SCREW	.04	64 1290580 ARM, LIFT	.70	320 1359715 ARM, LIFT SOUND	6.15
2 ALSO CHANGE REF 42 OR		18 1206018 SPRING	.30 #	65 1206165 STUD, LIFT ARM	.35	REDUCTION	
REMOVE PRINT SHIELD MNTG.		19 1206007 LEVER, RIBBON	1.25	66 1290595 ARM	1.25	320 1359563 ARM, LIFT	4.20
TABS BELOW 8X3-1156531		LOAD		67 1132211 WASHER	.03	321 1206617 SPRING, WOBBLER	.05
8X5-2197773		20 1356333 PLATE, RIBBON	9.65	68 1206809 SCREW, LIFT ASM.	.06	322 1206585 ECCENTRIC, WOB.	.25
-		21 0257982 RETAINER	.01 13	69 1206204 SCREW	.02	323 1214985 MUFF, LF CR. LOCK	.06 07
3 REPLACE 13, 15, 16 & 17		22 1103695 RETAINER	.01	70 1206054 SPRING	.01	324 1206513 SPRING, MODE	.01
TOGETHER BELOW SER. NUMBERS		23 0219633 RETAINER	.03 03	71 1206048 LIFT GUIDE	7.80 #	324 1206619 SCREW, LIFT ADJ	.15
8X3-1134000		24 1073418 RETAINER	.01 03	102 1356443 CARRIER & ROCK-	229.00 R	326 1206605 SCREW, FD. FOLL.	.02
8X5-2166000		25 1092125 RETAINER	.01 03	ER ASSEMBLY		327 1118361 RETAINER MODE	.01
-		27 1206653 SPRING	.10	106 1356440 RIBBON PLATE	39.50	328 0219633 CLIP, MODE	.03 03
4 FOR MACH WITH ALL		28 1359632 LOAD LEVER	.10	ASSEMBLY		329 1206515 BUTTON, MODE	.02
STEEL TRANSPORT, USE P/N		LATCH		108 1206034 RETAINER, RH	.07	330 1206549 SCREW, INT. GEAR	.08
1206076 VEL BRKT. BREAK		30 1206021 ARM, SWING	.35	112 1164096 SCREW, LIFT CAM	.06	331 1359638 GEAR, INTERMED.	.20
FRONT TORQUE BAR SUPP LUG		31 1164938 SPRING	.01	113 1164291 SCREW, CART. PET	.02	332 1359787 SCREW, SPIKED	.20
-		32 1206004 SPRING, SW ARM	.03	114 1164027 SCREW, SEL. RIBB	.03	DRIVER	
5 WHEN INSTALLING INTER-		33 1206092 FORK, CRADLE	.30	115 1164580 SCREW, BKT MTG	.01 02	333 1359677 SPIKED DRIVER	1.70
LOCK ON MACHINES WITH		34 1287340 CRADLE ASM.	4.10 #	116 1204553 SHOCK SPRING	.04	334 1164291 SCREW, CART. RET	.02
SHIFT SENSING-UPDATE TO		35 1072477 WASHER	.02 08	117 1172397 SCREW, SEL. RIBB	.05	335 1206596 GEAR, INT.	.15 #
NEW LEVEL SHIFT SENSING		36 1206166 STUD	.08	118 1138796 WASHER	.01	336 1359679 SWING ARM	3.50
BRACKET (41-17)		37 0038261 SCREW	.02	122 1073418 CLIP	.01 03	337 1206618 BELL CRANK, WOB.	.20
-		38 1256182 RATCHET, SUPPLY	.20	123 1172397 SCREW, LIFT ARM	.05	338 1206515 BUTTON, MODE	.02
6 IF REPLACING ON NON-FTB		39 1206083 CAP, RATCHET	.06 #	STOP		339 1206649 HANDLE LOAD	.08
MACHINE ALSO ORDER LINK		40 1116729 SPRING, LOW BIAS	.01	124 1290605 WASHER, LIFT ARM	.05	340 1206692 WASHER, WOB. CAM	.02
26-86 P/N 1290604. ALSO		41 1206424 CARDHOLDER	1.10 #	STOP		341 1206613 CAM, WOBBLER	.30
REMOVE BRACKET 26-89		42 1206368 CARDHOLDER, PIN	1.30	125 1290599 STOP, LIFT ARM	.10	342 1206205 WHEEL, FEED & LIFT	.40
BEFORE INSTALLING AND		FEED		126 1290578 BELL CRK, INHIBIT	.25	343 1206537 SCREW, FEED	.15
ADD SPRING 26-52.		43 1206219 BKT, C/H MOUNT	2.50 #	128 0251989 RETAINER	.02 03	344 0264641 CLIP, LIFT CON.	.01 03
-		44 1090007 STUD	.05 01	132 1290601 GUIDE, TORQUE	.09	345 1206583 LEVER	1.70 #
7 BOTH REF 15 & 18		45 1206040 FOLLOWER, RIB.	2.55 #	BAR		346 1206702 SPRING, LIFT LEV	.03
MUST BE REPLACED		46 1290568 FOLLOWER, FEED	1.15	135 1206642 BKT, SEL. RIBBON	.09	347 1206560 SPRING, LIFT ARM	.03
TOGETHER.		47 1206065 HUB, FOLLOWER	.05	137 1147429 SCREW, T/B GUIDE	.07	348 1091670 SPRING, STENCIL	.02 05
		48 1206319 SPRING	.03	207 1290600 PIN, INHIBIT	.07	349 1206598 LEVER, STENCIL	.50
		48 1171923 SPRING	.01	ACT. BELL CRANK		350 1206512 SPRING, RET. LH	.04
		49 1206047 STUD	.30	216 1290654 LINK	.25	351 1206650 SPRING, LOAD LVR	.02
		50 1464823 CAM, TAPE FEED	.65	256 1123827 SPRING	.01 04	352 1206562 SPRING, SHG. ARM	.25
		51 1206046 CAM, PRINT/CORR.	1.10	301 0006503 NUT, LOCK	.06	353 1206551 POST, RIB. FEED	2.40
		52 1071687 SPRING, INHIBIT	.01 12	302 1206556 SCREW, LIFT PIV.	.15	354 1206518 SPRING, FD GEAR	.01
				303 1206510 SPRING, FD PAWL	.01	355 1206697 GEAR, LOWER	.10

27-RIBBON CASSETTE

1 1206022 BELL CRANK	.10
2 1206020 SPRING, FD BLK	.05

SELECTRIC

356 1164938 SPRING	.01
359 1164580 SCREW, PLATE LH	.01 02
360 1175097 SCREW, PLATE RH	.05
361 1359637 GEAR, UPPER	.15
362 1359694 FEED GEAR B/M	.40
364 1359782 SPRING, LIFT FOL	.15
365 1359722 B/M, FILM RIBBON LOCKOUT	
366 1206488 LOAD LATCH, LOCKOUT	.90
367 1206491 LABEL, LOCKOUT	.10

30-SOUND REDUCTION

1 1205591 HOOD, ACOUST. 8X3	15.00
1 1205592 HOOD, ACOUST. 8X5	15.00
ALSO ORDER REF 2	
2 1205609 SEAL, HOOD 8X3	.40
2 1205608 SEAL, HOOD 8X5	.40
3 1205599 BKT. MTG. RH	.85
4 1205600 BKT. MTG. LH	.85
5 1205606 WASHER	.03
6 1205598 STUD	.40
7 1205717 CHAMBER, 8X3	3.65
7 1205716 CHAMBER, 8X5	1.95
8 1205719 ANCHOR, HOOD RH	2.20
9 1205718 ANCHOR, HOOD LH	2.15
10 1175106 SCREW	.05 02
11	

SCALES BELOW INCL REF 12

11 1205785 SCALE, 8X3 D.P.	4.65
11 1205787 SCALE, 8X3 10P	5.85
11 1205789 SCALE, 8X3 12P	4.35
11 1205786 SCALE, 8X5 D.P.	3.85
11 1205788 SCALE, 8X5 10P	5.25
11 1205790 SCALE, 8X5 12P	4.90
12 1205824 SEAL, MARG. 8X3	.45
12 1205823 SEAL, MARG. 8X5	.55
13 1205727 BKT. SCALE MTG.	
14 1175101 SCREW, SCALE	.04 01
15 1172397 SCREW, CORRECT AND SELCT. INDICATOR	.05
15 0038262 SCREW, FAB. RIB	.08 02
16 1204431 WASHER, FAB. RIB	.01
16 0045639 WASHER, SEL. RIB	.06
17 1457109 HOLDER, SEL. RIB	.35 #
18 1457100 BRACKET SEL. RIB	.40
18 1204433 BRACKET FAB RIB	.45
19 1457091 INDICATOR SEL. R	.35 #
19 1204432 INDICATOR FAB. R	1.35 19
20 0257187 NUT	.06 13
21 1205733 STOP	.20
22 1128113 STUD	.04

23 1205735 GROMMET	.30
24 1096622 WASHER	.01
25 1206988 FRAME, MEMBRANE	.20
26 1205619 MEMBRANE, KEYBD	4.05
27 1205726 SEAL, KEYBOARD	7.10
28 SUPPLY ITEM	
29	
TOP COVER INCLUDES LOGO, CLIPS, AND INSULATION	

8X3 - D.P.	
29 1287723 PEARL WHITE	31.00
29 1287724 SAPPHIRE BLUE	31.00
29 1287725 EMERALD GREEN	31.00
29 1287726 RAVEN BLACK	31.00
29 1287727 STONE GREY	31.00
29 1287728 SANDSTONE BEIGE	31.00
29 1287729 TOPAZ BRONZE	31.00
29 1287730 OPAL GRAY	31.00
29 1287731 GARNET ROSE	31.00
29 1287732 ONYX BLUE	31.00
29 1287733 WILLOW GREEN	31.00
29 1287734 CLASSIC BLUE	31.00

8X3 - S.P.	
29 1287711 PEARL WHITE	31.00
29 1287712 SAPPHIRE BLUE	31.00
29 1287713 EMERALD GREEN	31.00
29 1287714 RAVEN BLACK	31.00
29 1287715 GRAYSTONE	31.00
29 1287716 SANDSTONE BEIGE	31.00
29 1287717 TOPAZ BRONZE	31.00
29 1287718 OPAL GREY	31.00
29 1287719 GARNET ROSE	31.00
29 1287720 ONYX BLUE	31.00
29 1287721 WILLOW GREEN	31.00
29 1287722 CLASSIC BLUE	31.00

8X5 - D.P.	
29 1287767 PEARL WHITE	33.25
29 1287768 SAPPHIRE BLUE	33.25
29 1287769 EMERALD GREEN	33.25
29 1287750 RAVEN BLACK	33.25
29 1287751 GRAYSTONE	33.25
29 1287752 SANDSTONE BEIGE	33.25
29 1287753 TOPAZ BRONZE	33.25
29 1287754 OPAL GRAY	33.25
29 1287755 GARNET ROSE	33.25
29 1287756 ONYX BLUE	33.25
29 1287757 WILLOW GREEN	33.25
29 1287758 CLASSIC BLUE	33.25

8X5 - S.P.

29 1287735 PEARL WHITE	33.25
29 1287736 SAPPHIRE BLUE	33.25
29 1287737 EMERALD GREEN	33.25
29 1287738 RAVEN BLACK	33.25
29 1287739 GRAYSTONE	33.25
29 1287740 SANDSTONE BEIGE	33.25
29 1287741 TOPAZ BRONZE	33.25
29 1287742 OPAL GRAY	33.25
29 1287743 GARNET ROSE	33.25
29 1287744 ONYX BLUE	33.25
29 1287745 WILLOW GREEN	33.25
29 1287746 CLASSIC BLUE	33.25
30 1287759 B/M INSULATION	14.00

ONLY FOR 8X3	
30 1287760 B/M INSULATION	14.00
ONLY FOR 8X5	
31 1287440 *1* B/M, SOUND	59.50
PACKAGE FIELD INSTALL 8X3 INCLUDES REF. 30	
31 1287439 *1* B/M, SOUND	59.50
PACKAGE FIELD INSTALL 8X5 INCLUDES REF. 30	
32	
COMPLETE COVER B/M INCLUDES MARGIN SCALES ALSO ORDER MECH 05 REF 126	

8X3 D.P.	
32 1279121 PEARL WHITE	153.00 R
32 1279118 EMERALD GREEN	153.00
32 1279120 RAVEN BLACK	153.00 R
32 1279116 SANDSTONE BEIGE	153.00
32 1279117 TOPAZ BRONZE	153.00
32 1279119 GARNET ROSE	153.00
32 1279123 WILLOW GREEN	153.00
32 1279122 CLASSIC BLUE	153.00 R

8X3 D.P. COR	
32 1279129 PEARL WHITE	153.00 R
32 1279126 EMERALD GREEN	153.00
32 1279128 RAVEN BLACK	153.00
32 1279124 SANDSTONE BEIGE	153.00
32 1279125 TOPAZ BRONZE	153.00
32 1279127 GARNET ROSE	153.00
32 1279131 WILLOW GREEN	153.00
32 1279130 CLASSIC BLUE	153.00

8X3 10 PITCH	
32 1279137 PEARL WHITE	153.00
32 1279134 EMERALD GREEN	153.00
32 1279136 RAVEN BLACK	153.00
32 1279132 SANDSTONE BEIGE	153.00
32 1279133 TOPAZ BRONZE	153.00
32 1279135 GARNET ROSE	153.00

32 1279139 WILLOW GREEN	153.00
32 1279138 CLASSIC BLUE	153.00
-	
853 10 PITCH CORRECTING	
32 1279145 PEARL WHITE	153.00
32 1279142 EMERALD GREEN	153.00
32 1279144 RAVEN BLACK	153.00
32 1279140 SANDSTONE BEIGE	153.00
32 1279141 TOPAZ BRONZE	153.00
32 1279143 GARNET ROSE	153.00
32 1279147 WILLOW GREEN	153.00
32 1279146 CLASSIC BLUE	153.00

8X3 12 PITCH	
32 1279153 PEARL WHITE	153.00
32 1279150 EMERALD GREEN	153.00
32 1279152 RAVEN BLACK	153.00
32 1279148 SANDSTONE BEIGE	153.00
32 1279149 TOPAZ BRONZE	153.00
32 1279151 GARNET ROSE	153.00 R
32 1279155 WILLOW GREEN	153.00
32 1279154 CLASSIC BLUE	153.00

853 12 PITCH CORRECTING	
32 1279161 PEARL WHITE	153.00
32 1279158 EMERALD GREEN	153.00
32 1279160 RAVEN BLACK	153.00
32 1279156 SANDSTONE BEIGE	153.00
32 1279157 TOPAZ BRONZE	153.00
32 1279159 GARNET ROSE	153.00
32 1279163 WILLOW GREEN	153.00
32 1279162 CLASSIC BLUE	153.00 R

8X5 DUAL PITCH	
32 1279169 PEARL WHITE	185.00
32 1279166 EMERALD GREEN	185.00 R
32 1279168 RAVEN BLACK	185.00 R
32 1279164 SANDSTONE BEIGE	185.00
32 1279165 TOPAZ BRONZE	185.00
32 1279167 GARNET ROSE	185.00
32 1279171 WILLOW GREEN	185.00
32 1279170 CLASSIC BLUE	185.00

895 D.P. CORRECTING	
32 1279177 PEARL WHITE	185.00 R
32 1279174 EMERALD GREEN	185.00 R
32 1279176 RAVEN BLACK	185.00 R
32 1279172 SANDSTONE BEIGE	185.00
32 1279173 TOPAZ BRONZE	185.00
32 1279175 GARNET ROSE	185.00 R
32 1279179 WILLOW GREEN	185.00 R
32 1287178 CLASSIC BLUE	103.00 R

8X5 10 PITCH	
32 1279185 PEARL WHITE	185.00

SELECTRIC

32 1279182 EMERALD GREEN	185.00	137 1254819 STOP,SOUND HOOD	.15	6703 12 PITCH		CENTER COVERS	
32 1279184 RAVEN BLACK	185.00	LATCH		151 1336092 PEBBLE GRAY	30.00	INCLUDES MARGIN TRIM	
32 1279180 SANDSTONE BEIGE	185.00	138 1254938 SEAL,13.5"	5.30	151 1336093 TOPAZ BRONZE	30.00	ORDER MECH 05 REF 162	
32 1279181 TOPAZ BRONZE	185.00	138 1254811 SEAL,15.5"	2.50	151 1336094 LAUREL GREEN	30.00	-	
32 1279183 GARNET ROSE	185.00 R	139 1304096 PAPER TABLE	13.50	151 1336095 AUTUMN RED	30.00	6701&6702 SINGLE PITCH	
32 1279187 WILLOW GREEN	185.00	13.5" SEL III		151 1336096 RAVEN BLACK	30.00	156 1336148 PEBBLE GRAY	113.00 R
32 1279186 CLASSIC BLUE	185.00	139 1304095 PAPER TABLE	10.75	151 1336097 SABLE BROWN	30.00	156 1336149 TOPAZ BRONZE	113.00 R
-		15.5" SEL III		151 1336098 MARLIN BLUE	30.00	156 1336150 LAUREL GREEN	113.00 R
855 10 PITCH COR		140 1359449 B/M INSULATION	18.25	151 1336099 COCOA BROWN	30.00	156 1336151 AUTUMN RED	113.00 R
32 1279193 PEARL WHITE	185.00 R	ONLY FOR 13.5" SEL III		-		156 1336152 RAVEN BLACK	113.00 R
32 1279190 EMERALD GREEN	185.00	IF MAR SEAL ONLY IS NEEDED		6704 DUAL PITCH CORRECTING		156 1336153 SABLE BROWN	113.00 R
32 1279192 RAVEN BLACK	185.00 R	ORDER SE III SEAL REF 12		151 1336076 PEBBLE GRAY	38.50	156 1336154 MARLIN BLUE	113.00 R
32 1279188 SANDSTONE BEIGE	185.00 R	140 1359450 B/M INSULATION	17.50	151 1336077 TOPAZ BRONZE	38.50	156 1336155 COCOA BROWN	113.00 R
32 1279189 TOPAZ BRONZE	185.00	ONLY FOR 15.5" SEL III		151 1336078 LAUREL GREEN	38.50	-	
32 1279191 GARNET ROSE	185.00	IF MAR SEAL ONLY IS NEEDED		151 1336079 AUTUMN RED	38.50	6703 SINGLE PITCH CORR	
32 1279195 WILLOW GREEN	185.00	ORDER SE III SEAL REF 12		151 1336080 RAVEN BLACK	38.50	156 1336156 PEBBLE GRAY	103.00 R
32 1279194 CLASSIC BLUE	185.00	141 1254900 BRKT,ERASE	.90	151 1336081 SABLE BROWN	38.50	156 1336157 TOPAZ BRONZE	103.00 R
-		TABLE,L.H.		151 1336082 MARLIN BLUE	38.50	156 1336158 LAUREL GREEN	103.00 R
8X5 12 PITCH		142 1175106 SCREW	.05 02	151 1336083 COCOA BROWN	38.50	156 1336159 AUTUMN RED	103.00 R
32 1279201 PEARL WHITE	185.00 R	-		-		156 1336160 RAVEN BLACK	103.00 R
32 1279198 EMERALD GREEN	185.00 R	TOP COVER INCLUDES		6705 DUAL PITCH CORRECTING		156 1336161 SABLE BROWN	103.00 R
32 1279200 RAVEN BLACK	185.00	LOGO,CLIPS,AND		151 1336100 PEBBLE GRAY	60.25	156 1336162 MARLIN BLUE	103.00 R
32 1279196 SANDSTONE BEIGE	185.00	INSULATION		151 1336101 TOPAZ BRONZE	60.25	156 1336163 COCOA BROWN	103.00 R
32 1279197 TOPAZ BRONZE	185.00	-		151 1336102 LAUREL GREEN	60.25	-	
32 1279199 GARNET ROSE	185.00	6701&6702 10 PITCH		151 1336103 AUTUMN RED	60.25	6704 DUAL PITCH CORRECTING	
32 1279203 WILLOW GREEN	185.00 R	151 1336060 PEBBLE GRAY	29.75	151 1336104 RAVEN BLACK	60.25	156 1336164 PEBBLE GRAY	126.00 R
32 1279202 CLASSIC BLUE	185.00 R	151 1336061 TOPAZ BRONZE	29.75	151 1336105 SABLE BROWN	60.25	156 1336165 TOPAZ BRONZE	126.00 R
-		151 1336062 LAUREL GREEN	29.75	151 1336106 MARLIN BLUE	60.25	156 1336166 LAUREL GREEN	126.00 R
855 12 PITCH CORRECTING		151 1336063 AUTUMN RED	29.75	151 1336107 COCOA BROWN	60.25	156 1336167 AUTUMN RED	126.00 R
32 1279209 PEARL WHITE	185.00 R	151 1336064 RAVEN BLACK	29.75	155		156 1336168 RAVEN BLACK	126.00 R
32 1279208 RAVEN BLACK	185.00	151 1336065 SABLE BROWN	29.75	BOTTOM COVERS		156 1336169 SABLE BROWN	126.00 R
32 1279204 SANDSTONE BEIGE	185.00 R	151 1336066 MARLIN BLUE	29.75	-		156 1336170 MARLIN BLUE	126.00 R
32 1279205 TOPAZ BRONZE	185.00	151 1336067 COCOA BROWN	29.75	6701,6702 & 6704		156 1336171 COCOA BROWN	126.00 R
32 1279207 GARNET ROSE	185.00	-		155 1336204 PEBBLE GRAY	64.25	-	
32 1279211 WILLOW GREEN	185.00	6701&6702 12 PITCH		155 1336205 TOPAZ BRONZE	64.25	6705 DUAL PITCH CORRECTING	
32 1279210 CLASSIC BLUE	185.00	151 1336068 PEBBLE GRAY	29.75	155 1336206 LAUREL GREEN	64.25	156 1336172 PEBBLE GRAY	103.00
-		151 1336069 TOPAZ BRONZE	29.75	155 1336207 AUTUMN RED	64.25	156 1336173 TOPAZ BRONZE	103.00
125 1254936 GLARE SHIELD	4.50	151 1336070 LAUREL GREEN	29.75	155 1336208 RAVEN BLACK	64.25	156 1336174 LAUREL GREEN	103.00 R
13.5" SEL III		151 1336071 AUTUMN RED	29.75	155 1336209 SABLE BROWN	64.25	156 1336175 AUTUMN RED	103.00 R
125 1254490 GLARE SHIELD	7.05	151 1336072 RAVEN BLACK	29.75	155 1336210 MARLIN BLUE	64.25	156 1336176 RAVEN BLACK	103.00
15.5" SEL III		151 1336073 SABLE BROWN	29.75	155 1336211 COCOA BROWN	64.25	156 1336177 SABLE BROWN	103.00 R
126 1254935 HOOD 13.5"	6.85	151 1336074 MARLIN BLUE	29.75	-		156 1336178 MARLIN BLUE	103.00
126 1254489 HOOD 15.5"	10.25	151 1336075 COCOA BROWN	29.75	6703 & 6705		156 1336179 COCOA BROWN	103.00
127 1254937 SHAFT,13.5"	5.60	-		155 1336212 PEBBLE GRAY	79.00 R	-	
127 1254808 SHAFT,15.5"	5.50	6703 10 PITCH		155 1336213 TOPAZ BRONZE	79.00	157 1141062 SPRING	.01
128 1254188 SCREW	.10	151 1336084 PEBBLE GRAY	30.00	155 1336214 LAUREL GREEN	79.00 R	158 1349000 MEMBRANE	3.60
129 1254807 ARM,PIVOT R.H.	.40	151 1336085 TOPAZ BRONZE	30.00	155 1336215 AUTUMN RED	79.00 R	-	
130 1254806 ARM,PIVOT L.H.	.45	151 1336086 LAUREL GREEN	30.00	155 1336216 RAVEN BLACK	79.00	TOP & CENTER COVER ASM.	
131 1073418 CLIP	.01 03	151 1336087 AUTUMN RED	30.00	155 1336217 SABLE BROWN	79.00 R	ALSO ORDER MECH 05	
132 1138973 SCREW	.03	151 1336088 RAVEN BLACK	30.00	155 1336218 MARLIN BLUE	79.00 R	REF 162	
133 1254939 BRKT,HOOD RH	1.15	151 1336089 SABLE BROWN	30.00	155 1336219 COCOA BROWN	79.00 R	-	
134 1147437 SPRING	.02	151 1336090 MARLIN BLUE	30.00	-		6701-6702 10 PITCH	
135 1254928 BRKT,LH HOOD	.50	151 1336091 COCOA BROWN	30.00	156		163 1336840 PEBBLE GRAY	143.00 R
136 1254940 LATCH,HOOD	.50	-		-		163 1336841 TOPAZ BRONZE	143.00 R
						163 1336842 LAUREL GREEN	143.00 R

SELECTRIC

163 1336843 AUTUMN RED 143.00 R
 163 1336844 RAVEN BLACK 143.00 R
 163 1336845 SABLE BROWN 143.00 R
 163 1336846 MARLIN BLUE 143.00 R
 163 1336847 COCOA BROWN 143.00 R

6701-6702 12 PITCH

163 1336848 PEBBLE GRAY 143.00 R
 163 1336849 TOPAZ BRONZE 143.00 R
 163 1336850 LAUREL GREEN 143.00 R
 163 1336851 AUTUMN RED 143.00 R
 163 1336852 RAVEN BLACK 143.00 R
 163 1336853 SABLE BROWN 143.00 R
 163 1336854 MARLIN BLUE 143.00 R
 163 1336855 COCOA BROWN 143.00 R

6703 10 PITCH CORRECTING

163 1336856 PEBBLE GRAY 133.00 R
 163 1336857 TOPAZ BRONZE 133.00 R
 163 1336858 LAUREL GREEN 133.00 R
 163 1336859 AUTUMN RED 133.00 R
 163 1336860 RAVEN BLACK 133.00 R
 163 1336861 SABLE BROWN 133.00 R
 163 1336862 MARLIN BLUE 133.00 R
 163 1336863 COCOA BROWN 133.00 R

6703 12 PITCH CORRECTING

163 1336864 PEBBLE GRAY 133.00 R
 163 1336865 TOPAZ BRONZE 133.00 R
 163 1336866 LAUREL GREEN 133.00 R
 163 1336867 AUTUMN RED 133.00 R
 163 1336868 RAVEN BLACK 133.00 R
 163 1336869 SABLE BROWN 133.00 R
 163 1336870 MARLIN BLUE 133.00 R
 163 1336871 COCOA BROWN 133.00 R

6704 DUAL PITCH CORRECTING

163 1336872 PEBBLE GRAY 165.00 R
 163 1336873 TOPAZ BRONZE 165.00 R
 163 1336874 LAUREL GREEN 165.00 R
 163 1336875 AUTUMN RED 165.00 R
 163 1336876 RAVEN BLACK 165.00 R
 163 1336877 SABLE BROWN 165.00 R
 163 1336878 MARLIN BLUE 165.00 R
 163 1336879 COCOA BROWN 165.00 R

6705 DUAL PITCH CORRECTING

163 1336880 PEBBLE GRAY 163.00 R
 163 1336881 TOPAZ BRONZE 163.00 R
 163 1336882 LAUREL GREEN 163.00 R
 163 1336883 AUTUMN RED 163.00 R
 163 1336884 RAVEN BLACK 163.00 R
 163 1336885 SABLE BROWN 163.00 R
 163 1336886 MARLIN BLUE 163.00 R
 163 1336887 COCOA BROWN 163.00 R

165 1359447 *1* B/M, SOUND 74.50

PKG. FIELD INSTALL 13.5"
 SEL III, INCLUDES REF 140

165 1349001 *1* B/M, SOUND 81.50
 PKG. FIELD INSTALL 15.5"
 SEL III INCLUDES REF 140

166 1254899 BRKT,ERASE .90
 TABLE,R.H.

167 1254812 BUSHING,VISOR .20
 168

SUPPLY ITEM
 169 1254927 WASHER .03

170 1254933 INSULATION, .01
 VISOR

171 1304062 HINGE ARM,RH .75
 172 1304064 SPRING,COUNTER .15

BALANCE, RH
 173 1304065 CLAMP,HINGE .65

174 1138974 SCREW .02
 175

FOR REF ONLY, NOT
 NECESSARY FOR FIELD

REPLACEMENT
 176 1304061 HINGE ARM,LH .75

177 1304063 SPRING, COUNTER .15
 BALANCE, LH

178 1304065 CLAMP, HINGE .65

1 NOT RECOMMENDED FOR
 INSTALLATION ON MACHINES

WITH MODIFIED MOTORS
 MECH 11 REF 500.

39-CARD HOLDING PLATEN

CD HOLDING PLATEN B/M
 ORDER PLATEN KNOBS AND
 BUSHINGS AS REQUIRED
 INCLUDES ALL PARTS
 REFERENCED

1 1269334 B/M 11" SE 28.75
 27T

1 1269338 B/M 13.5" SE 32.50
 27T

1 1256027 B/M 13.5" SE 50.50
 54T

1 1287262 B/M 13.5" SE II 44.25
 SE III 27T

1 1359476 B/M 13.5" SE II 53.00
 SE III 54T

1 1269342 B/M 15.5" SE, 48.50

SE II & SE III 27T
 1 1336444 B/M 15.5" SE, 54.50
 SE II & SE III 54T

2 1090926 SCREW .02
 3 1164707 CARD STOP 1.25

4 1164708 BLADE, 7X1 5.05
 4 1164709 BLADE, 7X3 5.50

4 1164710 BLADE, 7X5 12.00

40-DEAD KEY

DEAD KEY FEATURE IS
 NOT FIELD INSTALLABLE

1 1130464 CLIP .02
 2 0047987 NUT .06 12

4 1135097 PLATE,LH 1.10
 4 1128868 *1* PLATE LH 7.50

5 1141313 BAIL,-LUG-L-2 3.60
 5 1141361 BAIL, L-1 4.50

5 1141360 *1* BAIL 10.25
 5 8169136 BAIL, SE III 2.92

6 1106650 SPRING .03
 7 1141357 PLATE,RH 6.05

7 1128866 *1* PLATE RH 2.75
 8 1141771 SCREW .04

9 L-1 GUIDE N/A.
 39 AND 5 L-2. INSTALL BAIL

(REF.5) AND THEN MOUNT
 BRACKET TO POWER FRAME

UNDER FINGER OF BAIL.
 INSTALL NEW CABLE. REFER

TO APH FOR ADJUSTMENTS.
 ADJUSTMENTS.

9 1164556 GUIDE,KLVR PAWL .25
 ALSO REPLACE MECH CODE 725

REF 224 P/N 1164720 BELOW
 7X1-4161719

7X3-4788645
 7X5-4444350

10 1141636 CLAMP .09
 11 1141422 CABLE,L-2 2.45

11 1141368 CABLE,L-1 5.40
 11 1206242 *4*CABLE,L-3 1.45

12 1123588 SCREW .15 01
 12 1204373 *4*SCREW .02

13 1141185 CLAMP,7X1 L-2 3.55
 13 1141370 *3* CLAMP 7X1L1 .95

13 1118050 CLAMP,7X3 L-2 .08
 13 1141272 CLAMP,7X5 L-2 .50

13 1164962 *3* CLAMP 7X5L1 1.30
 13 1290910 *4* CLAMP LEV 3 .08

14 0037913 NUT .06 07

16 0038262 SCREW .08 02
 17 1174340 LATCH,L-2 .15

17 1141363 LATCH,L-1 1.85
 18 1141062 *2*SPRING .01

18 1147443 SPRING,CURRENT .01
 20 1141366 BRACKET,7X3-5 .80

SEE 06-18 FOR CORRECTING
 MACH

21 1117759 SCREW,7X3-5 .01 14
 22 1147347 INTERPOUR .65

BREAK OFF UNDESIED LUGS

-
 CONTROL WHEELS

27 1134982 ACCENT GRAY 1.20
 27 1134985 NAVY 3.60

27 1134998 BLUE .35
 27 1134999 CHARCOAL GRAY 3.25

27 1304529 CHARCOAL SE III 4.65
 28 1134978 SPRING .35

29 -

INDICATORS
 29 1141885 ACCENT GRAY 3.30

29 1138460 NAVY 3.80
 29 1174024 BLUE 1.80

29 1164956 CHARCOAL GRAY 3.75
 29 1304526 CHARCOAL SE III 4.85

30 1073418 CLIP .01 03
 31 1164096 SCREW .06

32 SET AND CLEAR KEYBUTTONS

-
 MARKED SET-CLEAR

32 1254714 CHARCOAL SE III .70
 32 1141549 ACCENT GRAY 4.55

32 1141552 NAVY 4.55
 32 1141588 BLUE 4.55

32 1141631 CHARCOAL GRAY 4.55

-

BLANK BUTTONS
 32 1254718 CHARCOAL SE III 1.15

32 1141747 ACCENT GRAY 4.55
 32 1141748 NAVY 4.55

32 1141766 BLUE 4.55
 32 1141821 CHARCOAL GRAY 4.55

-

SYMBOL BUTTONS
 32 1254715 CHARCOAL SE III .70

32 1141826 ACCENT GRAY 4.55
 32 1141849 NAVY 4.55

32 1141850 BLUE 4.55
 32 1141367 CHARCOAL GRAY 4.55

33 1141636 CLAMP .09

SELECTRIC

34	1141450 LEVER SET& CLR	1.40
35	1141771 SCREW	.04
36	1141434 BRACKET	1.00
37	1141275 CLAMP	.10
38	1205589 SCREW	.08
39	0236550 SCREW	.08
40	1141271 CLIP	.25
41	1141315 CABLE	1.20
42	1141320 ARM CABLE MTG	2.00
50	-	

DEAD KEY DISCONNECT B/M		
50	1274995 ACCENT GRAY	10.50
50	1274996 NAVY	12.25
50	1274997 BLUE	8.75
50	1274998 CHARCOAL GRAY	25.25

NOTE B/M'S CAN BE
INSTALLED ONLY ON MACHINES
WITH SERIAL NUMBERS
BEGINNING WITH 5 OR 9 OR
ANY SEL II.

50	1336357 CHARCOAL GRAY	33.00
SEL III		
51	1141805 CLAMP,CABLE	.05

1 BELOW 7X1 4107528

2 BELOW 7X1 9400303
7X3 9021367
7X5 9218022

3 BELOW 7X1 5731000
7X3 5109000
7X5 5469000

4 ABOVE 7X1 9544987
7X3 9739213
7X5 9660695
8X3 1170332
8X5 2227314

41-SHIFT SENSITIVE

1	1123969 SUPPORT, USED	6.60
IN PUERTO RICO,UNITED		
KINGDOM & JAPAN KEYBOARDS		
2	1164646 SCREW	.01
3	1164652 SPACER	.01
4	0219633 RETAINER	.03 03
5	1141666 BRACKET,LH	.10
5	1164404 BRACKET,SUPPORT	1.40
USED WITH LONG VANE		
SEE REF 1		

6	1164417 VANE,FR.CAN.	13.00
6	1164419 VANE,JAPAN	3.25
6	1141309 VANE,LIBRARY	13.50
6	8168649 VANE OCR	2.35
6	1141751 VANE, P.RICO	5.80
6	1128363 VANE,TRI-LING	13.00
6	1141654 VANE,UN KINGDOM	8.40
7	1164403 SPRING	.25
8	1142264 NUT	.30
9	1141835 BELLCRANK	.35 20
10	0038566 SCREW	.08
13	1164576 SCREW	.02 02
15	0047987 NUT	.06 12
16	1141929 SCREW	.01
17	1164400 BRACKET	1.75

IF REPLACING BRACKET THAT
USES EARLY LEVEL COIL
SPRING ALSO ORDER HAIR-PIN
SPRING REF 20 P/N 1206191

18	1141805 CLAMP	.05
19	1141771 SCREW	.04
20	1206191 SPRING HAIR-PIN	.08
IF REPLACING COIL SPRING		
WITH HAIR-PIN SPRING ALSO		
ORDER BRACKET REF 17		
P/N 1164400		

23	1164410 CABLE	1.55
25	1108273 CLAMP	.02
26	1141147 BRACKET	.30
29	0081693 SCREW	.01
30	1164405 BRACKET	.35
31	1147397 *1*2* ARM SHIFT	3.75

USE NEW STYLE SHIFT ARM TO
MAKE CONVERSION BELOW
7X1-4120239
7X3-4742468
7X5-4409202

33	1205628 ROLLER	.20
34	1073418 C-CLIP	.01 03
35	1164406 HOOK,SHIFT SENSE	.15

36	1142214 SCREW	.03
37	2114985 NUT	.06 07
50	1268396 B/M,OCR SHIFT	18.25
SENSING		

51	8168649 VELOCITY VANE	2.35
----	-----------------------	------

1 ALSO ORDER MECH 16

REF 52 & 104 BELOW

7X1 9460190

7X3 9142295

7X5 9335721

8X3 1012229

8X5 2010237

ALSO ORDER REF 33 & 34 IF

REPLACE 1 PIECE ARM BELOW

7X1-9484557

7X3-9180669

7X5-9386447

8X3-1062862

8X5-2077585

2 ALSO ORDER,

MECH 41 REF

35,36 AND 37 IF REPL BELOW

APPROX 7X10778890,7X3

0481561,7X5 3808734,8X3

1989988,8X5 3867695

45-HANDICAPPED ATTACHMENT

1	0063324 SCREW,GRILL BKT	.01
2	1164618 BRKT,GRILL VENT	16.75
3	1164793 PLATE,ARM REST	44.25
4	5312061 SCREW	.03
5	1164800 BRKT,SUPPORT	18.00
6	0038614 SCREW	.05
7	1164814 BRACKET, RH	20.50
8	1164801 BRACKET, LH	11.00
9	1260176 BOARD, ARM REST	20.00
10	0056121 LOCKWASHER	.02
11	1091298 SCREW	.45
12	1274024 B/M, ARM REST	96.00 R
SE		
12	1204193 B/M, ARM REST	96.00 R
SE II		
21	1095152 STUD,LOCKING	.60
22	1095160 RING, STUD	.02
23	1095151 LEVER, LOCKING	2.15
24	1074321 SPRING, LOCKING	.01
25	1260087 GUIDE, PAPER	25.00
26	1164663 BAR, PAPER ROLL	8.45
27	1164656 BRACKET SE I	24.25
27	1204946 BRACKET SE II	62.50
+III		
28	0130038 SCREW, THUMB	5.70
29	1261406 ROLL, PAPER	4.15

REPLACEMENT PAPER IS		
SOLD AT LISTED PRICE		
30	1274028 B/M PAPER ROLL	67.00
HOLDER SE		
30	1204189 B/M PAPER ROLL	67.00 R
HOLDER SELECTRIC		
I, II, & III		
31	1164655 PLATE, SE I	12.00
31	1279497 PLATE, SE II	62.50
31	1359542 PLATE, SE III	46.00
32	0301741 SCREW SELF TAP	.04

REQUIRES QTY 2 FOR
INSTALLATION OF PLATE

33 0022470 WASHER-REQUIRES .01 13

QTY 4 FOR INSTALLATION

34 1359465 B/M KEYBOARD 46.75

REST SEL III

34 1274029 B/M KEYBOARD 14.75

REST SEL I.

41 1164797 GUIDE,PAPER 4.70

7XX PITCH MARK SCALE

41 1287459 GUIDE,PAPER 7XX 5.30

41 1287460 GUIDE,PAPER 8XX 6.85

41 1359543 GUIDE,PAPER 10.25

SEL III

42 1166342 SCREW .10

43 1164741 BLADE 7X1 16.50

43 1164763 BLADE 7X3 19.25

43 1164765 BLADE 7X5 16.50

44 1274027 B/M TEAR OFF 22.25

BLADE 7X1

44 1274026 B/M TEAR OFF 22.25

BLADE 7X3

44 1274025 B/M TEAR OFF 22.25

BLADE 7X5

44 1287461 B/M TEAR OFF 50.50

BLADE 8X3

44 1287462 B/M TEAR OFF 50.50

BLADE 8X5

44 1359466 B/M TEAR OFF 43.75

BLADE,15.5" SEL III

44 1359469 B/M, TEAR OFF 43.75

BLADE, 13.5 SEL III

45 1174012 PAD 9.70

46 1287855 PLATEN KNOB 3.25

49-PIN FEED PLATEN

1	1175101 SCREW	.04 01
2	1128525 ROD, 7X1, 7X3	1.50
2	1135337 ROD, 7X5	.90
3	1090568 SPRING	.02
4	1280251 RATCHET, 24T	5.35
4	1128527 RATCHET, 27T	5.35
4	1135192 RATCHET, 36T	5.35
4	1175281 RATCHET, 45T	5.35
4	1175287 RATCHET, 48T	5.35
4	1175289 RATCHET, 54T	5.35
5	1128528 DRIVER	4.25
6	1128533 GUIDE	4.15
7	0308459 NUT	.40
8	1100951 SCREW	.02
9	1128522 RH PINWHEEL ASM	119.00
METAL PINS		

SELECTRIC

11	1128521 LH PINWHEEL ASM METAL PINS	119.00	101	1336740 *5*PIN, 162" PLASTIC, D-SHAPED	.08	131	-	SHIMED .018". ORDER ONE EACH OF REF 26. OLD STYLE PIN FEED PLATENS HAVE THREADED SHAFT
12	1128531 SHAFT ASM 7X1	29.00	102	1164952 SCREW	.05		PINFEED PLATEN B/M/S ORDER CORE 117, KNOBS 25 & CARDHOLDER 21, SEPARATE. B/M CONTAINS RATCHET & PRICES ARE FOR B/M'S ONLY. WHEN BILLING, ALSO ADD COST OF KNOBS, CORE, & CARDHOLDER	*5* WHEN CAM OR PIN IS METAL ORDER REF 101 (9), 104 (1) & REF 108 (2)
12	1141955 SHAFT ASM 7X3	24.75	103	12155979 RETAINER	.04			
12	1135338 SHAFT ASM 7X5	21.00	104	1203787 CAM, PLASTIC *5*	.70			
13	1123549 BUSHING	1.30	105	1203786 PLATE, CAM RH	1.45			
14	0236571 CLIP	.05 03	105	1203788 PLATE, CAM LH	1.65			
15	1128529 SPRING	.01	106	1203785 SPRING	.05			
16	1174188 ROD, 7X1	1.30	107	1175106 SCREW	.05 02			
16	1141954 ROD, 7X3	5.00	108	1142214 SCREW	.03	131	1275613 *6* 11" SE 27 T	78.25
16	1174190 ROD, 7X5	2.90	109	1203742 GUIDE, PLATEN	2.90	131	1275432 *6* 13.5" SE 27 T	76.75
16	1204655 ROD 13" II+ III	3.60	110	1203745 DRIVER	6.20	131	1275614 *6* 15.5" SE 27 T	79.50
16	1452467 ROD 15" II+ III	7.25	111	1128526 PIN	.01	131	1287264 13.5" SE II 27T	71.25
17	1175106 SCREW	.05 02	112	0236571 RETAINER	.05 03	131	1287265 15.5" SE II 27T	82.50
18	1128526 PIN	.01	114	0311072 RETAINER	.15	131	1279030 13.5" SE II 54T	99.75
20	0311072 BUSHING	2.50	115	1203743 BUSHING	5.10	131	1359482 13.5" SE III 54T	99.00
20	0311072 GRIP RING, L-2	.15	115	1147600 BUSHING, A FRAME PAPER FEED	.50	131	1279032 15.5" SE II 54T	107.00
21	1204492 COLLAR, LOCK L-1	.55	115	1254804 BUSHING, SEL III	5.00	131	1359484 15.5" SE III 54T	105.00
21	1204492 UNIVERSAL METAL 10P OR 12P(IN CORR)	7.70	116	1128525 ROD, 7X1 & 7X3	1.50	132	1187957 KEY, PLATEN CORE	.55
21	1206368 PIN FD CARDHOLD PLASTIC, USE ON CORR ALSO ORDER 1290646 FOR NON CORRECTING MACHINES NOTE-REMOVE PRINT SHIELD MTG. TABS BELOW 8X3-1156531 8X5-2197773	1.30	116	1135337 ROD 7X5 + ALL SEL II & III	.90	136	1452466 BRACKET, ROD MTG SE II	.35
22	1206858 BUSHING	.03	117	1203934 5-1/4" SEE NOTES*2*, *3* & *7*	20.50	137	1147282 ROLLER, BAIL	1.45
24	1175107 SCREW	.03 01	117	1203935 6"	20.50	138	1175106 SCREW	.05 02
25	1254336 KNOB, SEL III	2.55	117	1203936 7-1/2"	20.50	139	1359276 BRACKET, ROD MTG SE III	2.35
25	1206875 KNOB, SEL I BLACK	2.60 #	117	1203937 8"	20.50	151	1206435 ARM, PIN FEED RH	6.85
25	1205427 KNOB, LVL 2 SEL II (IN LINE SCREWS)	2.10	117	1290414 8-1/2"	20.50	152	1206369 ARM, PIN FEED LH	10.25
25	1256532 KNOB, LVL 1 SEL II (90 DEGREE SCREWS)	3.15	117	1203938 9"	23.00			
25	1254336 KNOB, SEL III	2.55	117	1203939 9-3/8"	23.00			
26	1269447 SHIM, .003	.35	117	1203940 9-7/8"	23.00			
26	1269448 SHIM, .005	.30	117	1203941 10"	23.00			
26	1269449 SHIM, .010 IN	.60	117	1203942 10-1/8"	23.00			
27	1274548 SPRING, PINWHL	.45	117	1290415 10-1/2"	23.00			
40	1256673 BUSHING	5.30	117	1203943 11-1/4"	23.00			
41	1256674 SPRING	1.20	117	1203944 11-1/2"	23.00			
42	1256675 CLAMP	.90	117	1203945 12-1/2"	22.25			
43	1256676 BRACKET	1.60	117	1203946 13-1/8"	20.75			
44	1256677 SUPPORT	1.45	117	1203947 13-7/8"	22.25			
45	1256678 BASE	3.10	117	1452959 14-3/8" USED WITH "SHAVED" PINWHEELS THESE P/WHEELS AVAIL ONLY ON SER	20.75			
46	0038351 SCREW	.08	117	1164108 *1* BLANKET P/N	47.75			
47	1117759 SCREW	.01 14	118	1203780 SHAFT, PLATEN 7X1	11.25			
50	1256679 PIN FEED PLATEN SUPPORT B/M-FOR MACHINES WITH A FRAME ONLY.	14.75	118	1174446 SHAFT, PLATEN 7X3	11.75			
100	1256159 *8*PINWHEEL, L H	7.60	118	1203744 SHAFT 7X5 & 8X5	19.00			
100	1256158 *8*PINWHEEL, R H	7.45	118	1205162 SHAFT 8X3	18.75			
			119	1203747 BUSHING	.20			
			130	1203781 *8*WHEEL ASM RH	14.00			
			130	1203782 *8*WHEEL ASM LH	13.00			

65-PACKING

CONTACT LOCAL CE MAN-
AGEMENT

-
REFER TO DEPT 637, LEX BY
P & S OR ITPS(APLL). ORDER
PARTS BY DESCRIPTION.
INCLUDE SHIP TO ADDRESS.
PRICES QUOTED WHEN RE-
QUESTED IN ORDER.

- 1 BOX
2 PAD-FORM 8XX
3 SCREW, WING
4 PALLET
6 GROMMET
7 LINER
8 PLASTIC SHEET

NOT AVAILABLE

- 9 PACKAGING B/M,
INCLUDES ALL OF THE ABOVE
PARTS.

101 W/T PACKAGING

PLATEN INDEXING CHART

INDEX SELECTION LEVER POSITION

Ratchet	Pin Feed Ratchet	Detent Release Lever	Detent Assembly SE (Note 1 & 3)	Detent Assembly SE II & III (Note 2)	Index Pawl Assembly	Linespace Lever Screw	Linespace Lever Toggle Spring	Linespace Lever SE (A-Frame) (Tie Rod)	Linespace Lever SE II & III	Linespace Cam Lever	Index Pawl Carrier Spring	Pos. 1 Lines Per Inch	Teeth Index	Pos. 2 Lines Per Inch	Teeth Index	Pos. 3 Lines Per Inch	Teeth Index
24T 1164462	1280251	1164965	1141561 1279062	1290626	1128018	1141776	1206821	1147561	1204283	1141556	1256484	5.33 5.27†	1	2.66 2.63†	2		
27T 1164463	1128527	1164965	1141767 1290696	1290627	1128018	1141776	1206821	1147561	1204283	1128477	1256484	6.00	1	3.00	2		
31T 1175272	—	1164965	1175273 1279063	1290629	1128018	1141776	1206821	1147561	1204283	1128477	1256484	6.89	1	3.44	2		
36T 1159549	1135192	1175903	1128975 1279064	1290628	1128018	1141776	1206821	1147561	1204283	1128477	1256484	8.00	1	4.00	2		
45T 1175276	1175281	1164965	1175284†‡ 1279065*	1290625*	1141595	1141776	1206821	1147561	1204283	1141556	1256484	5.00	2	2.50	4		
48T 1175283	1175287	1164965	1175284†‡ 1279065*	1290625*	1141595	1141776	1206821	1147561	1204283	1141556	1256484	5.33	2	2.66	4		
54T 1164464	1175289	6518582*	1147247† 1256708	1256706§ 1256707	1141595		1141603	1147595	1204284	1359082	1256484	6.00	2	4.00	3	3.00	4

* Requires Roller 1141601 and Clip 251989.

† Below 7X1-9444462, 7X3-9123921, 7X5-9319263. Also order Mech 712, Ref 32, P/N 6518582.

‡ Requires Detent Roller P/N 1141601 and "C"-Clip, P/N 251989

§ Requires Roller B/M 1279019.

|| "A" Frame.

T With Court Reporter .016" Oversize Platen.

NOTE 1: SE tie rod detent asm., use mounting stud 1128302, SE "A"-frame; with detent 1290696, use mounting stud 1204637; with detent 1256708, use mounting stud 1205504.

NOTE 2: "Selectric" II & III detent asm. use mounting stud P/N 1204637 except 54T which uses P/N 1205504.

NOTE 3: Refer to Mech 20 Ref 412 for correct fulcrum lever on 7X1 only.

PAINTED COVER PARTS

Model	Mech/ Ref	Pearl White	Sapphire Blue **	Emerald Green	Raven Black	Gray- Stone **	Sand- Stone Beige	Topaz Bronze	Opal Gray **	Garnet Rose	Onyx Blue **	Willow Green	Classic Blue
M E T A L	TOP COVER												
	7X1-10P	04-301	1275292	1275295	1275298	1275301	1275304	1275307	1275310	1275313	1275316	1275319	1287513
	7X1-12P	04-301	1275532	1275533	1275534	1275535	1275536	1275537	1275538	1275539	1275540	1275541	1287515
	7X3-10P	04-301	1275322	1275325	1275328	1275331	1275334	1275337	1275340	1275343	1275346	1275349	1287517
	7X3-12P	04-301	1275542	1275543	1275544	1275545	1275546	1275547	1275548	1275549	1275550	1275551	1287519
	7X5-10P	04-301	1275352	1275355	1275358	1275361	1275364	1275367	1275370	1275373	1275376	1275379	1287521
	7X5-12P	04-301	1275552	1275553	1275554	1275555	1275556	1275557	1275558	1275559	1275560	1275561	1287523
	CENTER COVER*												
	7X1	04-302	1275293	1275296	1275299	1275302	1275305	1275308	1275311	1275314	1275317	1275320	1287525
	7X3	04-302	1275323	1275326	1275329	1275332	1275335	1275338	1275341	1275344	1275347	1275350	1287527
	7X5	04-302	1275353	1275356	1275359	1275362	1275365	1275368	1275371	1275374	1275377	1275380	1287529
	BOTTOM COVER												
	7X1	04-303	1275294	1275297	1275300	1275303	1275306	1275309	1275312	1275315	1275318	1275321	1287531
	7X3	04-303	1275327	1275330	1275333	1275336	1275339	1275342	1275345	1275348	1275351	1275354	1287533
	7X5	04-303	1275354	1275357	1275360	1275363	1275366	1275369	1275372	1275375	1275378	1275381	1287535
	B/M*												
	7X1-10P	04-304	1275442	1275444	1275446	1275448	1275450	1275452	1275454	1275456	1275458	1275460	1287537
	7X1-12P	04-304	1275443	1275445	1275447	1275449	1275451	1275453	1275455	1275457	1275459	1275461	1287539
	7X3-10P	04-304	1275462	1275464	1275466	1275468	1275470	1275472	1275474	1275476	1275478	1275480	1287541
	7X3-12P	04-304	1275463	1275465	1275467	1275469	1275471	1275473	1275475	1275477	1275479	1275481	1287543
	7X5-10P	04-304	1275482	1275484	1275486	1275488	1275490	1275492	1275494	1275496	1275498	1275500	1287545
	7X5-12P	04-304	1275483	1275485	1275487	1275489	1275491	1275493	1275495	1275497	1275499	1275501	1287547
P O L Y E S T E R	TOP COVER												
	7X1-10P	04-301	1287779	1287780	1287781	1287782	1287783	1287784	1287785	1287786	1287787	1287788	1287789
	7X1-12P	04-301	1287791	1287792	1287793	1287794	1287795	1287796	1287797	1287798	1287799	1287800	1287801
	CENTER COVER												
	7X1	04-302	1287803	1287804	1287805	1287806	1287807	1287808	1287809	1287810	1287811	1287812	1287813
	BOTTOM COVER												
	7X1	04-303	1287815	1287816	1287817	1287818	1287819	1287820	1287821	1287822	1287823	1287824	1287825
	B/M*												
	7X1-10P	04-304	1287827	1287828	1287829	1287830	1287831	1287832	1287833	1287834	1287835	1287836	1287837
	7X1-12P	04-304	1287839	1287840	1287841	1287842	1287843	1287844	1287845	1287846	1287847	1287848	1287849

*NOTE: Center section shipped with non-double insulated logo. Order double insulated logo as required.

**NOTE: Discontinued colors. Order for parts replacement only.

PAINTED COVER PARTS

Model	Pearl White	Sapphire Blue **	Emerald Green	Raven Black	Gray Stone **	Sand-Stone	Topaz Bronze	Opal Gray **	Garnet Rose	Onyx Blue **	Willow Green	Classic Blue
TOP COVER												
8X3 DP	1287082	1287083	1287084	1287085	1287086	1287087	1287088	1287089	1287090	1287091	1287549	1287550
8X3 10P	1287092	1287093	1287094	1287095	1287096	1287097	1287098	1287099	1287100	1287101	1287551	1287552
8X3 12P	1287102	1287103	1287104	1287105	1287106	1287107	1287108	1287109	1287110	1287111	1287553	1287554
8X5 DP	1287112	1287113	1287114	1287115	1287116	1287117	1287118	1287119	1287120	1287121	1287555	1287556
8X5 10P	1287122	1287123	1287124	1287125	1287126	1287127	1287128	1287129	1287130	1287131	1287557	1287558
8X5 12P	1287132	1287133	1287134	1287135	1287136	1287137	1287138	1287139	1287140	1287141	1287559	1287560
TOP COVER - SOUND REDUCTION (SEE THROUGH MARGIN SCALE) (INC. LOGO, CLIPS & INSUL.)												
8X3 DP	1287723	1287724	1287725	1287726	1287727	1287728	1287729	1287730	1287731	1287732	1287733	1287734
8X3 SP	1287711	1287712	1287713	1287714	1287715	1287716	1287717	1287718	1287719	1287720	1287721	1287722
8X5 DP	1287747	1287748	1287749	1287750	1287751	1287752	1287753	1287754	1287755	1287756	1287757	1287758
8X5 SP	1287735	1287736	1287737	1287738	1287739	1287740	1287741	1287742	1287743	1287744	1287745	1287746
CENTER COVER (WITHOUT LOGO)												
8X3 DP	1287142	1287143	1287144	1287145	1287146	1287147	1287148	1287149	1287150	1287151	1287561	1287562
893 DP Cor	1287601	1287602	1287603	1287604	1287605	1287606	1287607	1287608	1287609	1287610	1287611	1287612
8X3 SP	1287152	1287153	1287154	1287155	1287156	1287157	1287158	1287159	1287160	1287161	1287563	1287564
853 SP Cor	1287589	1287590	1287591	1287592	1287593	1287594	1287595	1287596	1287597	1287598	1287599	1287600
8X5 DP	1287162	1287163	1287164	1287165	1287166	1287167	1287168	1287169	1287170	1287171	1287565	1287566
895 DP Cor	1287625	1287626	1287627	1287628	1287629	1287630	1287631	1287632	1287633	1287634	1287635	1287636
8X5 SP	1287172	1287173	1287174	1287175	1287176	1287177	1287178	1287179	1287180	1287181	1287567	1287568
855 SP Cor	1287613	1287614	1287615	1287616	1287617	1287618	1287619	1287620	1287621	1287622	1287623	1287624
BOTTOM COVER												
8X3	1287182	1287183	1287184	1287185	1287186	1287187	1287188	1287189	1287190	1287191	1287569	1287570
8X5	1287192	1287193	1287194	1287195	1287196	1287197	1287198	1287199	1287200	1287201	1287571	1287572
D/M (DOES NOT INCLUDE DUST COVER) (WITHOUT LOGO)												
8X3 DP	1287202	1287203	1287204	1287205	1287206	1287207	1287208	1287209	1287210	1287211	1287573	1287574
893 DP Cor	1287661	1287662	1287663	1287664	1287665	1287666	1287667	1287668	1287669	1287670	1287671	1287672
8X3 10P	1287212	1287213	1287214	1287215	1287216	1287217	1287218	1287219	1287220	1287221	1287575	1287576
853 10P Cor	1287637	1287638	1287639	1287640	1287641	1287642	1287643	1287644	1287645	1287646	1287647	1287648
8X3 12P	1287222	1287223	1287224	1287225	1287226	1287227	1287228	1287229	1287230	1287231	1287577	1287578
853 12P Cor	1287649	1287650	1287651	1287652	1287653	1287654	1287655	1287656	1287657	1287658	1287659	1287660
8X5 DP	1287232	1287233	1287234	1287235	1287236	1287237	1287238	1287239	1287240	1287241	1287579	1287580
895 DP Cor	1287697	1287698	1287699	1287700	1287701	1287702	1287703	1287704	1287705	1287706	1287707	1287708
8X5 10P	1287242	1287243	1287244	1287245	1287246	1287247	1287248	1287249	1287250	1287251	1287581	1287582
855 10P Cor	1287673	1287674	1287675	1287676	1287677	1287678	1287679	1287680	1287681	1287682	1287683	1287684
8X5 12P	1287252	1287253	1287254	1287255	1287256	1287257	1287258	1287259	1287260	1287261	1287583	1287584
855 12P Cor	1287685	1287686	1287687	1287688	1287689	1287690	1287691	1287692	1287693	1287694	1287695	1287696

****NOTE:** Discontinued colors. Order for parts replacement only
Prices are included in the PN/PL under the appropriate Mech/Ref

PAINTED COVER PARTS

Model	Pearl White	Sapphire Blue Note	Emerald Green	Raven Black	Gray-Stone Note	Sand-Stone	Topaz Bronze	Opal Gray Note	Garnet Rose	Onyx Blue Note	Willow Green	Classic Blue
SOUND REDUCTION COMPLETED COVER ASSEMBLY												
8X3 DP	1279121		1279118	1279120		1279116	1279117		1279119		1279123	1279122
893 DP Cor	1279129		1279126	1279128		1279124	1279125		1279127		1279131	1279130
8X3 10P	1279137		1279134	1279136		1279132	1279133		1279135		1279139	1279138
853 10P Cor	1279145		1279142	1279144		1279140	1279141		1279143		1279147	1279146
8X3 12P	1279153		1279150	1279152		1279148	1279149		1279151		1279155	1279154
853 12P Cor	1279161		1279158	1279160		1279156	1279157		1279159		1279163	1279162
8X5 DP	1279169		1279166	1279168		1279164	1279165		1279167		1279171	1279170
895 DP Cor	1279177		1279174	1279176		1279172	1279173		1279175		1279179	1279178
8X5 10P	1279185		1279182	1279184		1279180	1279181		1279183		1279187	1279186
855 10P Cor	1279193		1279190	1279192		1279188	1279189		1279191		1279195	1279194
8X5 12P	1279201		1279198	1279200		1279196	1279197		1279199		1279203	1279202
855 12P Cor	1279209		1279206	1279208		1279204	1279205		1279207		1279211	1279210

****NOTE:** Prices are included in the PN/PL under the appropriate Mech/Ref

PAINTED COVER PARTS – "SELECTRIC" III

	MODEL	PEBBLE GRAY	TOPAZ BRONZE	LAUREL GREEN	AUTUMN RED	RAVEN BLACK	SABLE BROWN	MARLIN BLUE	COCOA BROWN
TOP COVER ASM.	6700 12P CORR 6701-6702 10P 6701-6702 12P 6704 DP CORR 6703 10P 6703 12P 6705 DP CORR	— 1336012 1336020 1336028 1336036 1336044 1336052	1336021 1336013 1336021 1336029 1336037 1336045 1336053	— 1336014 1336022 1336030 1336038 1336046 1336054	— 1336015 1336023 1336031 1336039 1336047 1336055	1336016 1336024 1336032 1336040 1336048 1336056	— 1336017 1336025 1336033 1336041 1336049 1336057	— 1336018 1336026 1336034 1336042 1336050 1336058	— 1336019 1336027 1336035 1336043 1336051 1336059
CENTER COVER ASM.	6700 12P CORR 6701 6702 SP 6703 SP CORR 6704 DP CORR 6705 DP CORR	— 1336108 1336116 1336124 1336132	1336925 1336109 1336117 1336125 1336133	— 1336110 1336118 1336126 1336134	— 1336111 1336119 1336127 1336135	— 1336112 1336120 1336128 1336136	— 1336113 1336121 1336129 1336137	— 1336114 1336122 1336130 1336138	— 1336115 1336123 1336131 1336139
BOTTOM COVER ASM.	6700 6701-02-04 6703-05	— 1336188 1336196	— 1336189 1336197	— 1336190 1336198	— 1336191 1336199	1336192 1336192 1336200	— 1336193 1336201	— 1336194 1336202	— 1336195 1336203
TOP AND CENTER COVER ASM.	6700 12P CORR 6701-6702 10P 6701-6702 12P 6703 10P CORR 6703 12P CORR 6704 DP CORR 6705 DP CORR	— 1336927 1336935 1336943 1336951 1336959 1336967	1336926 1336928 1336936 1336944 1336952 1336960 1336968	— 1336929 1336937 1336945 1336953 1336961 1336969	— 1336930 1336938 1336946 1336954 1336962 1336970	— 1336931 1336939 1336947 1336955 1336963 1336971	— 1336932 1336940 1336948 1336956 1336964 1336972	1336933 1336941 1336949 1336957 1336965 1336973	1336934 1336942 1336950 1336958 1336966 1336974
TOP COVER ASM. SOUND REDUCTION	6701-2 10P 6701-6702 12 P 6704 DP CORR 6703 10P 6703 12P 6705 DP CORR	1336060 1336068 1336076 1336084 1336092 1336100	1336061 1336069 1336077 1336085 1336093 1336101	1336062 1336070 1336078 1336086 1336094 1336102	1336063 1336071 1336079 1336087 1336095 1336103	1336064 1336072 1336080 1336088 1336096 1336104	1336065 1336073 1336081 1336089 1336097 1336105	1336066 1336074 1336082 1336090 1336098 1336106	1336067 1336075 1336083 1336091 1336099 1336107
CENTER COVER ASM. SOUND REDUCTION	6701-6702 SP 6703 SP CORR 6704 DP CORR 6705 DP CORR	1336148 1336156 1336164 1336172	1336149 1336157 1336165 1336173	1336150 1336158 1336166 1336174	1336151 1336159 1336167 1336175	1336152 1336160 1336168 1336176	1336153 1336161 1336169 1336177	1336154 1336162 1336170 1336178	1336155 1336163 1336171 1336179
BOTTOM COVER ASM. SOUND REDUCTION	6701-02-04 6703-05	1336204 1336212	1336205 1336213	1336206 1336214	1336207 1336215	1336208 1336216	1336209 1336217	1336210 1336218	1336211 1336219
TOP AND CENTER COVER ASM. SOUND REDUCTION	6701-6702 10P 6701-6702 12P 6703 10P CORR 6703 12P CORR 6704 DP CORR 6705 DP CORR	1336840 1336848 1336856 1336864 1336872 1336880	1336841 1336849 1336857 1336865 1336873 1336881	1336842 1336850 1336858 1336866 1336874 1336882	1336843 1336851 1336859 1336867 1336875 1336883	1336844 1336852 1336860 1336868 1336876 1336884	1336845 1336853 1336861 1336869 1336877 1336885	1336846 1336854 1336862 1336870 1336878 1336886	1336847 1336855 1336863 1336871 1336879 1336887

*Center section shipped with
double insulated logo, Order
3 wire logo as required.

Technical Information Index

Denotes Current Codes 32 and 33.

CEM No.	Current Pub.	Subject	CSI Page/Item
"SELECTRIC" TII			
<i>This TII Includes CEMs Through No. 484.</i>			
GENERAL			
433	.CEM	.Adjustment Parts Manual (241-5939-2) Correction	
422	.CEM	.Announcement IBM "Selectric" III Typewriter	
	.CSI	.Copper Colored Screws	1-3
444	.CEM	.Custom Keybuttons	
85	.CSI	.Dynamic Half Cycle Tool	1-9
	.CSI	.Front Feed Roll Adjusting Screw Wrench	1-2
	.CSI	.Installing Small Nuts On Splined Screws	1-4
	.CSI	.Keyboard Removal Tool	1-8
	.CSI	.Keylever Pawl Restoring Springs Installation	2-1
418	.CEM	.Motor Label	
	.CSI	.Operational Keybuttons - Damaged	1-1
462	.CEM	.PN/PL Correction	
90	.CSI	.Power Cleaner Overheating	1-7
381	.SM	.Rotate Selection Adjusting Tool (P/N 9900633)	
	.CSI	.Skirt Clearance Adjustment - Accessibility	1-5
114	.CSI	.Splined Wrenches Brittle	1-6
427	.CEM	.Stroke Counters - SER Only	
92	.CSI	.Tilt Detent - Adjusting Wrench	1-10
	.CSI	.Tilt Home/Skirt Clearance Adjustment	2-2
APPLICATIONS			
467	.CEM	.Court Reporter Element - Underscore	
281	.CSI	.Type Element - Athabaskan	3-1
178	.CSI	.Type Element - Bookface Academic	2-6
	.CSI	.Type Element - Dual Gothic 72	2-4
	.CSI	.Type Element - 1428 Optical Scanning	2-5
236	.CSI	.Type Element - Labanotation	2-7
	.CSI	.Type Element - Orator	2-3
347	.CSI	.Type Element - Orator Language Arts	3-2

CEM No.	Current Pub.	Subject	CSI Page/Item
BACKSPACE			
466	.CEM	.APM Correction - Backspace	
426	.CEM	.Backspace Driver Mtg. Stud - B/M	
249	.APM	.Bellcrank Downstop (RB) - Redesigned	
144	.APM	.Cable Clamp (RB) - Locating Lug	
302	.CSI	.Cam Follower, SP - Strengthened	5-1
	.CSI	.Cam Pawl Wear - Space/Backspace	3-3
188	.CSI	.Drive Link Spacer - Binding	4-5
383	.CEM	.Escapement Rack - Soft	21-4
172	.APM	.Half Backspace - "A" Frame	
265	.APM	.Half Backspace - Level 2	
272	.CSI	.Half Backspace - Level 3	4-6
202	.CSI	.Interlock Shaft - Redesigned	4-4
341	.APM	.Interlock Shaft - Redesigned	
	.CSI	.Latch Spring Installation	3-4
91	.APM	.Nine Pitch 7X1 - Parts	
	.CSI	.Pawl Replacement Procedure	3-5
212	.CSI	.Pitch Change Cable Routing	3-6
458	.CEM	.Rotary Backspace Bellcrank Stop - Level 1 Field Fix	
185	.CSI	.Rotary Backspace Bellcrank Stud	4-1
311	.CSI	.Rotary Backspace Drum - Removal	4-3
293	.CSI	.Rotary Backspace Drum Wear	4-2
140	.APM	.Rotary Backspace - Spring Tension	
321	.CSI	"Selectric" II Typewriter - 9 Pitch	5-2
335	.APM	.Single Pitch - Rotary Backspace - New	
CARRIER AND ROCKER			
	.CSI	.Alignment Variations - Adjustment Check	6-4
367	.CSI	.Ball Joint (Dog Bone) - Out Of Spec.	9-7
440	.CEM	.Cable Guide - Redesigned	
468	.CEM	.Carrier Bearing - Reference Number Added To APM	
	.CSI	.Carrier Movement - Machine Half Cycled	7-10
168	.APM	.Carrier Pointer - Ridged	
	.CSI	.Carrier Removal - Cord	8-1
398	.CSI	.Carrier Replacement - Service	10-1
80	.APM	.Carrier Shoe - Nonadjustable	
315	.CSI	.Correcting Tape Lift - Carrier Bearing Loose	8-3
467	.CEM	.Court Reporter Element - Underscore	

CEM No.	Current Pub.	Subject	CSI Page/Item
385	.APM	.Detent Actuating Lever Support Screw - Redesigned	
209	.CSI	.Dual Velocity Cable Clip - Installation	8-2
223	.CSI	.Head Play Excessive	7-6
	.CSI	.Impression Variations	5-3
	.CSI	.Impression Variations - Adjustment Check	6-2
	.CSI	.Impression Variations - Print Cam Follower	6-3
	.CSI	.Light Characters - Fabric Or Film Ribbon	7-1
	.CSI	.Lower Ball Socket Removal	7-8
342	.CSI	.Platen Height Adjustment - Yoke	9-6
	.CSI	.Print And Escapement Failures	7-3
304	.CSI	.Print Quality - Correcting Adjustments	5-3
342	.CSI	.Print Quality - Platen Height Adjustments	9-6
	.CSI	.Print Quality - Smearing	6-1
	.CSI	.Print Quality - Yoke Adjustment	7-4
195	.CSI	.Rotate Alignment Changing - Adjustment Check	7-5
256	.APM	.Rotate Detent Guide - Redesigned	
	.CSI	.Rotate Pulley Setscrew Stripped	7-9
320	.CSI	.Selective Ribbon - Field Install	39-2
	.CSI	.Skirt Clearance Adjustment - Accessibility	1-5
	.CSI	.Skirt Clearance, Loss Of	6-5
112	.APM	.Tilt Detent Guide Screw - Shortened	
	.CSI	.Tilt Home/Skirt Clearance Adjustment	2-2
179	.APM	.Tilt Ring - Biased	
317	.CSI	.Tilt Ring Pivot Screws - Hex Head	9-5
	.SM	.Tilt Ring Removal	
443	.CEM	.Tilt Rings - Assembled Incorrectly	
	.CSI	.Tilt Ring Shim Centering	7-7
222	.CSI	.Tilt 3 Characters Low	7-2
	.CSI	.Type Element - Alignment Check	8-4
	.CSI	.Type Element - Ball Socket Breakage	8-5
	.CSI	.Type Element - Damaged By Maladjustment	9-1
76	.CSI	.Type Element - Latch Spring Breakage	9-3
156	.CSI	.Type Element - Lubrication	9-4
	.CSI	.Type Element - Plating Damage	9-2
329	.CSI	.Type Element - Teeth Breakage	8-6
192	.CSI	.Under Printing - Bookface Academic, Prestige Pica	8-7
396	.CEM	.Velocity Lever Asm.	

Technical Information Index

Denotes Current Codes 32 and 33.

CEM No.	Current Pub.	Subject	CSI Page/Item
CARRIER RETURN			
480	.CEM	.Carrier Return An Express Backspace Shoe Arm - Redesigned	
316	.CSI	.Carrier Return/Express Backspace Shoe - Combined	11-7
364	.CSI	.Carrier Return Interlock Clip - Redesigned	12-1
392	.CSI	.Carrier Return Latch Redesigning	13-1
451	.CEM	.Carrier Return Unlatching Link - Interference	
428	.CEM	.Carrier Return - Uneven/Sluggish/Jerky	
95	.SM	.Cord Replacement Procedure	
	.CSI	.Cord Wear - Carrier Return	10-2
477	.CEM	.CR Unlatching Link - 7X3 An 7X5 - PN/PL Correction	
368	.SM	.Dual Transport Conversion	12-2
395	.SM	.Dual Transport Conversion	
208	.APM	.Dual Transport Cord System	
	.CSI	.Keylever Pawl Overlapping - Return/Index	11-6
60	.CSI	.Latch Overthrow	10-5
	.CSI	.Partial Return - Space/Return Operation	10-6
	.CSI	.Partial Return - Torque Bar Clip	10-4
	.CSI	.Pawl Clearance - Adjustment	11-4
88	.CSI	.Pawl Clearance - Loss Of	11-3
119	.APM	.Return Latch Shaft Spacer (DP)	
181	.APM	.Return Mechanism (SP) - Redesigned	
	.CSI	.Scraping Noise On Return	11-5
241	.CSI	.Shoe Clearance - Excessive	10-3
	.CSI	.Slow Or Uneven Return	11-1
308	.CSI	.Slow Or Uneven Return	11-2
228	.APM	.Torque Limiter - Eccentric Stud Eliminated	
184	.APM	.Torque Limiter Hub - Hub Lugs Added	
	.CSI	.Torque Limiter Lubrication	32-8
376	.CSI	.Transport Cord Pulley Assemblies - Redesigned	47-1
391	.CSI	.Uneven Left Margin	27-4
	.CSI	.Unlatching Failures	10-7
315	.CSI	.Correcting Tape Lift - Carrier Bearing Loose	8-3
413	.CEM	.Correction Tape - Intermittent Feed Failures	

CEM No.	Current Pub.	Subject	CSI Page/Item
CORRECTING			
250	.APM	.Cardholder, Correcting - Material Changed	
230	.APM	.Cardholders Popping Out - Dimples Added	
210	.CSI	.Carrier Binds - Tab Or Spacebar	14-2
400	.SM	.Correcting Keybutton Interlock - Field Inst.	
464	.CEM	.Correcting Lift And Feed Actuator Stud	
386	.CSI	.Correcting Mechanism FRONT Carrier Support And Torque Bar Asm. Changed From Plastic To Metal	16-2
310	.CSI	.Correcting Mechanism - New - FTB	15-3
210	.CSI	.Correcting Mechanism - Operation Failures	14-1
315	.CSI	.Correcting Tape Lift - Carrier Bearing Loose	8-3
413	.CEM	.Correction Tape - Intermittent Feed Failures	
197	.CSI	.Cradle Assembly Binds	14-8
395	.SM	.Dual Transport Conversion	
210	.CSI	.Incomplete Correction	14-6
261	.CSI	.Keylever And Button - Lowered	15-2
285	.CSI	.Lift Off And Feed Failures - Tapes	15-3
216	.APM	.Limiting Device - Correctable Film Ribbon	
269	.APM	.Load Lever Spring - Redesigned	
409	.CEM	.Paper Bail Arm Spring - Incorrect	
205	.APM	.Print Shield - Correcting	
226	.CSI	.Ribbon Folding	15-1
	.CSI	.Right Hand Dust Cover Retainer Clip	16-3
338	.CSI	.Stalling Motors - During Correction	15-5
247	.CSI	.Tape Feed Cam - Redesigned	14-3
237	.CSI	.Tape Feed - Continuous	14-4
242	.CSI	.Tape Feed - Failures	14-7
210	.CSI	.Tape Feed - Intermittent Failures	14-5
324	.CSI	.Tape Feed - Redesigned	15-4
344	.CSI	.Tape Take-Up Spool - Paper Interference	16-1
244	.APM	.Torque Bar Clip - Field Fix	
COVERS AND MOUNTING			
393	.CSI	.Acoustical Hood Seal - Redesigned	45-4
97	.APM	.Bolt Down Hardware - Theft Deterrent	
430	.CEM	.Center Cover Bracket - Redesigned	

CEM No.	Current Pub.	Subject	CSI Page/Item
157	.APM	.Cover Adaptor B/M - To Snap Off Covers	
456	.CEM	.Cover - Defective Paint	
245	.CSI	.Cover Hinge And Mounting - Redesigned	17-1
417	.CEM	.Cover Hinge - B/M	
	.CSI	.Cover Hinge Screw - Stripped	17-9
	.CSI	.Cover Incompatibility - 7X1	17-10
	.CSI	.Cover Latch Levers	16-9
	.CSI	.Cover Removal - Friction Fit	16-8
253	.APM	.Covers - Reinforced Polyester 7X1	
	.CSI	.Dust Shield Clip	18-1
103	.APM	.Dust Shield Clip - Field Replacement	
407	.CEM	.Heat Buildup	
148	.APM	.Logo - Double Insulated	
96	.APM	.Margin Scale - Numbered By 5's	
	.CSI	.Margin Trim - Installation	16-5
	.CSI	.Margin Trim - Scratched	16-6
330	.APM	.Membrane Support - Foam Rubber	
213	.CSI	.Motor Vent Grill - Double Insulation	17-8
439	.CEM	.Motor Vent Grill Extension - Breaks	
325	.CSI	.ON/OFF Button Jammed - Sound Pack	17-4
476	.CEM	.Page End Indicators - Removal Of Extension	
171	.APM	.Paints Discontinued - Rel Tex	
154	.APM	.Paints, New - Willow Green And Classic Blue	
62	.CSI	.Paper Table And Margin Scale Graphics	16-4
	.CSI	.Service History Insert	16-7
87	.APM	.Shock Mounts - Loose - Oversized Available	
196	.APM	.Sound Reduction Package	
	.CSI	.Top Cover Bracket	16-10
339	.CSI	.Top Cover Hinge - Redesigned	17-5
475	.CEM	.Top Cover Jammed - Sound Reduction Machines	
419	.CEM	.Top Cover Latch - Shock Mounts	
348	.CSI	.Top Cover Latch - Strengthened	17-6
	.CSI	.Top Cover Pin	17-7
326	.CSI	.Vent Grills And Platen Knobs - Black	17-3
361	.APM	.Vent Grills (7XX)	
133	.APM	.Warning Label - Operator	

Technical Information Index

Denotes Current Codes 32 and 33.

CEM No.	Current Pub.	Subject	CSI Page/Item
DEAD KEY			
296	.CSI	Dead Key Cable Breaking — Correcting	18-3
	.CSI	Dead Key Cable — Operational Shaft Wear	18-4
	.CSI	Dead Key, Dead Key Disconnect — Explanation	18-2
26	.APM	Dead Key Disconnect — Adjustment	
102	.APM	Dead Key Disconnect B/M — Field Service	
ESCAPEMENT			
334	.SM	Adjustment Procedure — Escapement	
425	.CEM	APM Correction — Escapement Torque Bar Retainer Clip	
479	.CEM	Escapement Bracket (RB/S) Defective	
415	.CEM	Escapement Bracket — Washer/Clip Added	
	.CSI	Escapement Failures — Old Machines	19-7
460	.CEM	Escapement Pawl Mounting Stud — Redesigned	
232	.APM	Escapement Rack And Sector Gear — Wear	
383	.CSI	Escapement Racks — Soft	21-4
332	.CSI	Escapement Rail (DP) — Polyester	21-1
	.CSI	Escapement Shaft Bearing Binds	19-5
91	.APM	Nine Pitch 7X1 — Parts	
459	.CEM	Pawl Mounting Stud	
137	.APM	Pawl Mounting Stud — Diameter Decreased	
	.CSI	Pawl Spring Replacement	19-4
	.CSI	Pawl Wear — Diagnosis	19-2
136	.APM	Sector Gear And Switch Pitch Lever — Redesigned	
335	.CSI	Single Pitch — Rotary Backspace — New	21-2
159	.CSI	Skipping — Dual Pitch	20-2
83	.CSI	Skipping — New Trigger Mechanism	19-3
276	.CSI	Skipping — Single Pitch	19-1
	.CSI	Space To Print — Service	19-9
	.CSI	Torque Bar Adjustment — Print	19-8
346	.CSI	Torque Bar Backup Screw Nut — Eliminated	21-3
284	.APM	Torque Bar Backup Stud — Center	
243	.APM	Torque Bar Backup Stud — Left Side	
199	.APM	Torque Bar Backup Stud, Pawl Mounting Stud — New	
66	.APM	Trigger Assembly — Simplified	

CEM No.	Current Pub.	Subject	CSI Page/Item
	.CSI	Trigger Height — Varies	20-7
219	.APM	Trigger Mounting Stud — Field Replaceable	
FRAME			
92	.CSI	Center Bearing — Replacement Procedures	22-1
474	.CEM	Electric III Incorrect Machine Type Code	
INDEX			
295	.APM	Adjustment Procedure	
473	.CEM	Detent Arm And Roller 54T — Redesigned	
314	.CSI	Double Index Mechanism	23-4
365	.CSI	Double Index — Plant Installed	24-3
155	.APM	54T Conversion B/M	
358	.APM	Index Conversion B/M — 54 To 27 Tooth	
262	.CSI	Index Failures	22-2
356	.APM	Index Overthrow Stop — Redesigned	
414	.CSI	Index Pawl And Ratchet Alignment	22-4
298	.CSI	Index Pawl Assembly Stud — Field Replacement	23-3
333	.CSI	Lower Index "C" Clip — Redesigned	24-1
110	.APM	Platen Detent, 54T — Redesigned	
	.CSI	Platen Detent Identification	23-2
453	.CEM	Platen Detent Interference	
448	.CEM	Stop — Selector Cam Lever Mounting Bracket — "A" Frame with Double Index	
341	.CSI	Transfer Bellcrank — Redesigned	24-2
307	.CSI	Transfer Bellcrank Stop Lug — Wear	22-5
215	.CSI	2 — 2 1/2 — 3 Lines Per Inch — SER	23-1
	.CSI	Weak Index	22-3
KEYBOARD			
364	.CSI	Carrier Return Interlock Clip — Redesigned	12-1
	.CSI	Compensator Tube Adjustments — Old Level	25-14
89	.APM	Compensator Tube End Plug — Wedge Type	
444	.CEM	Custom Keybuttons	
81	.APM	Cycle Clutch Bail Dampers — Spring	

CEM No.	Current Pub.	Subject	CSI Page/Item
	.SM	Cycle Clutch Keeper Adjustments	
69	.CSI	Cycle Clutch Latch Restoring Springs	25-6
	.CSI	Cycle Clutch Link Binds	25-7
452	.CEM	Dual Impression Cam/Mounting Bracket — Interference	
	.CSI	Flicking	25-2
	.CSI	Interposer Restoring Spring — Replacement	25-9
	.CSI	Interposer Sliding Off Filter Shaft	25-15
484	.CEM	Keyboard Damper Spring — Changed	
	.CSI	Keyboard Insulation	26-1
266	.SM	Keyboard Out Of Position	
153	.APM	Keyboard Side Frame — Redesigned	
478	.CEM	Keyboard Touch Problems	
	.CSI	Keypunch Removal Tool	1-8
	.SM	Keypunch Replacement	
	.CSI	Keylever Forming Tool	25-12
	.CSI	Keylever Pawl Breakage — Auto Operation	25-11
	.CSI	Keylever Pawl Restoring Springs Installation	2-1
	.SM	Keylever Removal	
	.CSI	Keylever Restoring Spring — Lubrication	25-10
	.CSI	Keylever Side Play	25-3
	.CSI	Keylever Springs — Replacement	25-13
	.CSI	Keylever Tension Springs — Installation	25-8
47	.CSI	Loose Keyboards	25-5
	.CSI	Manual Velocity Control — Binds	25-4
	.CSI	Operational Keypunches — Damaged	1-1
453	.CEM	Platen Detent — Interference	
446	.CEM	Replacing Broken "Electric" Latch Links	
382	.CEM	Repeat Row Four Keylever — Plant Installed	
463	.CEM	Screws Changed In Cycle Clutch Bracket	
152	.APM	Selector Latch Interposer And Bail — Redesigned	
	.SM	Slow Or Hard Keyboards	
73	.APM	Spacebar — Spring Loaded	
	.CSI	Touch Problems	25-1
277	.CSI	Touch Problems — Oversized Compensator Tube	26-2

Technical Information Index

Denotes Current Codes 32 and 33.

CEM No.	Current Pub.	Subject	CSI Page/Item
MARGIN, LINELOCK AND BELL			
...CSI... Bell Mounting Stud — Field Replacement	26-8
420.	CEM	...Bellringer Bellcrank — Redesigned	
449.	CEM	...Bellringer Bellcrank — Redesigned	
383.	CSI	...Escapement Rack — Soft	21-4
173.	APM	...Margin Assembly, RH (DP) — Roller	
254.	APM	...Margin Lever (8XX And 7XX) — Redesigned	
...CSI... Margin Lever Replacement	26-6
...CSI... Margin Pin And Slider Removal And Installation	26-7
411.	CEM	...Margin Rack Gear	
408.	CSI	...Margin Rack — Single Pitch (Rotary B/S)	27-5
233.	APM	...Margin Rack (SP) — Redesigned	
243.	CSI	...Margin Rack Toggle Spring — Removed	27-1
469.	CEM	...Margin Set Levers	
194.	CSI	...Margin Sliders Binding	26-3
...CSI... Margin Stops Binding	26-4
91.	APM	...Nine Pitch 7X1 — Parts	
384.	CSI	...Pointers, "Selectric" II — Redesigned	27-2
136.	APM	...Sector Gear And Switch Pitch Lever — Redesigned	
...CSI... Switch Pitch Gear Adjustment — Margin	26-5
391.	CSI	...Uneven Left Margin	27-4
MOTOR AND DRIVE			
186.	CSI	...Capacitor Boot — "A" Frame	30-2
455.	CEM	...CE Safety Exposure	
...CSI... Current Requirements — School	29-6
213.	CSI	...Double Insulation — Motor Vent Grill	30-4
176.	CSI	...Double Insulation — Recon "Selectrics"	30-3
246.	APM	...Drive Belt — Fiberglass	
...CSI... Drive Belt Replacement	29-10
268.	CSI	...Idle Noise	29-1
104.	CSI	...Keypunch Stud — On/Off/Tab	30-6
267.	APM	...Linecord B/M	
82.	CSI	...Linecord Replacement	28-3
52.	CSI	...Linecord, Switch And Motor Lead Routing	28-4
389.	CSI	...Machine Idle Noise	29-2
454.	CEM	...Motor And Drive Double Insulation System	
122.	CSI	...Motor And Vent Grill — Redesigned	30-5

CEM No.	Current Pub.	Subject	CSI Page/Item
...CSI... Motor Binds	31-1
...CSI... Motor Clutch Springs — Tension	29-7
234.	APM	...Motor Clutch — Wider Pawl Surface	
...CSI... Motor Heat	29-3
418.	CEM	...Motor Label	
264.	APM	...Motor Mounting Bracket	
134.	APM	...Motor Mounting Bracket — Overhead Wires	
...CSI... Motor Noise — Worn Pulley Bushing	29-8
436.	CEM	...Motor Pawl Asm. — Washer Added	
...CSI... Motor Pulley And Belt Wear	29-9
405.	CEM	...Motor Pulley And Pawls — Defective	
165.	CSI	...Motor Replacement Procedure	28-1
...CSI... Motor Shaft — Spiral Groove	29-5
378.	CSI	...Motors — Longer Shafts	30-7
388.	CSI	...Motors — Mounts	31-2
...CSI... Motor — Thermal Protected	28-2
439.	CEM	...Motor Vent Grill Extension — Breaks	
338.	CSI	...Stalling During Corrections	15-2
...CSI... Static Sparks	29-4
150.	APM	...Switch Bracket And Switch — Redesigned	
341.	APM	...Switch Bracket — Redesigned	
239.	CSI	...Switch Wires Loose — Quick Wire Switch	30-1
423.	CEM	...Transformer Housing And Line Cord Plate — Wire Tie	
472.	CEM	...Transformer Motor	
437.	CEM	...Transformer Replacement — Wire Routing	
326.	APM	...Vent Grill And Platen Knobs — Black 8XX	
OPERATIONAL CONTROL			
302.	APM	...Backspace Cam Follower (SP) — Strengthened	
70.	CSI	...Cam Assembly Setscrew — Loosening	32-6
357.	APM	...Cam Follower Oil Wick	
301.	SM	...Cam Follower Replacement — Procedure	
319.	SM	...Cam Follower Roller — Field Replacement	
240.	CSI	...Cam Not Releasing	32-3
...CSI... Cam Pawl Installation	32-1
108.	CSI	...Cam Pawl Spring Installation	32-2
...CSI... Check Pawl Spring Installation	32-5
251.	CSI	...Extra Operations — Unwanted	31-4
372.	APM	...Index Multiplying Lever Mtg. Stud B/M	
...SM... Interposer Height Adjustment	

CEM No.	Current Pub.	Subject	CSI Page/Item
...CSI... Interposer Interlock Link	31-6
158.	CSI	...Interposer Latch — Burr	31-3
...CSI... Interposer Latch Replacement	31-5
351.	CSI	...Interposer Restoring Bail Retainers	33-1
345.	CSI	...Latch Wheel — Wearing	32-10
431.	CEM	...Multiplying Lever Mounting Stud B/M	
370.	APM	...Operational Interposer Restoring Bail — Redesigned	
...SM... Operational Shaft Removal Technique	
434.	CEM	...Operational Shaft Support — Index Motion	
289.	CSI	...Operational Shaft Support — New	32-7
...CSI... Pinion Wear	32-4
...CSI... Torque Limiter And Tab Governor — Adjustment	32-8
362.	CSI	...Torque Limiter Arbor — Defective	33-2
421.	CEM	...Torque Limiter Hub And Spring Clamp — Redesigned	
379.	CSI	...Torque Limiter Hubs — Defective	35-4
461.	CEM	...Torque Limiter Hub — Defective	
...CSI... Torque Limiter Lubrication	32-9
PACKING			
389.	CSI	...Motors, Packing Grommet	29-2
PAPER FEED			
127.	APM	..."A" Frame Paper Feed — Announced	
191.	CSI	..."A" Frame — Removal And Conversion	33-6
465.	CEM	..."A" Frame Replacement On Pre-Eccentric Overthrow Stop Machines	
280.	APM	...Anchor Rod Bushing — Pinfeed — Polyester Covers	
327.	CSI	...Cardholder Bracket — Universal (Noncorrecting)	34-8
271.	APM	...Cardholder, D-Shaped — Correcting	
250.	APM	...Cardholder, Material Changed — Correcting	
230.	APM	...Cardholder Popping Out, Correcting — Dimples Added	
220.	APM	...Cardholder — Universal 10P And 12P	
...CSI... Continuous Forms — Lateral Control	34-5
473.	CEM	...Detent Arm And Roller 54T — Redesigned	
...CSI... Endless Forms	34-4

CEM No.	Current Pub.	Subject	CSI Page/Item
282	.CSI .	Front Feed Roll Adjusting Screw Wrench . . .	1-2
309	.APM .	Handicapped Platen Knob . . .	35-2
278	.APM .	Linespacing Erratic - Pinfeed Platen . . .	35-2
297	.CSI .	Page End Indicator - New Bias Spring . . .	34-7
424	.CEM .	Paper Bail Arm And Platen Knob . . .	34-7
409	.CEM .	Screw - Loose . . .	34-7
359	.CSI .	Paper Bail Arms - Redesigned . . .	35-1
210	.CSI .	Paper Bail Spring - Incorrect . . .	35-1
59	.APM .	Paper Bail Arms - Universal . . .	34-1
447	.CEM .	Paper Bail - Twisted . . .	34-2
105	.CSI .	Pinfeed Core Key . . .	34-3
390	.CSI .	Pinfeed Core - Level 2 . . .	35-5
59	.APM .	Pinfeed Platen - "D" Shaped Pins . . .	35-5
447	.CEM .	Pinfeed Platen - Level 2 (140 Pins) . . .	35-5
288	.APM .	Pinfeed Platen Support B/M . . .	35-5
164	.APM .	Pinwheel Assemblies - High Lift Cam . . .	35-5
151	.APM .	Pinwheel Assemblies - Plastic Pins . . .	35-5
126	.APM .	Pinwheel, Platen Core Key Larger . . .	35-5
366	.CSI .	Platen Bushing - Oversize Available . . .	35-3
453	.CEM .	Platen Court Reporting - Identification . . .	33-5
377	.CEM .	Platen Damage . . .	33-5
287	.APM .	Platen Detent - Interference . . .	33-3
326	.APM .	Platen Knobs . . .	33-3
210	.CSI .	Platen Knobs And Vent Grills - Black 7XX . . .	33-7
353	.CSI .	Platen Knobs And Vent Grills - Black 8XX . . .	33-7
379	.CSI .	Platen Latch Adjustment . . .	33-4
205	.APM .	Platen Removal - Correcting "Selective" . . .	34-6
1	.CSI .	Platen Substitution On 8X3 Machines . . .	34-9
353	.CSI .	Platen Walks Out Of Latches - . . .	34-9
379	.CSI .	Bushing Bind . . .	34-4
205	.APM .	Print Shield - Correcting . . .	34-6
1	.CSI .	Print Shield - Non-Correcting, Removable . . .	34-6
353	.CSI .	Soft Feed Rolls - Marking Original . . .	34-9
379	.CSI .	Torque Limiter Hubs - Defective . . .	35-4
PINFEED PLATEN			
(See Paper Feed)			
RIBBON CASSETTE			
481	.CEM .	Announcement/Discontinuance - IBM "Selective" III . . .	

CEM No.	Current Pub.	Subject	CSI Page/Item
482	.CEM .	Announcement - IBM 210 Correctable Ribbon Cassette - IBM 800T - III Ribbon Cassette . . .	
PLATEN			
(See Paper Feed)			
RIBBON, FABRIC			
435	.CEM .	Fabric Ribbon Reverse Failures - Plate . . .	36-6
182	.SHP .	Fabric Ribbon, SE II - Parts Required . . .	36-6
435	.CEM .	Lift Guide Interference . . .	36-7
182	.SHP .	Load Lever - Excessive Motion . . .	36-7
435	.CEM .	Ratchet Detent Lever - Redesigned . . .	36-8
182	.SHP .	Reverse Failure - Dimple . . .	36-9
435	.CEM .	Reverse Failures - Brake Tension . . .	36-4
182	.SHP .	Reverse Failures - Lift Lever Interference . . .	36-1
435	.CEM .	Reverse Failures - Trigger Bind . . .	36-3
182	.SHP .	Reverse Interposer Spring Tension . . .	36-2
435	.CEM .	Ribbon Tracking . . .	36-5
182	.SHP .	Selective Ribbon To Fabric Ribbon - Parts . . .	
RIBBON, FILM			
435	.CEM .	Feed And Detent Cam Identification . . .	37-7
182	.SHP .	Feed Failures . . .	37-3
435	.CEM .	Film And Fabric Ribbon Cam Follower Compatibility . . .	37-6
182	.SHP .	Film Ribbon Changes . . .	37-4
435	.CEM .	Lift Link Spring - Fabric To Film Change . . .	37-5
182	.SHP .	Ribbon Folding - Tracking Problems . . .	37-1
435	.CEM .	Shock Spring Adjustment . . .	37-2
111	.APM .	Stencil Lever - Spring Washer . . .	
RIBBON, SELECTIVE			
300	.SM .	Feed Gear Adjustment . . .	
229	.APM .	Feed Gear - Polyester . . .	
146	.APM .	Feed Gear - Two Piece . . .	
375	.CSI .	Flaking And/Or Excessive Ribbon Dust . . .	39-4
214	.CSI .	Guard - Selective Ribbon . . .	38-6

CEM No.	Current Pub.	Subject	CSI Page/Item
399	.CEM .	Left-Hand Ribbon Lift Guide - Level 1 . . .	
275	.CSI .	Lift And Tracking Failures - Soft Cams . . .	38-5
141	.APM .	Lift Cam Follower Roller - Diameter Increased . . .	
120	.APM .	Lift Control Lever Spring - Torsion Spring . . .	38-3
225	.CSI .	Lift Control Lever Stud - Loose . . .	38-4
294	.CSI .	Lift Control Lever Stud - Wear . . .	38-4
190	.APM .	Lift Guides - Redesigned . . .	39-1
269	.CSI .	Load Lever Spring - Redesigned . . .	38-1
143	.CSI .	Print Quality - Tech III . . .	38-1
483	.CEM .	Ribbon Feed Cam Follower Asm. . .	
410	.CSI .	Ribbon Lift Arm - Stripped Screw . . .	40-1
125	.CSI .	Ribbon Lift Failures . . .	38-2
180	.APM .	Ribbon Lift Parts - Redesigned . . .	
320	.CSI .	Selective Ribbon - Field Install . . .	39-2
402	.CSI .	Selective Ribbon Mech. - Feed Failures . . .	40-2
299	.CSI .	Spread Plate - Redesigned . . .	38-7
254	.CSI .	Stencil Lever - Redesigned . . .	
259	.APM .	Selective Ribbon - Stencil Lever - Stop Lug Added . . .	
121	.APM .	Wobbler Bellcrank - Notch Removed . . .	
360	.CSI .	Wobbler Spring - Removed . . .	39-3
SELECTION			
433	.CEM .	Adjustment Parts Manual (241-5939-2) Correction . . .	
371	.CSI .	Balance Arm - Solid - Conversion . . .	44-3
446	.CEM .	Changing Tilt Adjustments . . .	44-4
416	.CEM .	Check Pawl, Spring, Stud And Tab Keylever - Red . . .	
433	.CEM .	Cycle Clutch Adjustment . . .	
433	.CEM .	Cycle Clutch Adjustment Procedure . . .	
433	.CEM .	Cycle Clutch - Extra Cycles . . .	43-5
138	.APM .	Cycle Clutch Latch Pawl - Adjustment . . .	
433	.CEM .	Cycle Clutch Pulley - Replacement . . .	43-2
433	.CEM .	Cycle Clutch Restoring - Adjustment . . .	43-6
433	.CEM .	Cycle Clutch Slippage - Diagnostic Aid . . .	43-3
457	.CEM .	Cycle Clutch Spring - Redesigned . . .	
433	.CEM .	Cycle Clutch Spring Wear . . .	43-4
211	.CSI .	Cycle Shaft Cams - Loose . . .	43-7

Technical Information Index

CEM No.	Current Pub.	Subject	CSI Page/Item
94.	.APM	.Cycle Shaft Check Pawl — Redesigned	
	.CSI	.Differential Bracket — Loose	42-11
227.	.APM	.Differential Bracket — Replaceable Studs	
85.	.CSI	.Dynamic Half Cycle Tool	
	.SM	.Fine Timing — Adjustment	
	.CSI	.Idle Gear, Upper — Backlash Adjustment	44-1
	.CSI	.Negative 5 Latch Adjustment	42-12
	.CSI	.Popping Selector Latches	42-13
446.	.CEM	.Replacing Broken Selector Latch Links	
336.	.CSI	.Rotate Adjustment — New Plant Procedure	44-2
445.	.CEM	.Rotate Bellcrank Stud — Installation	
	.SM	.Rotate Link Adjustment	
381.	.SM	.Rotate Selection Adjusting Tool (P/N 9900633)	
	.CSI	.Rotate Tape Breakage — Bad Pulley	41-3
	.CSI	.Rotate Tape Breakage — Diagnostic Aid	41-1
	.CSI	.Rotate Tape Breakage — Machine Check	41-4
	.CSI	.Rotate Tape Installation	42-4
	.CSI	.Rotate Tape Replacement	41-6
442.	.CEM	.Rotate Tape Replacement — Homing Changes	
	.CSI	.Rotate Tape 7X5 on 7X1, 7X3	42-3
117.	.CSI	.Rotate Tape "T" Lifting Out Of Pulley	41-2
	.CSI	.Rotate Tape "T" Removal	41-5
152.	.APM	.Selector Latch Interposer And Bail — Redesigned	
	.CSI	.Selector Latch Link — Replacement	43-1
224.	.APM	.Skirt Clearance — Defective Detent Cam	
	.CSI	.Tape Installation Pre Gear Tilt	42-2
	.CSI	.Tilt Detent Entry — Adjustment	42-8
112.	.APM	.Tilt Detent Guide Screw — Shortened	
471.	.CEM	.Tilt Pulley Bushing Breaking	
	.CSI	.Tilt Pulley (LH) Stud Wear	42-10
	.CSI	.Tilt Pulley Spring	42-9
	.CSI	.Tilt Tape Breakage — Machine Check	41-4
	.CSI	.Tilt Tape Replacement	42-1
406.	.CSI	.Tilt Tapes — Labels Incorrect	44-5
	.CSI	.Timing Adjustments	42-6
	.CSI	.Timing Problems	42-7
441.	.CEM	.Two Piece Rotate Arm — Redesigned	
	.CSI	.Typehead Homing	42-5

CEM No.	Current Pub.	Subject	CSI Page/Item
438.	.CEM	.Upper Idle Gear Bushing — Redesigned	
429.	.CEM	.Weak Cycle Clutch Drive/Contaminated Lubricant	
SHIFT			
	.CSI	.Backup Roller, Cam — Adjustment Check	44-8
273.	.APM	.Cam, 8XX — Sintered Iron	
451.	.CEM	.Carrier Return Unlatching Link — Interference	
235.	.CSI	.Detent Spring — Plastic Cam	45-2
124.	.APM	.Detent Stud, Replacement — Stripped Frame	
145.	.CSI	.Ratchet — Identification	45-1
	.CSI	.Release Link — Incompatibility	44-7
349.	.CEM	.Shift Arm Adjusting Screw — Recon Machines	
130.	.APM	.Shift Arm — One Piece Stamped	
217.	.APM	.Shift Arm Pulley — Squeaking	
169.	.APM	.Shift Arm Roller — "C"-Clip Stud	
252.	.CSI	.Shift Arm Roller Wear	44-9
363.	.APM	.Shift Arm — Universal	
167.	.APM	.Shift Bearing Plate — Backup Roller Eliminated	
	.CSI	.Shift Bearing Retainer Plate — Level Difference	44-10
	.SM	.Shift Drive — Adjustment Check	
	.CSI	.Shift Spring — Adjustment	44-6
SOUND REDUCTION			
393.	.CSI	.Acoustical Hood Seal — Redesigned	45-4
450.	.CEM	.“Selective” III Sound Reduction — B/M	
330.	.CSI	.Steel Membrane Support — Changed	45-3
475.	.CEM	.Top Cover Jammed — Sound Reduction Machines	
SPACEBAR			
	.CSI	.Failure To Release — Release Lever Bite	46-1
	.CSI	.Failure — Trigger Restoring	46-2
	.CSI	.Interlock Intermittent Or Inoperative	46-4

CEM No.	Current Pub.	Subject	CSI Page/Item
	.CSI	.Intermittent Failures	46-3
	.CSI	.Interposer Spring Installation	46-7
	.CSI	.Latch Spring Installation	3-4
	.CSI	.Spacebar Binds	46-5
73.	.APM	.Spacebar Keybutton — Spring Loaded	
	.CSI	.Spacebar Stiff — Burrs	46-6
	.CSI	.Space To Print B/M — Early Machines	46-8
TAB			
395.	.SM	.Dual Transport Conversion	
208.	.APM	.Dual Transport Cord System	
383.	.CSI	.Escapement Rack — Soft	21-4
163.	.CSI	.Keylever Linelock — Field B/M	46-11
	.CSI	.Mainspring Identification	46-10
335.	.APM	.Single Pitch — Rotary Backspace — New	
107.	.APM	.Tab Lever And Pawl — Overthrow Stop Eliminated	
337.	.CSI	.Tab Lever (RB/S) Spacer Binding	47-2
168.	.APM	.Tab Lever Spacer (DP) — Diameter Reduced	
131.	.APM	.Tab Mechanism (DP) — Redesigned	
183.	.APM	.Tab Rack (DP) — Friction Fit	
84.	.APM	.Tab Rack, Friction Fit — Replaced Silicone	
189.	.APM	.Tab Rack — “Snap In” Studs	
373.	.CSI	.Tab Set And Clear Bracket	46-12
106.	.APM	.Tab Stops Clearing — Friction Fit Racks	
	.CSI	.Torque Bar Binding	46-9
376.	.CSI	.Transport Cord Pulley Assemblies Redesigned	47-1
TAB (DUAL PITCH)			
479.	.CEM	.Escapement Bracket (RB/S) Defective	
376.	.CSI	.Transport Cord Pulley Assemblies Redesigned	47-1
TYPE ELEMENTS			
(See Applications)			
(See Carrier And Rocker)			



International Business Machines Corporation
Customer Service Division

S241-5103-7

Printed in USA June, 1982